Unconstrained Optimization in Business Analytics

William P. Fox

Naval Postgraduate School, USA

INTRODUCTION

To become problem solvers for the 21st century, analysts must be able to formulate the problem into mathematical terms, solve the problem, and then interpret the results. This chapter presents problems, their formulation, solution, and interpretations, as well as sensitivity analysis.

Consider a small company that is planning to install a central computer with cable links to five new departments. According to the floor plan, the peripheral computers for the five departments will be situated as shown in Figure 1. The company wishes to locate the central computer so that the minimal amount of cable will be used to link to the five peripheral computers. This will minimize the cost per cable and labor that is considered the biggest overall cost. Assuming that cable can be strung over the ceiling panels in a straight line from a point above any peripheral to a point above the central computer, the distance formula may be used to determine the length of cable needed to connect any peripheral to the central computer. Ignore all lengths of cable from the computer itself to a point above the ceiling panel immediately over that computer. In other words, work only with lengths of cable strung over the ceiling panels. We could add constraints later in the optimization chapter with constraints.

We keep this problem to only five data pairs as coordinates for the computers but the problem can easily be expanded. The coordinates of the



Figure 1. Computer grid locations

DOI: 10.4018/978-1-4666-5202-6.ch231

locations of the five peripheral computers are listed in Table 1.

Assume the central computer will be positioned at coordinates (m, n) where m and n are *inte*gers in the grid representing the office space. Determine the coordinates (m, n) for placement of the central computer that minimize the total amount of cable needed. Report the total number of feet of cable needed for this placement along with the coordinates (m, n).

This is a multivariable optimization problem. We want to minimize the sum of the distances from each department to the placement of the central computer system. The distances represent the cable lengths assuming that the straight line is the shortest distance between two points. Using the distance formula,

$$d = \sqrt{(x - X_1)^2 + (y - Y_1)^2}$$

where d represents the distance (cable length in feet) between the location of the central computer (x,y) and the location of the first peripheral computer (X_{I}, Y_{I}) . Since we have five departments we define

$$d_i = \sqrt{(x - X_i)^2 + (y - Y_i)^2}$$
 , for i = 1,2,3,4
5

We wish to minimize the sum of the distances given by

Table 1. Grid coordinates of five departments

X	Y
15	60
25	90
60	75
75	60
80	25

$$Dist(x,y) = \sum_{i=1}^{5} d_i = \sum_{i=1}^{5} \sqrt{(x - X_i)^2 + (y - Y_i)^2}.$$

U

Traditional calculus suggests taking the derivative of the function, Dist(x,y) first with respect to x and then with respect to y, setting the partial derivatives equal to zero, and solving for x and y to find the stationary points. Using the locations of the five peripheral computers X=[15 25 60 75 80] and Y=[60 90 75 60 25], the objective function Dist(x,y) becomes

$$Dist = \sum_{i=1}^5 d_i \,,$$

which is expressed below: Dist(x,y) =

$\sqrt{x^2}$	$-30x + 3825 + y^2 - 120y +$
$\sqrt{x^2}$	$-50x + 8725 + y^2 - 180y +$
$\sqrt{x^2}$	$-120x + 9225 + y^2 - 150y +$
$\sqrt{x^2}$	$-160x + 7025 + y^2 - 50y +$
$\sqrt{y^2}$.	$-120y + 9225 + x^2 - 150x$

In this example, traditional calculus methods do not work well. Thus to model and solve problems like this, we need to learn about numerical methods to approximate multivariable unconstrained optimization. Our objectives include how to set up, solve, and interpret the solution as well as perform sensitivity analysis.

BACKGROUND

Basic Theory for Unconstrained Optimization

The problem is to find an optimal solution (if one exists) for unconstrained nonlinear optimization problem:

2595

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/unconstrained-optimization-in-business-

analytics/107439

Related Content

Query Frequency based View Selection

Mohammad Haider Syedand T.V. Vijay Kumar (2017). *International Journal of Business Analytics (pp. 36-55).*

www.irma-international.org/article/query-frequency-based-view-selection/169219

The State of Artificial Intelligence in Marketing With Directions for Future Research

Jing Chen, Jose Humberto Ablanedo-Rosas, Gary L. Frankwickand Fernando R. Jiménez Arévalo (2021). International Journal of Business Intelligence Research (pp. 1-26). www.irma-international.org/article/state-artificial-intelligence-marketing-directions/297062

Data Profiling and Data Quality Metric Measurement as a Proactive Input into the Operation of Business Intelligence Systems

Scott Delaney (2016). Business Intelligence: Concepts, Methodologies, Tools, and Applications (pp. 2171-2188).

www.irma-international.org/chapter/data-profiling-and-data-quality-metric-measurement-as-a-proactive-input-into-theoperation-of-business-intelligence-systems/142722

Understanding Peoples' Sentiment During Different Phases of COVID-19 Lockdown in India: A Text Mining Approach

Rabindra Ku Jenaand Rupashree Goswami (2021). International Journal of Business Analytics (pp. 52-68). www.irma-international.org/article/understanding-peoples-sentiment-during-different-phases-of-covid-19-lockdown-inindia/288058

Data Mining and Knowledge Discovery

Andi Baritchi (2004). Business Intelligence in the Digital Economy: Opportunities, Limitations and Risks (pp. 35-47).

www.irma-international.org/chapter/data-mining-knowledge-discovery/6064