

Chapter 53

A Systematic Approach to Evaluating Open Source Software

Norita Ahmad

American University of Sharjah, UAE

Phillip A. Laplante

The Pennsylvania State University, Great Valley, USA

ABSTRACT

Selecting appropriate Open Source Software (OSS) for a given problem or a set of requirements can be very challenging. Some of the difficulties are due to the fact that there is not a generally accepted set of criteria to use in evaluation and that there are usually many OSS projects available to solve a particular problem. In this study, the authors propose a set of criteria and a methodology for assessing candidate OSS for fitness of purpose using both functional and non-functional factors. The authors then use these criteria in an improved solution to the decision problem using the well-developed Analytical Hierarchy Process. In order to validate the proposed model, it is applied at a technology management company in the United Arab Emirates, which integrates many OSS solutions into its Information Technology infrastructure. The contribution of this work is to help decision makers to better identify an appropriate OSS solution using a systematic approach without the need for intensive performance testing.

INTRODUCTION

The terms “Open Source Software” (OSS), “Free Software,” “Free Open Source Software” (FOSS), and “Free/Libre Open Source Software” (FLOSS) are often treated synonymously (Feller & Fitzgerald, 2002; Feller et al., 2005; Koch, 2005). When we look at their respective license agreements, however, we can easily see that they are quite

different. Free software is generally licensed with the GNU General Public License (GPL), while OSS may use either the GPL or some other license that allows for the integration of software that may not be free (Elliott & Scacchi, 2008; Gay, 2002). Free software is always available as OSS, but OSS is not always free software. Therefore it is more appropriate to refer to FOSS or FLOSS instead of the more general term “open source”

DOI: 10.4018/978-1-4666-7230-7.ch053

in order to differentiate between the two different models and preserve the original meaning of the free software/FOSS/FLOSS. We would like to note that in this paper, when appropriate, we used terms specific to either free software or OSS when such differentiation is necessary.

Since most OSS is free to use and modify with no licensing fees, it is attractive for use by many including government, businesses, and non-profits (Feller, Fitzgerald, Hissam, & Lakhani, 2005). However, it can be difficult to evaluate or choose the right OSS. One of the unique challenges of evaluating OSS is the sheer number of OSS projects available (Feller & Fitzgerald, 2002). Anyone can create an OSS project on a free hosting site such as SourceForge.net. This low barrier to entry means that many OSS software projects are very immature (Deprez & Alexandre, 2008; Gacek & Arief, 2004). Another challenge is that OSS projects often have little documentation (Wheeler, 2005). Without proper documentation and user manuals that traditionally accompany commercial software, it can be difficult to confirm an OSS' feature set.

Balancing the challenges of evaluating OSS software are the unique advantages provided. The biggest advantage is that the source code is available for analysis, which is vital in determining whether the software is of high quality and is maintainable. Another advantage is that many OSS projects provide public read-only access to their issue tracking system, which can give valuable insight into how fast the project is growing, whether defects are being found and fixed, and the amount of time it takes to resolve issues.

Selecting appropriate OSS for a given problem or a set of requirements can be very challenging. Some of the difficulties are due to the fact that there is not a generally accepted set of criteria to use in evaluation, and that there are usually many OSS projects available to solve a particular problem. Therefore the evaluation is often done in an ad hoc manner, using whatever criteria were avail-

able to the evaluators (Conradi, Bunse, Torchiano, Slyngstad, & Morisio, 2009; Norris, 2004). This kind of approach leads to evaluations that are not systematic or standardized within or between organizations, and are not repeatable, which in turn, could slow down project development. Another known problem is that, the evaluation process often lack operational approach where not everybody is involved in the evaluation process (Merilinna & Matinlassi, 2006; Torchiano & Morisio, 2004).

In this study, we propose a rigorous selection methodology for assessing candidate OSS using both functional and non-functional factors based on a set of criteria (Confino & Laplante, 2010) where every stakeholder in an organization can be involved. In order to test this evaluation model several important OSS were examined. We present an improved solution to the problem using the well-developed Analytical Hierarchy Process (AHP), which is not traditionally used or advocated by software developers/engineers. We also surveyed fifteen experts from a technology management company in the United Arab Emirates (UAE) which integrate many OSS solutions into its infrastructure. The contribution of this work is to help the decision maker to make a better decision in identifying an appropriate OSS solution using a systematic and repeatable approach without the need for intensive performance testing.

PREVIOUS AND RELATED WORK

An Open Source Software (OSS) program is a piece of software, with its source code available, that any person can access, use and copy provided that the associated license provisions are honored. A more comprehensive and formal definition of OSS can be found at the Open Source Initiative web site (Open Source Initiative, 2010). Many have argued that the definition provided by the Open Source Initiative is not sufficient and therefore devised a few more explanations (Feller &

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-systematic-approach-to-evaluating-open-source-software/120959

Related Content

Values and Principles Practices in Agile and Open Source Development

Barbara Russo, Marco Scotto, Alberto Sillittiand Giancarlo Succi (2010). *Agile Technologies in Open Source Development* (pp. 30-40).

www.irma-international.org/chapter/values-principles-practices-agile-open/36495

Open Source Approach for Mitigating Misinformation Risk in Complementary and Alternative Medicine Practices

Venugopal Gopalakrishna-Remaniand Mary Helen Fagan (2015). *Open Source Technology: Concepts, Methodologies, Tools, and Applications* (pp. 1915-1926).

www.irma-international.org/chapter/open-source-approach-for-mitigating-misinformation-risk-in-complementary-and-alternative-medicine-practices/121008

Does an Open Source Development Environment Facilitate Conventional Project Management Approaches and Collaborative Work?

Richard Garling (2021). *Research Anthology on Usage and Development of Open Source Software* (pp. 239-256).

www.irma-international.org/chapter/does-an-open-source-development-environment-facilitate-conventional-project-management-approaches-and-collaborative-work/286575

The Ontology of the OSS Business Model: An Exploratory Study

Spyridoula Lakka, Teta Stamati, Christos Michalakelisand Dracoulis Martakos (2011). *International Journal of Open Source Software and Processes* (pp. 39-59).

www.irma-international.org/article/ontology-oss-business-model/54245

A Software for Thorax Images Analysis Based on Deep Learning

Ahmed H. Almulihi, Fahd S. Alharithi, Seifeddine Mechti, Roobaea Alroobaeaand Saeed Rubaiee (2021). *International Journal of Open Source Software and Processes* (pp. 60-71).

www.irma-international.org/article/a-software-for-thorax-images-analysis-based-on-deep-learning/274516