Centrality-Based Connected Dominating Sets for Complex Network Graphs

Natarajan Meghanathan, Jackson State University, Jackson, MS, USA

ABSTRACT

The author proposes the use of centrality-metrics to determine connected dominating sets (CDS) for complex network graphs. The author hypothesizes that nodes that are highly ranked by any of these four well-known centrality metrics (such as the degree centrality, eigenvector centrality, betweeness centrality and closeness centrality) are likely to be located in the core of the network and could be good candidates to be part of the CDS of the network. Moreover, the author aims for a minimum-sized CDS (fewer number of nodes forming the CDS and the core edges connecting the CDS nodes) while using these centrality metrics. The author discusses our approach/algorithm to determine each of these four centrality metrics and run them on six real-world network graphs (ranging from 34 to 332 nodes) representing various domains. The author observes the betweeness centrality-based CDS to be of the smallest size in five of the six networks and the closeness centrality-based CDS to be of the smallest size in the smallest of the six networks and incur the largest size for the remaining networks.

Keywords: Betweeness, Centrality, Connected Dominating Set, Correlation, Network Graphs

DOI: 10.4018/ijitn.2014040101

INTRODUCTION

Network Science has been an actively researched area for analysis and visualization of characteristics of large complex real-world networks. Several metrics (a.k.a. measures) have been used for network analysis. Of these, centrality of the nodes constituting the network (a measure of the importance of the nodes with respect to the rest of the nodes) is one of the key metrics. The centralitybased ranking of nodes in real-world networks is purely a link-statistic based approach and does not depend on any offline information such as reputation of the particular entity representing the node, etc (Newman, 2010). The widelyused centrality metrics are: Degree, Betweeness, Eigenvector and Closeness, all of which are studied in this paper.

We model large real-world network as a graph of vertices and edges (vertices represent the nodes - entities like players, countries, airports, books, etc constituting the real-world network, and edges represent the interactions between these entities in the form of competitions played against, airline connections, books related to a particular domain, etc). The currently available application software (e.g., (Gephi, 2014 & Pajek, 2014) as well as literature for network analysis and visualization focus on several graph theoretic properties like diameter, clustering coefficient, path length, components, communities, etc. To the best of our knowledge, we could not find any work on determining minimum connected dominating sets

(CDS) of these real-world networks. A CDS (Cormen et al., 2009) of a graph is a subset of the vertices (and the edges connecting these vertices) such that every vertex in the graph is either in the CDS or is connected to a node in the CDS (in the latter case, the node is said to be covered by a node in the CDS).

A CDS forms the connected backbone of a network graph and could be used as the underlying communication topology for broadcasting throughout the network with the minimum number of forward transmissions (Meghanathan, 2012a). Only the nodes constituting the CDS need to forward a message (to the other nodes constituting the CDS) and the rest of the nodes in the network could be mere receivers. Accordingly, the primary objective of CDS-related research has been to find CDS of smaller size. Unfortunately, the problem of finding a minimum connected dominating set (CDS with the fewest number of constituent nodes) in both weighted and unit-weight graphs (undirected or directed) is a NP-hard problem (Cormen et al., 2009). Several heuristics (Gu et al, 2012; Meghanathan, 2012a, etc) have been proposed to find approximations to minimum-sized CDS. A common theme among all of these heuristics is to use a metric (like node degree) as the determining factor to include a node as part of the CDS. CDS construction starts with the node having the maximum value for the underlying metric and the nodes connected to this starting node are considered candidate nodes for inclusion to the CDS (as long 22 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/article/centrality-based-connected-dominating-</u> <u>sets-for-complex-network-graphs/124036</u>

Related Content

Identifying Dissatisfied 4G Customers from Network Indicators: A Comparison Between Complaint and Survey Data

Xinling Dai (2017). *Big Data Applications in the Telecommunications Industry (pp. 41-53).*

www.irma-international.org/chapter/identifying-dissatisfied-4g-customers-from-network-indicators/174275

Multimedia Services for Mobile WiMAX: Data-Partitioned Single Connection and Multi-Connection Streaming

Martin Fleury, Salah S. Al-Majeed, Laith Al-Jobouriand Mohammed Ghanbari (2012). *Multimedia Services and Streaming for Mobile Devices: Challenges and Innovations* (pp. 25-50).

www.irma-international.org/chapter/multimedia-services-mobile-wimax/58697

The TFRC Protocol and Its Usage for Wireless Video Transmission

Christos Bouras, Vassilis Papapanagiotou, Kostas Stamosand Giannis Zaoudis (2011). Advanced Communication Protocol Technologies: Solutions, Methods, and Applications (pp. 300-317).

www.irma-international.org/chapter/tfrc-protocol-its-usage-wireless/54621

From Fan-Centric Handset Manufacturing to Intense Product Diversification: A Study of the Rapid Transformation of a Telecommunication Giant in China and Beyond

Min Zhangand Katia Passerini (2020). International Journal of Interdisciplinary Telecommunications and Networking (pp. 22-33).

www.irma-international.org/article/from-fan-centric-handset-manufacturing-to-intense-productdiversification/247955

The Design and Implementation of Business Models in Metropolitan Broadband Networks

Antonios Alexiou, Christos Bouras, John Primpasand Dimitrios Papagiannopoulos (2008). *Handbook of Research on Global Diffusion of Broadband Data Transmission (pp. 196-210).*

www.irma-international.org/chapter/design-implementation-business-models-metropolitan/20440