

# Genetic Algorithms in Multimodal Search Space



**Marcos Gestal**

*University of A Coruña, Spain*

**Julián Dorado**

*University of A Coruña, Spain*

## INTRODUCTION

Genetic algorithms (GAs) (Holland, 1975; Goldberg, 1989) try to find the solution for a problem using an initial group of individuals—the population—where each one represents a potential solution.

Actually they are successfully applied in very different and actual fields (Yang, Shan, & Bui, 2008; Yu, Davis, Baydar, & Roy, 2008); nevertheless, GAs have some restrictions on a search space with more than a global solution or a unique global solution, together with multiple local optima. A classical GA faced with such a situation tends to focus the search on the surroundings of the global solution; however, it would be interesting to know a higher number of possible solutions for several reasons: precise information about the search space, easy implementation of the local solutions compared with the global one, simple interpretation of certain solutions compared with others, and so forth. To achieve that knowledge, an iterative process will be executed until reaching the desired goals. Such process will start with the grouping of the individuals into species that will independently search a solution in their environments; following, the crossover operation will involve individuals from different species in order not to leave unexplored any search space area. The process will be repeated according to the goals achieved.

## BACKGROUND

### Multimodal Problems

There are problems that do not exclusively have a unique global solution, but they have multiple optima, either global or local: the multimodal problems (Ehrgott, 2005).

For dealing with such type of problems, it is interesting to know the higher possible number of solutions. On one hand, the knowledge about the problem might not be complete; this fact leads to the uncertainty about the goodness of the

obtained solution, as it cannot be guaranteed that no better solutions might be found at the unexplored search space. On the other hand, and even achieving the best solution, there might be other possible solutions that, due to different reasons (economy, simplicity), might be preferable.

## BRIEF INTRODUCTION TO GENETIC ALGORITHMS

GAs are adaptive methods, generally used in problems of search and of parameter optimization, based on sexual reproduction and on the “survival of the fittest” theory (Tomassini, 1995; Beasley, Bull, & Martin, 1993; De Jong, 2002).

A population, a group of individuals where each one represents a potential solution that will evolve through different generations, is initially created. The best individual would tend to be kept after several evolutions, but other less-fitted individuals will be also kept in order to keep diversity. The diversity will enable that there might be individuals with different characteristics that could, some of them, be suitably adapted to the eventual changes on the environment.


The best-fitted natural individuals are those that have more possibilities of having descendants, following the natural selection principles proposed of Darwin (1859).

In nature, individuals usually establish different groups, each of them specialized in different tasks: hunting, harvesting, and so forth. But the traditional GAs do not envisage this possibility for reaching several solutions; the present work will study an extension that will bear this in mind.

### Problems Encoding

Any potential solution to a problem can be represented by providing values for a series of parameters. The whole of these parameters (or genes) is codified by a strand of values: the chromosome. The encoding is usually done by means of binary values, although other representations can also be used (see Figure 1).

Figure 1. Genetic individual



## Main Algorithm

The generic functioning of a classic GA can be observed in Figure 2. A generation is obtained from a previous one by means of the reproduction operators. There are two types: the crossover and the copy. The crossover is a sexual reproduction that originates new descendants after the exchange of the genetic information of the parents. In the second case, a given number of individuals pass, with no variation, to the following population. Once the new individuals have been generated, the mutation is carried out with a  $P_m$  probability in such way that the transcription failures, which occurred in the copy of the genetic material during the sexual reproduction, are mimicked.

The GA run finishes when there are solutions good enough shaped as best individuals, when they all concur on

a similar value, or when a prefixed generation's maximum number is reached.

For the GA to work correctly, a method should also exist that might indicate whether the population individuals represent or not, and to what extent, good solutions for the problem put forward. The later task would be carried out by the evaluation function, which establishes a numerical measurement (fitness) of the solution goodness (Koza, 1992).

## EVOLUTIONARY APPROACHES TO MULTIMODAL PROBLEMS

Several approaches related to evolutionary techniques have been tried. A brief summary is shown in this section.

The modification proposed here is based on niching techniques. These are techniques that try to make and maintain stable subpopulations in GAs. This idea comes from nature, where individuals have different roles that allow them to survive in their natural ecosystems. These roles are called "ecological niches." Given some maximums, and given a limited capacity to locate them, the best niching algorithm will choose the global maximum. In addition, since they are not selective, they will keep both global and local maximums.

Different niching techniques have emerged throughout time. Some of the most important are:

- *Fitness Sharing*: This was first implemented by Goldberg and Richardson (1987) for its use with multimodal functions. This technique uses the concept of similarity

Figure 2: GA pseudocode

```

initialise current population randomly
WHILE the termination criterion is not fulfilled
  create temporal empty population
  WHILE temporal population don not fill
    select parents
    cross parents with  $P_c$  probability
    IF the crossover has occurred
      mutate one of the descendants with  $P_m$  probability
    assess descendants
    add descendants to the temporal population
  ELSE
    add parents to the temporal population
  END IF
END WHILE
increase generation counter
establish the temporal population as current new population
END WHILE

```

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/genetic-algorithms-multimodal-search-space/13794](http://www.igi-global.com/chapter/genetic-algorithms-multimodal-search-space/13794)

## Related Content

---

### Spatial Analytics for Rancho Cucamonga: A City on a Map

Omer A. Alrwaisand Brian N. Hilton (2014). *Journal of Cases on Information Technology* (pp. 40-49).

[www.irma-international.org/article/spatial-analytics-for-rancho-cucamonga/109516](http://www.irma-international.org/article/spatial-analytics-for-rancho-cucamonga/109516)

### Executive Judgment in E-Business Strategy

Valerie Bakerand Tim Coltman (2005). *Encyclopedia of Information Science and Technology, First Edition* (pp. 1149-1154).

[www.irma-international.org/chapter/executive-judgment-business-strategy/14402](http://www.irma-international.org/chapter/executive-judgment-business-strategy/14402)

### Incentives and Knowledge Mismatch

Parthasarathi Banerjee (2002). *Annals of Cases on Information Technology: Volume 4* (pp. 297-315).

[www.irma-international.org/article/incentives-knowledge-mismatch/44514](http://www.irma-international.org/article/incentives-knowledge-mismatch/44514)

### Client/Server and the Knowledge Directory

Stuart D. Galup, Ronald Datteroand Richard C. Hicks (2005). *Encyclopedia of Information Science and Technology, First Edition* (pp. 430-434).

[www.irma-international.org/chapter/client-server-knowledge-directory/14275](http://www.irma-international.org/chapter/client-server-knowledge-directory/14275)

### Choosing and Implementing an Open Source ERMS

Daniel Staffordand Robert Flatley (2014). *Cases on Electronic Records and Resource Management Implementation in Diverse Environments* (pp. 164-180).

[www.irma-international.org/chapter/choosing-implementing-open-source-erms/82646](http://www.irma-international.org/chapter/choosing-implementing-open-source-erms/82646)