

Functional Integration of Decision Making Support

Guisseppe A. Forgionne

University of Maryland Baltimore County, USA

INTRODUCTION

Because of the importance to individual, group, and organizational success, information systems research has examined ways to improve support for decision making for the last three decades. The research has generated a variety of information systems to provide the necessary support. In the process, there has been an evolution from simple data access and reporting to complex analytical, creative, and artificially intelligent support for decision making (Holsapple & Whinston, 1996).

Various information systems have evolved to support the decision-making process. By studying the systems' characteristics, advantages, and disadvantages, researchers and practitioners can better design, develop, and implement robust decision-making support systems (Forgionne & Kohli, 1995; Kumar, 1999). This article facilitates such study by presenting and illustrating the underlying information system architectures for robust decision-making support.

BACKGROUND

Several frameworks have been developed to describe the human decision-making process. The most popular is Simon's three-phase paradigm of intelligence, design, and choice (Simon, 1960). This paradigm seems to be the most general, implying virtually all other proposed frameworks, and the Simon paradigm appears to have best withstood empirical testing (Borenstein, 1998; Martinsons, Davison & Tse, 1999). Such scrutiny, however, has suggested the expansion of the basic formulation to conclude with an implementation phase.

During the intelligence phase, the decision maker observes reality, gains a fundamental understanding of existing problems or new opportunities, and acquires the general quantitative and qualitative information needed to address the problems or opportunities. In the design phase, the decision maker develops a specific and precise model that can be used to systematically examine the discovered problem or opportunity. This model will consist of decision alternatives, uncontrollable events, criteria, and the symbolic or numerical relationships between

these variables. Using the explicit models to logically evaluate the specified alternatives and to generate recommended actions constitutes the ensuing choice phase. During the subsequent implementation phase, the decision maker ponders the analyses and recommendations, weighs the consequences, gains sufficient confidence in the decision, develops an implementation plan, secures needed financial, human, and material resources, and puts the plan into action.

A variety of individual information systems have been offered to support during the phases and steps of the decision-making process (Mirchandi & Pakath, 1999; Sauter, 1997). Much can be learned about this support by examining the support offered by the individual systems.

ISSUES, CONTROVERSIES, AND PROBLEMS

Decision-making support has evolved over time and across disciplines (Mirchandani & Pakath, 1999). Initial support was offered by a decision support system (DSS). In the typical DSS, the decision maker utilizes computer technology to: (a) organize the data into problem parameters, (b) attach the parameters to a model, (c) use the model to simulate (experiment with) alternatives and events, and/or (d) find the best solution to the problem. Results are reported as parameter conditions (status reports), experimental forecasts, and/or recommended actions. Feedback from the user-controlled processing guides the decision maker to a problem solution, and created information and knowledge are stored as additional inputs for future or further processing.

The DSS concept presumes that the problem pertinent data and models have been created and made available to the system prior to user processing (Hooghiemstra, Kroon, Odijk, Salomon & Zwaneveld, 1999). It also assumes that the user can utilize the computer technology to perform the technical processing operations and computations required by the system (Lawrence & Sim, 1999). In fact, DSS users rarely have the technical skill to recognize, capture, and process pertinent data and models or to interpret the results of the models' processing within the problem context (Raghunathan, 1999). In short, the DSS

concept offers little direct support for the intelligence, early design, and implementation phases of decision making.

To be useful for decision making, problem pertinent data must be identified, located, captured, stored, accessed, and interpreted (Seely & Targett, 1999). Data warehousing can be used to facilitate access and reporting, while data mining can help with the interpretation function. An executive information system (EIS) can deliver these data access, reporting, and interpretation functions to the decision maker in an intuitive and appealing manner.

In a typical EIS, the decision maker utilizes computer technology to: (a) organize the data into specified broad categories, (b) view (slice and dice) the data from interesting perspectives, (c) generate “warnings” for the decision maker by scanning current trends, and (d) mine the data for less obvious relationships. Results are reported as category summaries (status reports), sliced and diced details (drill down reports), and/or suggested problem parameters (events). Feedback from the user-controlled processing guides the decision maker to a general problem understanding, and the created parameters are stored as additional inputs for future or further processing.

The user should exit EIS processing with a general understanding of the problem or opportunity and with relevant problem information (such as general objectives, range of decision alternatives, and range of pertinent events). Additional decision analysis beyond EIS processing will be required to explicitly formulate the problem and complete the decision-making process. Put another way, an EIS directly supports only the intelligence phase of decision making.

Technical and domain expertise will be needed to recognize, formulate, and solve most complex and signifi-

cant decision problems or opportunities. Although such expertise will be available within, and outside, an organization, the expertise may be difficult, costly, and time-consuming to locate, access, and utilize. The corresponding knowledge, however, can be acquired and embedded within a Knowledge Based System (KBS), and the system can be used to capture, store, and deliver the expertise to the decision maker (Ayyub, 2001). A typical KBS captures and stores as inputs problem pertinent knowledge, either from experts, cases, or other sources, and the models (inference engine or reasoning mechanisms) needed to draw problem solution inferences from the knowledge. In other words, a KBS directly supports some of the design and most of the choice phases of decision making. Specifically, a KBS facilitates problem structuring and the evaluation and selection of alternatives.

Since decision making is a sequential and continuous process, learning will be essential to the successful completion of the process. Users will learn from their interactions with a KBS (or other individual decision-making support system) and, in the process, gain skills that can be applied to future decision-making tasks. Applying learning to the solution of the current problem, however, often will require system support (Steiger, 1998). Machine learning systems (MLS) can provide such support by mimicking the learning processes of physical systems. In a typical MLS, the decision maker utilizes computer technology to: (a) organize the problem data, (b) structure (operationalize) the learning model, and (c) simulate learning. Results are reported as problem conditions (status reports), forecasted problem outcomes, and/or an explanation of the learning logic.

Besides learning, creativity often is needed to successfully complete the decision-making process (Keys, 2000). While the previous systems free decision makers to

Table 1. Individual decision-making support systems

System	Type	Support
Decision Support System (DSS)	Individual	Specifying relationships between criteria, alternatives, and events; choice
Executive Information System (EIS)	Individual	Intelligence; developing decision criteria; identifying relevant uncontrollable events
Knowledge-Based System (KBS)	Individual	Develop decision alternatives; choice
Machine Learning System (MLS)	Individual	Logically evaluate decision alternatives
Creativity Enhancing System (CES)	Individual	Design; develop an implementation plan; put implementation plan into action

5 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/functional-integration-decision-making-support/14417

Related Content

A Statewide Analysis of Student Web Portfolios in New York Colleges and Universities

John DiMarco (2008). *Information Communication Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 1655-1665).

www.irma-international.org/chapter/statewide-analysis-student-web-portfolios/22767

The Use of Outsourcing as a Business Strategy: A Case Study

Ram B. Misra (2008). *Journal of Information Technology Research* (pp. 11-24).

www.irma-international.org/article/use-outsourcing-business-strategy/3706

Harmonizing IT and Business Strategies

Kevin Johnston (2005). *Encyclopedia of Information Science and Technology, First Edition* (pp. 1317-1321).

www.irma-international.org/chapter/harmonizing-business-strategies/14431

Incorporation of IRM Concepts in Undergraduate Business Curricula

Raymond Mcleod Jr. and Kathy Brittain-White (1988). *Information Resources Management Journal* (pp. 28-38).

www.irma-international.org/article/incorporation-irm-concepts-undergraduate-business/50906

Organizational Citizenship Behavior of Information System Personnel: The Influence of Leader-Member Exchange

Tzy-Yuan Chou, James J. Jiang, Gary Klein and Seng-Cho T. Chou (2011). *Information Resources Management Journal* (pp. 77-93).

www.irma-international.org/article/organizational-citizenship-behavior-information-system/58562