Chapter 11
On Mutual Relations amongst Evolutionary Algorithm Dynamics and Its Hidden Complex Network Structures:
An Overview and Recent Advances

Ivan Zelinka
VSB Technical University of Ostrava, Czech Republic

ABSTRACT

In this chapter, we do synthesis of three partially different areas of research: complex networks, evolutionary computation and deterministic chaos. Ideas, results and methodologies reported and mentioned here are based on our previous results and experiments. We report here our latest results as well as propositions on further research that is in process in our group (http://navy.cs.vsb.cz/). In order to understand what is the main idea, lets first discuss an overview of the two main areas: complex networks and evolutionary algorithms.

1. INTRODUCTION

In this chapter synthesis of two partially different areas of research is done: complex networks and evolutionary algorithms dynamics. The possibility to convert evolutionary dynamics of various evolutionary algorithms into complex network structure is discussed in this chapter (the case study on differential evolution is done in the next chapter), as well as possibilities of its analysis (via complex networks math. tools) and control. Ideas, results and methodologies reported and mentioned here are based on our previous results and experiments that are fully reported here for detailed study in case of reader's interest. Therefore this chapter is proposed as an overview-survey of this research. We report here our latest results as well as propositions on further research that is in process in our group (http://navy.cs.vsb.cz/).

It is clear that topic discussed here is a fusion of two significantly distinct areas, thus for better understanding of evolutionary algorithms and dynamics it is recommended to read Zelinka I. et.al. 2010. In order to understand what the main idea is, let's first discuss an overview of the two contributing areas: complex networks and evolutionary algorithms. Because this book is devoted to complex networks, we will focus more attention on evolutionary algorithms.

Large-scale networks, exhibiting complex patterns of interaction amongst vertices exist in both nature and in man-made systems (i.e., communication networks, genetic pathways, ecological or economical networks, social networks, networks of various scientific collaboration, Internet, World Wide Web, power grid etc.). The structure of complex networks thus can be observed in many systems. The title "complex networks" (Dorogovtsev S. N., 2002; Boccaletti S., et. al., 2006) comes from the fact that they exhibit substantial and non-trivial topological features with patterns of connection between vertices that are neither purely regular nor purely random. Such features include a heavy tail in the degree distribution, a high clustering coefficient and hierarchical structure, amongst other features. In the case of directed networks, these features also include reciprocity, triad significance profile and other features. Amongst many studies, two well-known and much studied classes of complex networks are the scale-free networks and small-world networks (see examples in Figure 1 and Figure 2), whose discovery and definition are vitally important in the scope of this research. Specific structural features can be observed in both

Figure 1. Example of a complex network

Related Content

Genetic Algorithms and Multimodal Search
Marcos Gestal, José Manuel Vázquez Nayaand Norberto Ezquerra (2009). *Advancing Artificial Intelligence through Biological Process Applications (pp. 231-249).*
www.irma-international.org/chapter/genetic-algorithms-multimodal-search/4981

Unified Swarm Intelligence Algorithms
Yuhui Shi (2018). *Critical Developments and Applications of Swarm Intelligence (pp. 1-26).*
www.irma-international.org/chapter/unified-swarm-intelligence-algorithms/198919

Classification of Land Use and Land Cover in the Brazilian Amazon using Fuzzy Multilayer Perceptrons
Toni Pimentel, Fernando M. Ramosand Sandra Sandri (2015). *International Journal of Natural Computing Research (pp. 57-71).*
www.irma-international.org/article/classification-of-land-use-and-land-cover-in-the-brazilian-amazon-using-fuzzy-multilayer-perceptrons/124881

Turing's Test and Believable AI
Darryl Charles, Colin Fyfe, Daniel Livingstoneand Stephen McGlinchey (2008). *Biologically Inspired Artificial Intelligence for Computer Games (pp. 239-255).*
www.irma-international.org/chapter/turing-test-believable/5916

Genetic Algorithms for Organizational Design and Inspired by Organizational Theory
T. Yu (2007). *Handbook of Research on Nature-Inspired Computing for Economics and Management (pp. 412-428).*
www.irma-international.org/chapter/genetic-algorithms-organizational-design-inspired/21143