

Chapter 3

Applications of Polymeric Micro– and Nano– Particles in Dentistry

Balasankar Meera Priyadarshini

National University of Singapore, Singapore

Nileshkumar Dubey

National University of Singapore, Singapore

ABSTRACT

The use of micro- and nanoparticles is rapidly advancing and has been most commonly used in medical and biological research that offers an encouraging scope in broad range of disciplines. Manipulation of the biomaterials to their micro- and nano-scale renders their properties and behavior different from that of the same material in the mass scale and make them more reactive than large particles. The removal of tooth structure and its restoration with synthetic material to solve the problems caused by dental caries, trauma and fracture is a practice nearly as old as dentistry. Efforts are made to create micro- and nanomaterials that can revolutionize these ancestral therapies and dental procedures. The use of these materials had shown some promising applications in caries control, endodontic therapy, regenerative dentistry, periodontology and oral biofilm management. This review aims to discuss the recent advances and future potential of polymer-based micro- and nanoparticles in dentistry.

DOI: 10.4018/978-1-5225-1043-7.ch003

INTRODUCTION

The prevention of tooth decay, treatment of bone loss and periodontal disease are ongoing challenges in dentistry. According to CDC, tooth decay is the most frequent childhood disease 5 times as common as asthma. LA Times came up with the fact that 42% of children are expected to have some decay by the age of 2-12 (Mascarelli, 2011). For example, in 2015-16, a UK report shows that 9.8% rise in removal of one or more teeth in children aged 10 and under (Howell, 2016). Periodontal diseases are the most common infections due to the overgrowth of the dental plaque that may increase the risk of heart disease and it is estimated that 47.2% of adults aged 30 years and older has some form of periodontal disease (Dhadse, Gattani, & Mishra, 2010).

With the emergence and increase of such dental problems and continuing concerns on healthcare costs, many researchers have tried to develop new and effective treatment regimes. Such problems and needs have led to the resurgence in the use of micro- and nanomaterials in order to revolutionize the ancestral therapies and dental procedures. For example, liquids and pastes containing nano-apatite's have been used remineralization of early sub micrometer sized enamel lesions and the role of nanoparticle in the control of the oral biofilm has also been recognized (Figure 1) (Besinis, De Peralta, Tredwin, & Handy, 2015; Hannig & Hannig, 2010). Similarly, micro-/nanoparticles that can deliver antibiotics and bioactive compounds have been used to treat periodontal diseases (Yao et al., 2014).

Application of micro-/nanotechnology in dentistry aims at using these materials and theories to enhance prevention, diagnosis and treatment of injured tissues at the molecular and micro molecular levels. The high surface area to volume ratio of these materials has reportedly shown to improve the biomaterial-biological interactions (Yong, 2014). Their ability to penetrate inside locations that are inaccessible make them best suited for various site-specific delivery (Cristina Buzea & Kevin, 2007). Moreover, their stability during storage as well as in biological fluids makes them advantageous in many ways. The shape of these materials enhances their surface reactivity and renders high antibacterial action in comparison to other formulations (Khodashenas & Ghorbani). Although still evolving with their developments at infancy, these fields provide an array of possibilities that benefit the patient's health by eliminating or reducing pain associated with conventional procedures.

The use of polymeric micro-and nanoparticles has been the epicenter of extensive research in the recent years. Polymers are high performance materials predominantly used in controlled drug release due to their versatility and unique physical, chemical and structural properties that hold tremendous promise for improvements in many areas of scientific research. The use of polymers plays a major role in improving the mucoadhesive properties of nano and micro biomaterials because this improvises the interaction of polymeric particles with biological systems, especially tooth

32 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/applications-of-polymeric-micro--and-nano-particles-in-dentistry/163676

Related Content

Exploring Simple, Interpretable, and Predictive QSPR Model of Fullerene C60 Solubility in Organic Solvents

Lyudvig S. Petrosyan, Supratik Kar, Jerzy Leszczynski and Bakhtiyor Rasulev (2017). *Journal of Nanotoxicology and Nanomedicine* (pp. 28-43).

www.irma-international.org/article/exploring-simple-interpretable-and-predictive-qspr-model-of-fullerene-c60-solubility-in-organic-solvents/188867

Quantum Computation Perspectives in Medical Image Processing

Pedro Rodrigues, Manuel João Ferreira and João Luís Monteiro (2010). *International Journal of Nanotechnology and Molecular Computation* (pp. 16-46).

www.irma-international.org/article/quantum-computation-perspectives-medical-image/48527

Computing Bacterial Evolvability Using Individual-Based Models

Richard Gergory, Richard Vlachos, Ray C. Paton, John W. Palmer, Q. H. Wu and Jon R. Saunders (2005). *Molecular Computational Models: Unconventional Approaches* (pp. 190-223).

www.irma-international.org/chapter/computing-bacterial-evolvability-using-individual/26928

On the Reliability of Post-CMOS and SET Systems

Milos Stanisavljevic, Alexandre Schmid and Yusuf Leblebici (2009). *International Journal of Nanotechnology and Molecular Computation* (pp. 43-57).

www.irma-international.org/article/reliability-post-cmos-set-systems/4077

Diffusion of the Clean Development Mechanism

Shaikh M. Rahman, Ariel Dinar and Donald F. Larson (2010). *Nanotechnology and Microelectronics: Global Diffusion, Economics and Policy* (pp. 193-206).

www.irma-international.org/chapter/diffusion-clean-development-mechanism/43326