

Chapter 37

A Guideline to Use Activity Theory for Collaborative Healthcare Information Systems Design

Carolin Durst

University of Bremen, Germany

Nilmini Wickramasinghe

Epworth HealthCare, Australia & Deakin University, Australia

Jana Riechert

University of Erlangen-Nuremberg, Germany

ABSTRACT

In healthcare, collaborative systems serve very different stakeholders: researchers, clinicians, nurses, patients, and administrators for instance. In order to design a collaborative healthcare information system that satisfies the stakeholders' needs, all individual requirements have to be mapped into the software. Traditional system design focuses at technical features and oftentimes ignores social requirements like human factors or organizational structures. Instead of integrating existing processes and working habits into a system, a technical-focused design approach tries to force new behaviors. As a result, stakeholders could refuse to use collaborative healthcare information systems. In line with Kuutti (1991), we recommend activity theory as a rich framework to study and design collaborative information systems. We believe that activity theory analysis is particularly useful for healthcare settings where diverse stakeholders pursue very different goals. This book chapter offers a structured approach to analyze collaborative activities and to design the IT-support accordingly.

DOI: 10.4018/978-1-5225-0920-2.ch037

INTRODUCTION

The development of collaborative healthcare information systems is a very complex but promising undertaking. Numerous collaborative activities can be optimized by information and communication technologies. The increasing digitalization of those activities and processes results in time saving, error reduction and most important it enables the analysis, evaluation and knowledge creation of the collected data. Healthcare information systems can improve and support patient safety and avoid medical errors (Baxter & Rooksby, 2011). To date, all OECD countries recognize the opportunities of those systems especially in the light of access, quality and value facing healthcare delivery (Wickramasinghe & Schaffer, 2010).

However, system failures can lead to damages with serious consequences. A significant example is the failure of the dispatch system of the London Ambulance in 1992. Up to 30 people died because of technical problems. The system was not able to address and support the established practices of dispatch. This example shows that development approaches for collaborative systems in healthcare need to focus on both: technical aspects and work practices (Baxter & Rooksby, 2011).

In order to raise the aforementioned potentials, the major challenge is the design of such collaborative systems in healthcare due to the diverse stakeholders and complex work practices. Traditional system design approaches often target at technologically driven features. This means, instead of existing processes and work habits forming the system, the design approach tries to push new behaviors (Sawyer, 2013). It is widely acknowledged that adopting a socio-technical approach to system development leads to systems that are more acceptable to end users, delivers better value to stakeholders and overall value to the company. Despite this knowledge, there is a lack of theories and methods which consider human, social and organizational factors (Sawyer, 2013; Whitworth & Ahmad, 2014). In order to design effective systems, it is not sufficient to only understand the process in general, but it must also be clear how the various stakeholders interact and what motivates them to strive for the joint objective (Sadeghi, Andreev, Benyoucef, Momtahan, & Kuziemy, 2014a).

One attempt to narrow the so called socio-technical gap is provided by Kuutti (1991). He suggested to employ the concept of “activities” - originating from activity theory - as basic unit of analysis for collaborative information systems design. He argues, that the properties of the activity concept correlate well with the characteristics and social requirements of collaborative activities (Kuutti, 1991). Applying activity theory analysis helps to understand the work practices of all stakeholders involved in the activity and how these individuals interact with technological and non-technological artefacts. With creating and analysing an activity system it is possible to obtain a complete overview of an activity. This overview can not only be used to uncover contradictions between components of the activity systems (e.g. a nurse has problems to work with certain tool) but also to have deeper insights into the activity system e.g. the number of stakeholders, the objectives that are motivating the individuals to fulfil an activity, or the number and quality tools used. The results can be used for both analysing an activity and capturing requirements for collaborative healthcare information systems.

The remainder of the book chapter is structured as follows: After presenting the theoretical background of activity theory, we discuss related work on the application of activity theory in healthcare. Based on this foundation, we propose a guideline to use activity theory for the analysis and the design of collaborative healthcare information systems. The book chapter closes with concluding remarks, pointing to areas of our future research.

9 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-guideline-to-use-activity-theory-for-collaborative-healthcare-information-systems-design/163858

Related Content

Simulating Light-Weight-Cryptography Implementation for IoT Healthcare Data Security Applications

Norah Alassafand Adnan Gutub (2019). *International Journal of E-Health and Medical Communications* (pp. 1-15).

www.irma-international.org/article/simulating-light-weight-cryptography-implementation-for-iot-healthcare-data-security-applications/235437

Aggregate Model-Based Performance Analysis of an Emergency Department

Ivo Adan, Erjen Lefeber, Jordi Timmermans, Annet van de Waarsenburgand Mireille Wolleswinkel-Schriek (2014). *International Journal of Privacy and Health Information Management* (pp. 1-21).

www.irma-international.org/article/aggregate-model-based-performance-analysis-of-an-emergency-department/129020

Processing and Communication Techniques for Applications in Parkinson Disease Treatment

Álvaro Orozco-Gutiérrez, Edilson Delgado-Trejos, Hans Carmona-Villadaand Germán Castellanos-Domínguez (2010). *Handbook of Research on Developments in E-Health and Telemedicine: Technological and Social Perspectives* (pp. 194-218).

www.irma-international.org/chapter/processing-communication-techniques-applications-parkinson/40648

Digital Innovation in Healthcare

Bouabdellah Moulay (2023). *Integrating Digital Health Strategies for Effective Administration* (pp. 1-19).

www.irma-international.org/chapter/digital-innovation-in-healthcare/323776

The Role of Average Health Status - Health Inequalities Matrix for Assessing Impacts on Population Health in Health in All Policies

Jordan Panayotov (2015). *International Journal of User-Driven Healthcare* (pp. 1-15).

www.irma-international.org/article/role-average-health-status-health/140241