

# Chapter 4

## Improving the Efficiency of Image Interpretation Using Ground Truth Terrestrial Photographs

**Gennady Gienko**

*University of Alaska Anchorage, USA*

**Michael Govorov**

*Vancouver Island University, Canada*

### **ABSTRACT**

*Researchers worldwide use remotely sensed imagery in their projects, in both the social and natural sciences. However, users often encounter difficulties working with satellite images and aerial photographs, as image interpretation requires specific experience and skills. The best way to acquire these skills is to go into the field, identify your location in an overhead image, observe the landscape, and find corresponding features in the overhead image. In many cases, personal observations could be substituted by using terrestrial photographs taken from the ground with conventional cameras. This chapter discusses the value of terrestrial photographs as a substitute for field observations, elaborates on issues of data collection, and presents results of experimental estimation of the effectiveness of the use of terrestrial ground truth photographs for interpretation of remotely sensed imagery. The chapter introduces the concept of GeoTruth – a web-based collaborative framework for collection, storing and distribution of ground truth terrestrial photographs and corresponding metadata.*

DOI: 10.4018/978-1-5225-1814-3.ch004

## INTRODUCTION

Emerging innovations in optics, electronics and computers have led to the launch of a number of earth-observation systems which transmit terabytes of visual data every day. Some of the data are free, and pricing for the rest is declining due to competition among image providers. This provides great opportunities for institutions, research groups and organizations worldwide to use remotely sensed imagery in their projects in both the social and natural sciences.

Yet users often encounter difficulties working with aerial or satellite images, because these images differ from conventional photos in at least three important ways: objects are portrayed from an overhead (and unfamiliar) position, images are taken at scales most people are unaccustomed to seeing, and images are recorded over a range of wave lengths on multiple channels which are often beyond the visible spectral zone.

Along with computer-assisted automated classification of low-resolution multi-spectral imagery, visual image interpretation of large-scale aerial photographs and high-resolution satellite images is still widely used not only by non-technically driven geographers, biologists and other scientists, but by experienced professionals, as well.

While geographers at many universities study the basics of visual image interpretation, other professionals (*e.g.* biologists and environmental specialists) are generally not aware of image interpretation techniques until they become involved in a project and are forced to acquire such skills. The most practical way to acquire such experience is for observers to go into the field, locate themselves in an overhead image, observe the landscape and find corresponding features in the overhead image. Visual links between the natural view of a particular object and its representation in an overhead image create a particular association in the user's brain. The wider the variety of such mental images, the more experienced an image interpreter becomes. These mental pictures, along with analytical abilities for establishing such associations between objects and sites are the essence of visual image interpretation.

In many cases, natural observations could be substituted for terrestrial photographs taken from the ground with conventional cameras. If the coordinates of a terrestrial photograph are known, the position of the photographer can be located in an overhead image, making it possible for users to use conventional terrestrial photographs as a ground truth to establish a visual link between an object and its representation in an overhead image without traveling to the field.

There have been a few attempts to create repositories of sample objects, but they either represent images acquired by a particular sensor without ground truth (Remote Sensing Guides, 2008) or they provide a ground truth photograph and represent very specific objects (*i.e.* types of vegetation) in a limited area (Ochi & Takagi, 1996; Zion National Park, 2015). Any such repository will always have certain

38 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/improving-the-efficiency-of-image-interpretation-using-ground-truth-terrestrial-photographs/172706](http://www.igi-global.com/chapter/improving-the-efficiency-of-image-interpretation-using-ground-truth-terrestrial-photographs/172706)

## Related Content

---

### Designing Mobile Learning Smart Education System Architecture for Big Data Management Using Fog Computing Technology

Muhammad Adnan Kaim Khani, Abdullah Ayub Khan, Allah Bachayo Brohiand Zaffar Ahmed Shaikh (2022). *The International Journal of Imaging and Sensing Technologies and Applications* (pp. 1-23).

[www.irma-international.org/article/designing-mobile-learning-smart-education-system-architecture-for-big-data-management-using-fog-computing-technology/306653](http://www.irma-international.org/article/designing-mobile-learning-smart-education-system-architecture-for-big-data-management-using-fog-computing-technology/306653)

### Video-Based Motion Capture for Measuring Human Movement

Chee Kwang Quah, Michael Koh, Alex Ong, Hock Soon Seahand Andre Gagalowicz (2010). *Movement-Aware Applications for Sustainable Mobility: Technologies and Approaches* (pp. 209-228).

[www.irma-international.org/chapter/video-based-motion-capture-measuring/42399](http://www.irma-international.org/chapter/video-based-motion-capture-measuring/42399)

### GuideMe: A Complete System for Indoor Orientation and Guidance

Eirini Barri, Christos John Bouras, Apostolos Gkamasand Spyridon Aniceto Katsampiris Salgado (2020). *International Journal of Smart Sensor Technologies and Applications* (pp. 36-53).

[www.irma-international.org/article/guideme/281602](http://www.irma-international.org/article/guideme/281602)

### Harnessing the Power of Machine Learning for Parkinson's Disease Detection

Neepa Biswas, Debarpita Santra, Bannishikha Banerjeeand Sudarsan Biswas (2024). *AIoT and Smart Sensing Technologies for Smart Devices* (pp. 140-155).

[www.irma-international.org/chapter/harnessing-the-power-of-machine-learning-for-parkinsons-disease-detection/338658](http://www.irma-international.org/chapter/harnessing-the-power-of-machine-learning-for-parkinsons-disease-detection/338658)

## Designing Mobile Learning Smart Education System Architecture for Big Data Management Using Fog Computing Technology

Muhammad Adnan Kaim Khani, Abdullah Ayub Khan, Allah Bachayo Brohiand Zaffar Ahmed Shaikh (2022). *The International Journal of Imaging and Sensing Technologies and Applications* (pp. 1-23).

[www.irma-international.org/article/designing-mobile-learning-smart-education-system-architecture-for-big-data-management-using-fog-computing-technology/306653](http://www.irma-international.org/article/designing-mobile-learning-smart-education-system-architecture-for-big-data-management-using-fog-computing-technology/306653)