

Mobile Virtual Communities of Commuters

Jalal Kawash

American University of Sharjah, UAE

Christo El Morr

York University, Canada

Hamza Taha

American University of Sharjah, UAE

Wissam Charaf

American University of Sharjah, UAE

INTRODUCTION

Commuting forms an integral part of our lives, whether we are commuting for leisure or business. The use of location-based services and mobile computing has potentials to improve commuting experience and awareness. For instance, printed bus schedules have been only recently complemented with online systems to provide bus timing information for the community of public transport commuters. Commuters can nowadays inquire about bus timings by the use of telephony systems and the Internet. However, the information provided to users is statically produced, just like the still in-use old fashion bus route tables, and does not take into consideration delays and cancellations. The next step in the evolution of these schedules must produce live information, track bus movements, and alert commuters of bus arrivals and timings. The experience of commuting using taxis can also be improved beyond the use of telephony, while the most common way of asking for a taxi continues to be by hand waiving. Such improvements are more crucial for commuters that are not completely aware of their surrounding environment, such as tourists and business visitors.

This article envisions the formation of networked organizations of commuters, through the use of mobile and location-based services. We discuss scenarios and use cases of such organizations and propose an example software implementation for the supporting services.

BACKGROUND

Worldwide, the adoption of smart wireless technologies is taking place at a large scale. For example, about half

a billion users carry handheld phones that can run Java and in 2005, mobile manufacturers shipped about 400 million Java enabled phones (Mobile Monday, 2005). There are about 150 wireless operators supporting Java and there are 300 to 400 different phone models that can run Java (Mobile Monday, 2005). This huge and rapid adoption of Java-enabled mobile devices is not fully exploited by the industry, with probably the exception of mobile gaming industry. It is the authors' conjecture that software tools that support the formation of mobile networked virtual organizations and communities is a strong candidate for such exploitation.

Virtual Communities

As early as 1999, Palloff and Pratt (1999) realized the need to redefine the meaning of a "community" due to the emergence of the Internet. Preece (2000) defined an online community to consist of: socially interacting *people*, performing special roles or satisfying their needs; a *purpose*, which is the reason behind the community; *policies* to govern people interaction; and *computer systems* that support social interaction.

The proliferation of mobile devices and wireless technologies gave users the ability to practice their roles in online communities while they are on the move. Mobility has tremendous effects on the nature of the tools that enable mobile user participation in a community, such as the human computer interaction (HCI) requirements for mobile devices. Kristofferson and Ljungberg (1999) noted that mobility enforces constraints on HCI so that new interaction styles, characterized by little visual interaction, should be created. Mobile users work in a more context-sensitive environment than classical stationary Internet users. Dix et al. (2000) argued that

the participation of a mobile user in a community has an impact on the set of awareness tools that should be used in the community. Mobile users can act to a large extent differently from stationary users.

Some work like the one conducted by Grather and Prinz (2001) focused on the cooperation requirements in a mobile Web-based community and demonstrated the importance of metaphors during cooperation. Luff and Heath (1998) indicated that taking into account the mobility factor in collaboration may result in more innovative approaches to designing collaborative technologies and mobile devices. Few researchers like Watanabe et al. (2000) described the use of mobile phones for awareness support between friends and suggested that collaboration awareness stimulates the need for communication.

For the purpose of this work, a *mobile virtual community* (MVC) consists of user members, the majority of which are practicing their roles using mobile devices, purpose, policies, and technologies supporting interaction among members (El Morr & Kawash, 2007).

MOBILE VIRTUAL COMMUNITIES OF COMMUTERS

Scenarios

This section presents two scenarios, which illustrate the formation of MVCs of commuters, the type of users, and the required supporting technologies. In the following sections, we will see that these MVCs can be captured by a simple collaboration model and an example software implementation that enables such MVCs.

Scenario 1: Live Bus Schedule

Maria is a tourist that has just arrived to Toronto and she decides to visit the CN Tower. She notices the problem of traffic jams in Toronto and she doubts the accuracy of the printed bus schedules. So, she joins Toronto Bus Users (TBU), an MVC whose purpose is the enhancement of the awareness of bus timings and schedules. TBU allows Maria to specify on her mobile phone a destination in the city and the system shows her a map of her current position with the locations of the nearest bus stops that serve the required destination. TBU also gives her accurate estimation of the times for the next

buses serving her destination from the nearby stops. Maria finds that the next bus is expected in 15 minutes, so she decides to spend some time in the nearby gift shop. She asks the system to send her a reminder two minutes prior to the bus arrival. While she is shopping, she receives a notification stating that there will be an unexpected delay of three minutes in the bus arrival, possibly due to a traffic jam. Two minutes before the bus arrives, Maria receives a reminder confirming the arrival time.

Scenario 2: Taxi Now

Don is in Dubai to attend a conference and conduct few business meetings on the side. He is unfamiliar with the operation and procedure of the public transport system in Dubai, so a taxi is his preferred choice for commuting. It is important that Don makes use of his time efficiently during his short visit. He registers in the Dubai Taxi Now (TNow) service, which allows him to ask for a taxi ahead of time specifying the date, time, and location that he requires. Don can receive early reminders of the taxi arrival. This morning, Don asked for a taxi to take him from his hotel to his Jumaira Beach meeting at 10:00 a.m. At 9:50 a.m., Don received a notification on his mobile phone that the Taxi will be two minutes late because traffic is affected by road construction. At 9:52 Don left the room to the hotel lobby, where he used a Wi-Fi connection to TNow to see the taxi cab location on an interactive map.

In the afternoon, Don was having a stroll checking a few shops. He got carried away with shop hopping and lost track of his location. Don used TNow again and invoked the “nearest taxi” function. TNow locates Don and a handful of non-engaged taxi cars in the area. One taxi accepted the request and was given directions for Don’s location. Don was informed that a taxi is on the way with an estimated arrival time. While waiting, he requested an interactive map where he can track the approaching taxi.

Collaboration Model

The general model of Kawash et al. (2007) can easily capture these scenarios. In this model, a community consists of producer and consumer member spots, and action spots. Producers announce action spots and consumers make use of these announcements. Action spots are community purpose dependant. In the bus

5 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/mobile-virtual-communities-commuters/17711

Related Content

Lessons Learned from the Design and Development of Vehicle Simulators: A Case Study with Three Different Simulators

Sergio Casasand Silvia Rueda (2018). *International Journal of Virtual and Augmented Reality* (pp. 59-80). www.irma-international.org/article/lessons-learned-from-the-design-and-development-of-vehicle-simulators/203068

Seeking Accessible Physiological Metrics to Detect Cybersickness in VR

Takurou Magakiand Michael Vallance (2020). *International Journal of Virtual and Augmented Reality* (pp. 1-18). www.irma-international.org/article/seeking-accessible-physiological-metrics-to-detect-cybersickness-in-vr/262621

The Effect of Experience-Based Tangible User Interface on Cognitive Load in Design Education

Zahid Islam (2020). *International Journal of Virtual and Augmented Reality* (pp. 1-13). www.irma-international.org/article/the-effect-of-experience-based-tangible-user-interface-on-cognitive-load-in-design-education/283062

Integration of Biomedical Engineering in Augmented Reality and Virtual Reality Applications

Jaya Rubi, A. Vijayalakshmiand Shivani Venkatesan (2024). *Applications of Virtual and Augmented Reality for Health and Wellbeing* (pp. 41-54). www.irma-international.org/chapter/integration-of-biomedical-engineering-in-augmented-reality-and-virtual-reality-applications/343672

An Empirical Investigation of the Impact of an Embodied Conversational Agent on the User's Perception and Performance with a Route-Finding Application

Ioannis Doumanisand Serengul Smith (2019). *International Journal of Virtual and Augmented Reality* (pp. 68-87). www.irma-international.org/article/an-empirical-investigation-of-the-impact-of-an-embodied-conversational-agent-on-the-users-perception-and-performance-with-a-route-finding-application/239899