Chapter 8 Web Semantics for Personalized Information Retrieval

Aarti Singh *Guru Nanak Girls College, Yamuna Nagar, India*

> Anu Sharma ICAR-IASRI New Delhi, India

ABSTRACT

This chapter explores the synergy between Semantic Web (SW) technologies and Web Personalization (WP) for demonstrating an intelligent interface for Personalized Information Retrieval (PIR) on web. Benefits of adding semantics to WP through ontologies and Software Agents (SA) has already been realized. These approaches are expected to prove useful in handling the information overload problem encountered in web search. A brief introduction to PIR process is given, followed by description of SW, ontologies and SA. A comprehensive review of existing web technologies for PIR has been presented. Although, a huge contribution by various researchers has been seen and analyzed but still there exist some gap areas where the benefits of these technologies are still to be realized in future personalized web search.

DOI: 10.4018/978-1-5225-2483-0.ch008

Copyright ©2017, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

INTRODUCTION

Current proliferation and innovations in web technologies has changed the face of web from information dissemination medium to knowledge provider. The web has become an important hub for providing information on almost all the aspects of human life from the most basic needs to highly specialized ones. Although, it has fascinated the masses but this abundance of information has led to many bottlenecks in accessing the right information at any point of time. This issue could be resolved by applying technologies like Data Mining (DM), Text Mining(TM) and Web Mining (WM). But, the present scenario has demanded the personalized face of web for an individual user to satisfy his information needs. This change has led to the development of a new area of research named as Web Personalization (WP).

WP can be defined as the ability of the system to provide a customized view of web by performing various actions for a single or group of users (Anand & Mobasher, 2005). It can deliver a wide variety of facilities to the users in the form of greetings, bookmarking, granting personalized rights, modifying web site structure, tailored offers & services and adapted web search results. Search engines are an important mode of retrieving desired information from the web. Currently available search engines however do not consider the preferences of the user in account while displaying Web Search Results (WSR). So, it is evident that the current search engines are not able to resolve ambiguous queries and are unable to identify the user preference automatically. So, there is need to add personalized preferences and interest for web IR (Singh & Alhadidi, 2008).

Further, intelligent SW technologies namely ontology and SA (Wooldridge & Jennings, 1995) are found useful in the retrieval of useful knowledge oriented WSR. Intelligent SW technologies provides an important paradigm for use in internet applications (Ehlert, 2003). A number of agents works collaboratively to enable personalization by recognizing individual interests and then recommending the contents. Unification of SW with web IR will enhance the efficiency, scalability of PIR along with complete automation of tasks.

This chapter is organized into four sections. A brief overview of the topic is explained in this section. Section two describes the basic components of a PIR system and section three outlines the existing SW technologies. Section four provides a framework for using web semantics for PIR. Discussion and future research directions are presented in section five. 19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart"

button on the publisher's webpage: www.igi-

global.com/chapter/web-semantics-for-personalized-

information-retrieval/178373

Related Content

Updating the Built Prelarge Fast Updated Sequential Pattern Trees with Sequence Modification

Jerry Chun-Wei Lin, Wensheng Gan, Tzung-Pei Hongand Jingliang Zhang (2015). International Journal of Data Warehousing and Mining (pp. 1-22). www.irma-international.org/article/updating-the-built-prelarge-fast-updated-sequential-patterntrees-with-sequence-modification/122513

Clustering of COVID-19 Multi-Time Series-Based K-Means and PCA With Forecasting

Sundus Naji Alaziz, Bakr Albayati, Abd al-Aziz H. El-Bagouryand Wasswa Shafik (2023). *International Journal of Data Warehousing and Mining (pp. 1-25).* www.irma-international.org/article/clustering-of-covid-19-multi-time-series-based-k-means-andpca-with-forecasting/317374

Data Approximation for Time Series Data in Wireless Sensor Networks

Xiaobin Xu (2016). International Journal of Data Warehousing and Mining (pp. 1-13). www.irma-international.org/article/data-approximation-for-time-series-data-in-wireless-sensornetworks/168483

Baseline Drift Removal of ECG Signal: Comparative Analysis of Filtering Techniques

Akash Kumar Bhoi, Karma Sonam Sherpaand Bidita Khandelwal (2016). *Research Advances in the Integration of Big Data and Smart Computing (pp. 134-152).* www.irma-international.org/chapter/baseline-drift-removal-of-ecg-signal/139400

Deep Learning-Based Adaptive Online Intelligent Framework for a Blockchain Application in Risk Control of Asset Securitization

Liuyang Zhao, Yezhou Sha, Kaiwen Zhangand Jiaxin Yang (2023). *International Journal of Data Warehousing and Mining (pp. 1-21).* www.irma-international.org/article/deep-learning-based-adaptive-online-intelligent-framework-for-a-blockchain-application-in-risk-control-of-asset-securitization/323182