Chapter 36 Prediction of Solar and Wind Energies by Fuzzy Logic Control

Sanaa Faquir University Sidi Mohamed Ben Abdallah, Morocco Hamid Tairi University Sidi Mohamed Ben Abdallah, Morocco

Ali Yahyaouy University Sidi Mohamed Ben Abdallah, Morocco Jalal Sabor Ecole Nationale Superieure d'Arts et Metiers (ENSAM), Morocco

ABSTRACT

Nowadays, the use of renewable energy has become increasingly significant, and cost-effective. Between all existing sources of energy, solar and wind energies are the highly exploited. However, solar and wind energies are not available all the time and their performance is affected by unpredictable weather changes, therefore, it is not always feasible to obtain an accurate mathematical model of the controlled system. Various mathematical modeling methods were used to predict wind and solar powers using natural parameters but considering multiple parameters in equations makes the solution more complex. In addition to complexity, some coefficients are uncertain and based on probability. Fuzzy logic is a perfect tool to model any kind of uncertainty related to vagueness. This chapter presents a computer algorithm based on fuzzy logic control (FLC) to estimate the wind and solar energies using natural factors. As input parameters, the wind speed was used to predict the wind power and the temperature and the lightening were used to estimate the solar power.

INTRODUCTION

Recently, governments and industries all around the world are progressively trying to find alternatives to overcome the significant increase in the prices of conventional energy sources and to minimize the greenhouse gas emissions (GHC) and the resulting global warming. For these reasons, the implementation and diffusion of renewable energies as well as the establishment of a low-carbon economy have been subject of research in many regional and international initiatives, institutions and financial mechanisms

DOI: 10.4018/978-1-5225-1908-9.ch036

(Fritzsche, Zejli, & Tanzler, 2011). In contrast to fossil energy, renewable energy comes from resources which are continually refilled such as:

- Sunlight,
- Wind,
- Rain,
- Tides,
- Waves, and
- Geothermal Heat, and it must be harvested when it is available.

From all existing renewable energy sources, solar energy especially photovoltaic panels (PV) and wind turbines are the best shared resources of energies and therefore those that lend themselves best to the decentralized production of electricity. However, solar and wind energies are not available all the time and their performance is affected by unpredictable weather changes. They also rely on natural factors which require the use of many variables to simulate the operation of the renewable sources as accurate as possible. It is also difficult to predict the power as it is not always feasible to obtain an accurate mathematical model of the simulated system.

Over the past three decades, several models have been developed in order to generate the solar irradiance data based on stochastic models such as:

- Autoregressive (AR),
- Autoregressive moving average (ARMA),
- Autoregressive integrated moving average (ARIMA), and
- Markov chain (Aguiar & Collares-Pereira, 1992; Mora-Lopez & Sidrach De Cardona, 1998; Santos, Pinazo, & Canada, 2003; Maafi & Adnane, 1989).

Nevertheless, these models, based on the probability estimation, do not always give accurate results as they require the precise definition of problem domains as well as the identification of mathematical functions. This is why most stochastic models were found with relatively big errors and sometimes difficult to be adopted widely. Fuzzy modeling was also used with neural networks in (Chen, Gooi, & Wang, 2013) to forecast solar radiation at different weather conditions for a grid-connected photovoltaic system. It was also used in (Rizwan, Majid, Kirmani, & Kothari, 2014) to model and estimate the global solar energy in smart-grid applications using various parameters that require precise measurement. These parameters are:

- The mean duration sunshine per hour,
- Temperature,
- Latitude,
- Longitude,
- Altitude, and
- Months of the year.

26 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/prediction-of-solar-and-wind-energies-by-fuzzylogic-control/178423

Related Content

Feature Selection for GUMI Kernel-Based SVM in Speech Emotion Recognition

Imen Trabelsiand Med Salim Bouhlel (2017). Artificial Intelligence: Concepts, Methodologies, Tools, and Applications (pp. 941-953).

www.irma-international.org/chapter/feature-selection-for-gumi-kernel-based-svm-in-speech-emotion-recognition/173367

Knowledge Extraction From ICU Data Using Data Visualization

Tiago Guimarães, Inês Afonso Quesado, Inês Tavares, Maria Passos, Júlio Duarte, Manuel Filipe Santosand Álvaro Silva (2022). *Big Data Analytics and Artificial Intelligence in the Healthcare Industry (pp. 129-149).*

www.irma-international.org/chapter/knowledge-extraction-from-icu-data-using-data-visualization/301771

A Novel Sparse Representation Based Visual Tracking Method for Dynamic Overhead Cranes: Visual Tracking Method for Dynamic Overhead Cranes

Tianlei Wang, Nanlin Tan, Chi Zhang, Ye Liand Yikui Zhai (2019). *International Journal of Ambient Computing and Intelligence (pp. 45-59).*

www.irma-international.org/article/a-novel-sparse-representation-based-visual-tracking-method-for-dynamic-overheadcranes/238053

Al Implementation Techniques for Finding Earth's Frozen Zones

Kavitha M. S., Mahalakshmi P., Manimegalai L.and Sundaramoorthi S. (2024). *Novel AI Applications for Advancing Earth Sciences (pp. 101-114).* www.irma-international.org/chapter/ai-implementation-techniques-for-finding-earths-frozen-zones/336215

From the Real Ant to the Artificial Ant: Applications in Combinatorial Optimization, Data Clustering, Collective Robotics and Image Processing

Moussa Diaf, Kamal Hammoucheand Patrick Siarry (2012). *International Journal of Signs and Semiotic Systems (pp. 45-68).*

www.irma-international.org/article/from-the-real-ant-to-the-artificial-ant/101251