

Methods for Simultaneous Improvement of Comb Pass Band and Folding Bands

M

Gordana Jovanovic Dolecek
Institute INAOE Puebla, Mexico

INTRODUCTION

Decimation is a reduction of a sampling rate in a digital form by an integer, called decimation factor. It consists of two stages: filtering and down sampling. Practically the sampling rate is decreased only in the second stage, called down sampling (Harris, 2004). However, during this process, the replicas of the main signal spectrum occur. If the signal is not properly filtered before down sampling, the overlapping of the repeated replicas of the original spectrum, called aliasing, may occur. The aliasing may destroy the useful information of the decimated signal and must be eliminated by the filter which proceeds the down sampling, called decimation filter.

The most simple decimation filter is a comb filter which has all coefficients equal to unity, and consequently does not require multipliers, (Hogenauer, 1981). The transfer function of comb is given as:

$$H(z) = \left[\frac{1}{M} \sum_{k=0}^{M-1} z^{-k} \right]^K, \quad (1)$$

where M is the decimation factor, and K is order of the filter.

Note that all filter coefficients are equal to unity. The comb transfer function (1) is also known as non recursive form. An equivalent transfer function, also known as a recursive form, is given as:

$$H(z) = \left[\frac{1}{M} \frac{1 - z^{-M}}{1 - z^{-1}} \right]^K. \quad (2)$$

From the recursive form (2), a simple comb structure, called CIC (Cascaded-Integrator-Comb) filter, proposed by (Hogenauer, 1981), is obtained. It consists of the cascade of K integrators $1 / (1 - z^{-1})$ and K combs, $(1 - z^{-1})$ separated by a down sampler by M .

To preserve the decimated signal, the comb magnitude characteristic:

$$H(e^{j\omega}) = \left[\frac{1}{M} \frac{\sin(\omega M / 2)}{\sin(\omega / 2)} \right]^K, \quad (3)$$

must have a flat magnitude response in the pass band of interest, and high attenuation across the bands around the comb zeros, also called folding bands. However, comb magnitude characteristic exhibits a low attenuation in folding bands and a pass band droop in the pass band of interest, which may deteriorate the decimated signal. Increasing the order K , the attenuation in folding bands is improved, as shown in Figure 1, for $M=9$ and $K=1, 2, 3, 4$, and 5 .

However, the pass band droop is increased as illustrated in Figure 2, for the same parameters as in Figure 1.

Different methods are proposed for decreasing comb pass band droop, increasing the attenuation in the comb folding bands, and for both: simultaneous decreasing of comb pass band droop, and increasing folding band attenuation. The goal of this article is to present the principal approaches for the comb simultaneous pass band and stop band improvements.

Figure 1. Overall comb magnitude responses for $M=9$ and different values of K





Figure 2. Pass band comb magnitude responses for $M=9$ and different values of K



11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/methods-for-simultaneous-improvement-of-comb-pass-band-and-folding-bands/184315

Related Content

Two Rough Set-based Software Tools for Analyzing Non-Deterministic Data

Mao Wu, Michinori Nakata and Hiroshi Sakai (2014). *International Journal of Rough Sets and Data Analysis* (pp. 32-47).

www.irma-international.org/article/two-rough-set-based-software-tools-for-analyzing-non-deterministic-data/111311

Image Segmentation Using Rough Set Theory: A Review

Payel Roy, Srijan Goswami, Sayan Chakraborty, Ahmad Taher Azar and Nilanjan Dey (2014). *International Journal of Rough Sets and Data Analysis* (pp. 62-74).

www.irma-international.org/article/image-segmentation-using-rough-set-theory/116047

From Synergy to Symbiosis: New Directions in Security and Privacy?

Vasilios Katos, Frank Stowell and Peter Bednar (2009). *International Journal of Information Technologies and Systems Approach* (pp. 1-14).

www.irma-international.org/article/synergy-symbiosis-new-directions-security/4023

User-Centered Internet Research: The Ethical Challenge

Maria Bakardjieva, Andrew Feenber and Janis Goldie (2004). *Readings in Virtual Research Ethics: Issues and Controversies* (pp. 338-350).

www.irma-international.org/chapter/user-centered-internet-research/28307

Prediction of Ultimate Bearing Capacity of Oil and Gas Wellbore Based on Multi-Modal Data Analysis in the Context of Machine Learning

Qiang Li (2023). *International Journal of Information Technologies and Systems Approach* (pp. 1-13).

www.irma-international.org/article/prediction-of-ultimate-bearing-capacity-of-oil-and-gas-wellbore-based-on-multi-modal-data-analysis-in-the-context-of-machine-learning/323195