

# Chapter 1

## The End of Relational Databases Domination

### ABSTRACT

*The chapter gives an overview of the three main stages of database development: hierarchical and network database models, relational database model, and NoSQL databases. It gives a short overview of the pillars of relational databases: relational data model, ACID (atomicity, consistency, isolation, and durability) properties of a transaction, and SQL (structured query language). Also, the concepts that make the base for NoSQL database development are explained, including the CAP (Consistency, Availability, Partitioning) theorem, the BASE (Basically Available, Soft-state, Eventually consistent) approach, and the sharding phenomenon. At last, the limitations of relational databases which led to the development of NoSQL databases are discussed.*

### INTRODUCTION

Relational databases have been the predominant database model for the last forty years. Since 1970, when E.F. Codd from the IBM Research Laboratory published his famous paper *A relational model for large shared data* (Codd, 1970) the world of databases changed significantly. Codd established the theoretical ground of relational databases that ensured the independence of data presentation (data model) with regard to physical data storage implementation. Relational databases share a common architecture based on three pillars: relational model, ACID (atomicity, consistency, isolation,

DOI: 10.4018/978-1-5225-3385-6.ch001

durability) transactions, and SQL (structured query language) language. Relational databases even found a way, through constant innovations and implementation of object-oriented features, to respond to object-oriented requests, but the era of massive Web-scale applications created completely different pressures on the relational database, which could not be easily resolved through incremental innovation.

In order to support readers in more easily understanding further chapters and the book as a whole, this chapter gives an overview of the three main stages in database development. In short, this chapter explains the pillars of relational databases, CAP (consistency, availability, partitioning) theorem, BASE (basically available, soft-state, eventually consistent) approach, and limitations of relational databases which led to the development of NoSQL databases.

## **THREE STAGES IN DATABASE DEVELOPMENT**

The very first attempt of the manual filing system digitalization was related to the file-based approach (Figure 1). The file-based approach translated manual file organization (labeled files stored in cabinets) into digital files (Figure 1). However, this approach had two main drawbacks:

- Data definition was inseparable from application programs.
- Data could be accessed and manipulated only through application programs.

The consequences were:

- Any change of file structure forced modifications in all the programs that used that file and resulted with additional programming time and effort.
- Difficulties in combining data from multiple sources caused a high level of redundancy in the file based approach, so the same data was stored in different location (poor data security and consistency).
- Files which were created using one programming language could not be accessed by any other programming language.

It became obvious that inseparability of data and application programs caused huge maintenance problems in file-based systems. Thus, a new

31 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: [www.igi-global.com/chapter/the-end-of-relational-databases-domination/191979](http://www.igi-global.com/chapter/the-end-of-relational-databases-domination/191979)

## Related Content

---

### Complementing Business Process Verification by Validity Analysis: A Theoretical and Empirical Evaluation

Pnina Soffer and Maya Kaner (2013). *Innovations in Database Design, Web Applications, and Information Systems Management* (pp. 265-288).

[www.irma-international.org/chapter/complementing-business-process-verification-validity/74396](http://www.irma-international.org/chapter/complementing-business-process-verification-validity/74396)

### Distributed Data Warehouse for Geo-spatial Services

Iftikhar U. Sikder and Aryya Gangopadhyay (2003). *ERP & Data Warehousing in Organizations: Issues and Challenges* (pp. 132-145).

[www.irma-international.org/chapter/distributed-data-warehouse-geo-spatial/18559](http://www.irma-international.org/chapter/distributed-data-warehouse-geo-spatial/18559)

### Investigating Goal-Oriented Requirements Engineering for Business Processes

Geert Poels, Ken Decreus, Ben Roelens and Monique Snoeck (2013). *Journal of Database Management* (pp. 35-71).

[www.irma-international.org/article/investigating-goal-oriented-requirements-engineering-for-business-processes/86283](http://www.irma-international.org/article/investigating-goal-oriented-requirements-engineering-for-business-processes/86283)

### An Open ECA Server for Active Applications

Florian Daniel and Giuseppe Pozzi (2008). *Journal of Database Management* (pp. 1-20).

[www.irma-international.org/article/open-eca-server-active-applications/3392](http://www.irma-international.org/article/open-eca-server-active-applications/3392)

### Information Extraction from Free-Text Business Documents

Witold Abramowicz and Jakub Piskorski (2003). *Effective Databases for Text & Document Management* (pp. 12-23).

[www.irma-international.org/chapter/information-extraction-free-text-business/9202](http://www.irma-international.org/chapter/information-extraction-free-text-business/9202)