

Chapter LXXXVI

Pervasive and Ubiquitous Computing Databases: Critical Issues and Challenges

Michael Zoumboulakis
University of London, UK

George Roussos
University of London, UK

INTRODUCTION

The concept of the so-called Pervasive and Ubiquitous Computing was introduced in the early nineties as the third wave of computing to follow the eras of the mainframe and the personal computer. Unlike previous technology generations, Pervasive and Ubiquitous Computing recedes into the background of everyday life: “it activates the world, makes computers so imbedded, so fitting, so natural, that we use it without even thinking about it, and is invisible, everywhere

computing that does not live on a personal device of any sort, but is in the woodwork everywhere” (Weiser 1991). Pervasive and Ubiquitous Computing is often referred to using different terms in different contexts. Pervasive, 4G mobile and sentient computing or ambient intelligence also refer to the same computing paradigm. Several technical developments come together to create this novel type of computing, the main ones are summarized in Table 1 (Davies and Gellersen 2002; Satyanarayanan 2001).

Table 1. Elements of pervasive and ubiquitous computing

<p>1. Physical and Virtual Integration</p> <p>Sensing Information gathering in the physical world and its representation in the virtual world</p> <p>Actuation Decisions in the virtual world and their tangible results in the physical world</p> <p>Awareness and Perception Using sensed data to maintain a higher-level model of the physical world and argue about</p> <p>Ambient Displays Display information from the virtual world on physical artifacts</p> <p>World Modeling Representations of physical spaces</p> <p>2. System Components</p> <p>Platforms Mobile, wearable or implantable hardware devices with small form factor</p> <p>Sensors and Actuators Hardware and software platforms for sensing and actuation</p>	<p>Software Architectures Adaptable, large scale, complex software infrastructures and development</p> <p>Connectivity High-speed, low power wired and wireless communications systems</p> <p>3. Deployment</p> <p>Scalability System adaptation to cater for massive scale in terms of space, devices and users</p> <p>Reliability Security and redundancy technologies for continuous operation</p> <p>Maintenance Structured maintenance processes for reliability and updates</p> <p>Evaluation Methods to evaluate the effectiveness of information systems outside the laboratory</p>
--	--

BACKGROUND

One of the major challenges in turning the Pervasive and Ubiquitous Computing vision into reality is the development of distributed system architectures that will support effectively and efficiently the ability to instrument the physical world (Estrin *et al* 2002, National Research Council 2001). Such architectures are being developed around two core concepts: self-organizing networks of embedded devices with wireless communication capabilities and data-centricity. To augment physical artifacts with computational and communications capabilities it is necessary to enable miniaturized hardware components capable of wireless communication. However, these same characteristics that allow for instrumentation of physical objects also impose significant constraints. Systems architectures require significant changes due to the severely

limited resources available on these devices. One possible solution is offered by the emergence of data-centric systems. In this context, data-centric refers to in-network processing and storage, carried out in a decentralized manner (Estrin *et al* 2000).

One objective of data-centricity is to let systems exploit the anticipated high node densities to achieve longer unsupervised operating lifetimes. Indeed, smaller form factor wireless sensor nodes have limited resources and often cannot afford to transfer all the collected data to the network edge and forward to centralized information processing systems. A practical example of the data-centric approach for network routing is directed diffusion (Intanagonwiwat *et al* 2000). This mechanism employs in-network processing by routing data along aggregation paths and thus removing the need for an address-centric architecture. It exploits data naming as the lowest level of system

8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/pervasive-ubiquitous-computing-databases/20767

Related Content

Context-Aware Query Processing in Ad-Hoc Environments of Peers

Nikolaos Folinas, Panos Vassiliadis, Evaggelia Pitoura, Evangelos Papapetrou and Apostolos Zarras (2009). *Database Technologies: Concepts, Methodologies, Tools, and Applications* (pp. 1844-1866). www.irma-international.org/chapter/context-aware-query-processing-hoc/8008

Technology-Mediated Synchronous Virtual Education: An Empirical Study

Xiaofeng Chen and Keng Siau (2016). *Journal of Database Management* (pp. 39-63). www.irma-international.org/article/technology-mediated-synchronous-virtual-education/178635

Generalization Data Mining in Fuzzy Object-Oriented Databases

Rafal Angryk, Roy Ladner and Frederick E. Petry (2005). *Advances in Fuzzy Object-Oriented Databases: Modeling and Applications* (pp. 85-112). www.irma-international.org/chapter/generalization-data-mining-fuzzy-object/4808

Semantically Modeled Enterprise Databases

Cheryl L. Dunn and Severin V. Grabski (2005). *Encyclopedia of Database Technologies and Applications* (pp. 601-606). www.irma-international.org/chapter/semantically-modeled-enterprise-databases/11211

Integrity Checking and Maintenance in Relational and Deductive Database and Beyond

Davide Martinenghi, Henning Christiansen and Hendrik Decker (2007). *Intelligent Databases: Technologies and Applications* (pp. 238-285). www.irma-international.org/chapter/integrity-checking-maintenance-relational-deductive/24236