Chapter LIX Spatial Data on the Move

Wee Hyong Tok

National University of Singapore, Singapore

Stéphane Bressan

National University of Singapore, Singapore

Panagiotis Kalnis

National University of Singapore, Singapore

Baihua Zheng

Singapore Management University, Singapore

ABSTRACT

The pervasiveness of mobile computing devices and wide-availability of wireless networking infrastructure have empowered users with applications that provides location-based services as well as the ability to pose queries to remote servers. This necessitates the need for adaptive, robust, and efficient techniques for processing the queries. In this chapter, we identify the issues and challenges of processing spatial data on the move. Next, we present insights on state-of-art spatial query processing techniques used in these dynamic, mobile environments. We conclude with several potential open research problems in this exciting area.

INTRODUCTION

The pervasiveness of wireless networks (e.g., Wi-Fi and 3G) has empowered users with wireless mobility. Coupled with the wide-availability of mobile devices, such as laptops, personal digital assistants (PDAs), and 3G mobile phones, it enables users to access data anytime and anywhere. Applications that are built to support such data access often need to formulate queries (often spatial in nature) and send the queries to a remote

server in order to either retrieve the results or retrieve the data, which is then processed locally by the mobile device. Due to the mobility of the users and limited resources available on the devices used, it compels the need for efficient and scalable query processing techniques that can address the challenges on handling *spatial data* on the move.

Mobile devices (e.g., PDAs, laptops) connect to the servers via wireless networks (e.g., WiFi, 3G, CDMA2000), and have limited resources (power,

CPU, memory). Hence, it is necessary to optimize the resources usage. Existing wireless technology suffers from the problem of low-bandwidth (compared with the wired networks) and the range. The maximum bandwidth for WiFiMax, WiFi, and 3G are 75Mbps, 54Mbps and 2Mbps respectively. Also, as the network is susceptible to interference (from other wireless devices, obstructions, etc.), the achievable bandwidth is usually much lower. To reduce unnecessary communication overheads between the server and the clients, it is important to transfer only the required data items. In addition, the query processing techniques would need to adapt to the unpredictable nature of the underlying networks, and yet ensure that data is delivered continuously to the clients.

As the users carrying the mobile devices move, the queries pose might move based on the users' current location. Query processing algorithms need to tackle these mobility challenges. For example, a mobile device might issue the following k-nearest neighbor (kNN) query: Retrieve the five nearest fast food restaurants. However, as the user who is carrying the mobile devices move, the results of the kNN query changes. Thus, many existing algorithms designed for static environment, which assumes that the query is static cannot be used directly. In addition, many existing indices are optimized for static datasets, and cannot be directly used for indexing moving data, due to the overheads from updates, and deletions due to expiration of queries or data items. This compels the need for new indices, designed to handle issues introduced due to mobility.

Notably, long-running continuous spatial queries are relatively more common in a mobile environment compared to ad hoc queries and pre-canned queries. For example, users might be interested in monitoring specific regions for activities over an extended period of time, or predict the number of objects at a region in the future. The distinction between queries and data objects is thus relatively blurred. Another observation is that the number of queries is usually relatively

smaller than the number of data objects especially over an extended period of time. Thus, to process queries efficiently, it might be more efficient to index the query instead of the data objects.

In this chapter, we present a comprehensive survey on the state-of-art techniques that have been proposed for handling these queries in a wireless mobile environment. We focus on the spatial access method and query processing techniques that have been developed for spatio-temporal and location-aware environment domain.

Chapter Organization

The next few sections are organized as follows: *Background, Querying Spatial Data, Data Dissemination, and Conclusion*. We first present a framework for understanding the various query processing techniques. Next, we present the state-of-art query processing techniques for handling the following type of queries: point and range queries (we look at access methods and data structures), nearest neighbor queries, spatial joins, aggregation, and predictive queries. Then, we look at data dissemination methods used in the mobile environment. We conclude in the last section.

BACKGROUND

In this section, we provide a generic framework for studying the different query processing techniques discussed in the later section. In the framework, we consider the nature of queries and objects, the types of queries and ad hoc vs. continuous queries.

Nature of Queries and Objects

The first aspect of the framework addresses the nature of queries and data objects. The four scenarios characterizing queries and data objects are presented in Figure 1. Most queries posed in a spatial database context would fall into Case

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/spatial-data-move/21049

Related Content

Cognitive Apprenticeship Inspired Simulations

Kay Kyeongju Seo, Aimee Bykand Chris Collins (2011). *Gaming and Simulations: Concepts, Methodologies, Tools and Applications (pp. 346-358).*

www.irma-international.org/chapter/cognitive-apprenticeship-inspired-simulations/49392

A Fully Automated Porosity Measure for Thermal Barrier Coating Images

Wei-Bang Chen, Benjamin N. Standfield, Song Gao, Yongjin Lu, Xiaoliang Wangand Ben Zimmerman (2018). *International Journal of Multimedia Data Engineering and Management (pp. 40-58).*www.irma-international.org/article/a-fully-automated-porosity-measure-for-thermal-barrier-coating-images/226228

On the Applicability of Speaker Diarization to Audio Indexing of Non-Speech and Mixed Non-Speech/Speech Video Soundtracks

Robert Mertens, Po-Sen Huang, Luke Gottlieb, Gerald Friedland, Ajay Divakaranand Mark Hasegawa-Johnson (2012). *International Journal of Multimedia Data Engineering and Management (pp. 1-19).* www.irma-international.org/article/applicability-speaker-diarization-audio-indexing/72890

Simulating Crime Against Properties Using Swarm Intelligence and Social Networks

Vasco Furtado, Adriano Melo, André L.V. Coelho, Ronaldo Menezesand Mairon Belchior (2011). *Gaming and Simulations: Concepts, Methodologies, Tools and Applications (pp. 1142-1159).*www.irma-international.org/chapter/simulating-crime-against-properties-using/49441

Application Service Providers

Vincenzo Morabitoand Bernardino Provera (2005). *Encyclopedia of Multimedia Technology and Networking (pp. 31-35).*

www.irma-international.org/chapter/application-service-providers/17223