

Chapter 12

Green IT and the Struggle for a Widespread Adoption

Edward T. Chen

University of Massachusetts – Lowell, USA

ABSTRACT

Increasing pollution levels, consumption of electricity as well as other natural resources, and the continuous buildup of outdated computer systems in landfills are plaguing the computer systems industry. Green information technology (IT) is a sensible solution providing multiple resources and alternatives for day-to-day computer use that could reduce the negative impact on our environment without reducing the effectiveness and capabilities of the technology. This chapter describes the struggle of adoption and provides basic concepts and sustainable solutions of green IT for businesses and individuals.

INTRODUCTION

Since the inception of computers, both for business and personal purposes, there have been multiple environmental issues that resulted from this technology. The complex electronics require significant electricity to operate them, large amounts of energy to keep them cool for prolonged usage, and various chemicals and resources to construct them. Notably, within the last decade, there has been a movement building for the ecologically responsible construction, use and disposal of computer systems and their components, including monitors, batteries and printer cartridges. This initiative is commonly known as Green Information Technology (IT), or Green IT.

As both consumable and enterprise level computing products grows, a need for sustainability arises. A balance between the energy consumption and the provided services is required to ensure the environment can survive the influx of billions and billions of devices. Concepts like the Internet of Things, Big Data, smart devices and phones, and complex business analytics for corporations all drive the need for more connected devices. These devices consume more electricity than ever before and data runs the planet (Murugesan & Gangadharan, 2012; Subburaj, Kulkarni, & Jia, 2014).

The Green IT (green information technology) is the practice of environmentally sustainable computing (McLaughlin, 2013). The lack of regulations, standardizations, and standard operating procedures

DOI: 10.4018/978-1-5225-7359-3.ch012

has left this notion out of the mainstream and under the radar of many organizations' information technology (IT) implementations. Several ideas at different levels have been proposed over the years. Its current adoption rate is not enough for sustainability. G-Readiness framework combines properties, processes, and components that are well defined and measurable to ensure success in the greening of IT (Molla, Cooper, Corbitt, Deng, Peszynski, Pittayachawan, & Teoh, 2008). Large technology companies have designed, patented, and implemented as a way to offer a differentiated service and a competitive advantage through green IT. Some of their innovations have the potential to be replicated for further successes (Murugesan & Gangadharan, 2012).

BACKGROUND

Though there is not a general consensus on the exact definition of Green IT (also referred to as green computing, green information and communication technologies (ICT), or ICT sustainability), the most commonly accepted definition was coined by San Murugesan, an outspoken university professor, in his 2008 article entitled "Harnessing Green IT: Principles and Practices". Murugesan defined green IT as "the study and practice of designing, manufacturing, using and disposing of computers, servers, and associated subsystems... efficiently and effectively with minimal or no impact on the environment" (Murugesan, 2008). Multiple efforts can be made, both from individual home users as well as those of entire businesses, to reduce the negative impact on the environment from the technology they are using.

The hardware, software, and components that make up technology are always changing and evolving. Some components like computer processors, are gaining the ability to process information faster while the integrated circuits is getting smaller. Other devices gain new features with each new release and make the older model seem outdated or no longer usable. This perception is particularly accurate with personal technology such as laptops, phones, and tablets. Unused excess hardware accumulates in staggering quantities. In the corporate world, technology is advancing faster than the needs of many businesses. Data centers are filled with high-powered servers and storage devices, which run 24/7/365 in a production environment. Attractive and enticing price points combined with clever marketing presentations convince companies that the deployment of these systems is necessary to solve their IT and IS (information systems) problems (Nguyen, Cheriet, Lemay, Reijts, Mackarel, & Pastrama, 2012).

According to Gartner Research, there are 2 billion computers in use today. They predict that the number of devices and things, items such as thermostats, refrigerators, cars, and other non-traditional computing hardware and sensors, on the Internet could surpass 40 billion by the year 2020 (Akhgar, Pattinson, & Dastbaz, 2015). Greenpeace estimates that if the Internet were a country, it would fall between Japan and Russia, or 5th place, in overall electricity consumption in the world (Cook & Pomerantz, 2015). 50% of the world's population owns a cellular telephone. This number is only going to go up as emerging countries begin to rely on the same technology as First World countries. Tablets are expected to outpace computers in sales and use before the end of this year (Akhgar, Pattinson, & Dastbaz, 2015). The amount of technology in use and the amount of technology that has been cast aside present two challenges for the concept of green IT: reducing energy consumptions of current hardware and finding ways to safely recycle previous hardware that is no longer in use. Stated in a different way, it is solving the two problems of how to reduce CO₂ emissions and how to lower e-waste (Ahmad & Ranka, 2016; Elliot, 2007).

A study was conducted in 2009 to investigate why the lack of growth with implementing and supporting green IT initiatives and standards. It surveyed Chief Information Officers (CIOs) and other IS

8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/green-it-and-the-struggle-for-a-widespread-adoption/211870

Related Content

Application of Geospatial Mashups in Web GIS for Tourism Development

Somnath Chaudhuri and Nilanjan Ray (2019). *Advanced Methodologies and Technologies in Engineering and Environmental Science* (pp. 269-286).

www.irma-international.org/chapter/application-of-geospatial-mashups-in-web-gis-for-tourism-development/211878

A Game Theoretic Framework for Green HetNets Using D2D Traffic Offload and Renewable Energy Powered Base Stations

Elias Yaacoub, Hakim Ghazzaoui and Mohamed-Slim Alouini (2017). *Renewable and Alternative Energy: Concepts, Methodologies, Tools, and Applications* (pp. 679-711).

www.irma-international.org/chapter/a-game-theoretic-framework-for-green-hetnets-using-d2d-traffic-offload-and-renewable-energy-powered-base-stations/169610

Load Flow Analysis in Smart Grids

Osman Hasan, Awais Mahmood and Syed Rafay Hasan (2019). *Advanced Methodologies and Technologies in Engineering and Environmental Science* (pp. 187-199).

www.irma-international.org/chapter/load-flow-analysis-in-smart-grids/211872

Energy Harvesting and Energy Conversion Devices Using Thermoelectric Materials

Mihail O. Cernaianu and Aurel Gontean (2017). *Renewable and Alternative Energy: Concepts, Methodologies, Tools, and Applications* (pp. 1029-1080).

www.irma-international.org/chapter/energy-harvesting-and-energy-conversion-devices-using-thermoelectric-materials/169624

Leachate Generation, Transport, and Control

Mohamed Shahrir Mohamed Zahari, Shahrul Ismail and Izan Jaafar (2016). *Control and Treatment of Landfill Leachate for Sanitary Waste Disposal* (pp. 115-144).

www.irma-international.org/chapter/leachate-generation-transport-and-control/141850