

Chapter 63

Modeling Environmental Impacts on Viticultural Ecosystems: A First Case Study in a Regulated Wine Producing Area

Cyril Tissot

National Center for Scientific Research, France

Etienne Neethling

University of Rennes 2, France

Mathias Rouan

National Center for Scientific Research, France

Gérard Barbeau

*National Institute for Agronomical Research,
France*

Hervé Quénol

National Center for Scientific Research, France

Céline Le Coq

National Center for Scientific Research, France

ABSTRACT

This paper focuses on simulating environmental impacts on grapevine behavioral dynamics and vineyard management strategies. The methodology presented uses technology from geomatics object oriented databases and spatio-temporal data models. Our approach has two principle objectives, first, to simulate grapevine phenology and grape ripening under spatial and temporal environmental conditions and constraints and secondly, to simulate viticultural practices and adaptation strategies under various constraints (environmental, economical, socio-technical). The approach is based on a responsive agent-based structure where environmental conditions and constraints are considered as a set of forcing data (biophysical, socio-economic and regulatory data) that influences the modelled activities. The experiment was conducted in the regulated wine producing appellation Grand Cru “Quarts de Chaume”, situated in the middle Loire Valley, France. All of the methodology, from the implementation of the knowledge database to the analysis of the first simulation, is presented in this paper.

DOI: 10.4018/978-1-5225-7033-2.ch063

INTRODUCTION

Global climate change affects regional climates and hold implications for wine growing regions worldwide (Jones, 2007 & 2015; Van Leeuwen & Darriet, 2016). In Europe, the implications of climate change at regional scales have been particularly assessed during the last decade, with several studies showing the relationship between recent warming and changes in grapevine behaviour (Jones & Davis, 2000; Duchêne & Schneider, 2005; Bock et al., 2011; Tomasi et al., 2011; Neethling et al., 2012; Koufos et al., 2014).

The prospect of 21st century climate change consequently is one of the major challenges facing the wine industry (Keller, 2010). They vary from short-term impacts on wine quality and style, to long-term issues such as varietal suitability and the economic sustainability of traditional wine growing regions (Schultz and Jones 2010; Quéno 2014b). To address the potential effects of climate change, namely responding to both environmental and socio-economic risks, winegrowers must reconsider their viticultural practices and strategies (Battaglini et al. 2009, Fraga et al. 2012; Ollat et al., 2016; Ashenfelter & Storchmann, 2016; Mosedale et al., 2016). Within this perspective, many studies have addressed the issue of future climate change impacts and potential adaptation options, based on modelling technologies (Webb et al., 2007; Malheiro et al., 2010; Santos et al., 2012; Fraga et al., 2013, Hannah et al., 2013, Briche et al., 2014). These studies place an important dependence on regional climate change projections and socio-economic scenarios, which are then used to analyse climate change impacts on vine growth, through the use of bioclimatic models (Dessai & Hulme, 2004). These models can be simple representations of grapevine behaviour or more complex models, incorporating several variables. Yet very few studies are devoted to modelling the complex interaction between abiotic (i.e. environmental aspects), biotic (i.e. vine behaviour) and anthropogenic factors (i.e. viticultural activities) at local scales.

Indeed, grapevine growth and health, grape yield and quality are strongly related to local environmental conditions and constraints (Jackson & Lombard, 1993; Tesic et al., 2002; Van Leeuwen et al., 2004; Carey et al., 2008, Bonada & Sadras, 2015). To that end, spatial and temporal climate variations play a major role on the seasonal rhythm of vine phenology and grape ripeness at harvest (Huglin & Schneider, 1998). From here, these environmental variations together with grapevine behaviour and winegrowers' end-product objectives will greatly influence vineyard management practices and decision making at plot- to farm-level (Coulon et al., 2012; Neethling et al., 2016). Although winegrowers are constantly adapting to internal and external factors, there is a necessity to develop tools, which will allow them to better define actual and future agro-climatic potentials and therefore ensure quality and unique wine production. Within this context, it seems appropriate to develop a modelling approach, able to simulate the impact of environmental conditions and constraints on vine behaviour and the dynamics of viticultural activities.

First of all, our approach is to implement a model that can simulate agronomic action practiced by winegrowers in well-known agro-climatic contexts (for different reference years). By extension, our goals are to provide prospective simulations can simulate the conditions of adaptations of existing routes in the context of climate change. Without being a decision support system our approach aims to provide projections of spatial and temporal adaptation of vineyards to climate change scenarios. Through an experiment conducted in the wine appellation Grand Cru "Quarts de Chaume", situated in the middle Loire Valley wine growing region, France, all of the methodology, from the implementation of the knowledge database to the analysis of the first simulation, is presented in this paper. And finally, research approach and perspectives are discussed.

18 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/modeling-environmental-impacts-on-viticultural-ecosystems/212999

Related Content

Role of Water-Energy-Waste Inter-Relatedness to Drive Sustainability amid Climate Concerns

Salil K. Senand Junya Pookayaporn (2017). *Reconsidering the Impact of Climate Change on Global Water Supply, Use, and Management* (pp. 195-210).

www.irma-international.org/chapter/role-of-water-energy-waste-inter-relatedness-to-drive-sustainability-amid-climate-concerns/171257

Traditional Water Management System for Climate Change Adaptation in Mountain Ecosystems

Bhaskar Shrinivasulu Padigala (2018). *Climate Change and Environmental Concerns: Breakthroughs in Research and Practice* (pp. 630-655).

www.irma-international.org/chapter/traditional-water-management-system-for-climate-change-adaptation-in-mountain-ecosystems/201728

Tipaimukh Multipurpose Hydroelectric Project: A Policy Perspective – Indo-Bangla Priorities, Indigenous Peoples' Rights, and Environmental Concerns

Ali Reja Osmani (2017). *Reconsidering the Impact of Climate Change on Global Water Supply, Use, and Management* (pp. 227-251).

www.irma-international.org/chapter/tipaimukh-multipurpose-hydroelectric-project/171259

Climate Change Education through Art and Science Collaborations

Phillip Gough, Kate Dunnand Caitilin de Bérigny (2016). *Promoting Climate Change Awareness through Environmental Education* (pp. 16-36).

www.irma-international.org/chapter/climate-change-education-through-art-and-science-collaborations/138149

GIS Approach for Collaborative Monitoring and Prediction of Environmental Noise in Urban Areas

Juan H. Juarez, Marco A. Morenoand Miguel J. Torres-Ruiz (2019). *Environmental Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 1510-1536).

www.irma-international.org/chapter/gis-approach-for-collaborative-monitoring-and-prediction-of-environmental-noise-in-urban-areas/213006