

Chapter 5

Automatic Emotion Recognition Based on Non-Contact Gaits Information

Jingying Wang

University of Chinese Academy of Sciences, China

Baobin Li

University of Chinese Academy of Sciences, China

Changye Zhu

University of Chinese Academy of Sciences, China

Shun Li

University of Chinese Academy of Sciences, China

Tingshao Zhu

University of Chinese Academy of Sciences, China

ABSTRACT

Automatic emotion recognition was of great value in many applications; however, to fully display the application value of emotion recognition, more portable, non-intrusive, inexpensive technologies need to be developed. Except face expression and voices, human gaits could reflect the walker's emotional state too. By utilizing 59 participants' gaits data with emotion labels, the authors train machine learning models that are able to "sense" individual emotion. Experimental results show these models work very well and prove that gait features are effective in characterizing and recognizing emotions.

INTRODUCTION

In recent years, emotion recognition has become a hot topic in human-computer interaction. If computers could understand human emotions, they could interact better with end users (Peter & Beale, 2008). In psychology, emotion is defined as a complex state that consists of a subjective experience (how we

DOI: 10.4018/978-1-5225-7368-5.ch005

experience emotion), a physiological response (how our bodies react to emotion), and an expressive response (how we behave in response to emotion) (Smith & Lazarus, 1990). Emotion expression includes not only facial expression but also vocal and postural expression. The observable aspects of emotion (physiological and expressive components) might be able to be used as indicators of emotional state, such as facial expressions, speech, physiological parameters, gestures, and body movements (Peter & Beale, 2008). As the common use of modalities to recognizing emotional states in human-human interaction, various clues have been used in affective computing, such as facial expressions (e.g., Kenji, 1991), physiological signals (e.g., Picard, Vyzas, & Healey, 2001), linguistic information (e.g., Alm, Roth, & Sproat, 2005) and acoustic features (e.g., Dellaert, Polzin, & Waibel, 1996). Other than that, it is feasible to recognize specific affective states using gait.

To investigate how gait features are effective in characterizing and recognizing emotions, gait features were used for modeling to identify different emotions. By utilizing 59 participants' gait data with emotion labels, machine learning models are trained to detect individual emotion (Li et al, 2016).

BACKGROUND: GAIT AND EMOTION

Walking is one of the basic and important components for the body posture and movement, and psychological research found that affective states can be identified by gaits (Montepare, Goldstein & Clausen, 1987). People in different emotional states could walk in different speed and show different gait patterns (Strike, Mohiyddini & Carlisle, 2009). Human can perceive others' emotion from gait or posture in daily life. For example, people in fear may shrink his shoulder, and sad ones might lower his head and walk slowly (Roether, Omlor & Christensen, 2009). Even when gait was minimized by use of point-light displays, which meant to represent the body motion by only a small number illuminated dots, observers still could make judgments of emotion category and intensity (Atkinson, Dittrich, Gemmell, & Young, 2004).

Since Montepare et al. (1987) firstly demonstrated that gait relates to emotions, there have been a lot of researches focusing on the relationship between gaits and emotions. Krieger et al. (2013) found that gait, cognition and emotion are closely related. Applying sparse regression, Roether et al. (2009) extracted critical emotion-specific posture and movement features depended only on a small number of joints. Gross et al. (2011) identified the movement characteristics associated with positive and negative emotions experienced during walking. Destephe et al. (2013) assessed the differences between the expression of emotion regarding the expressed intensity. Characterizing human walking patterns by some kinematic cues, Hicheur et al. (2013) produced the avatar animation whose emotions could be recognized by human observers. In particular, by using data mining technique, much research has been done to recognize emotions automatically by analyzing subjects' gait. The accuracy of classifying distinct emotional states was 60~89% (Janssen, Schollhorn & Lubienetzki, 2008; Hicheur, Kadone, Grezes & Berthoz, 2013; Gunes, Shan & Chen, 2015; Clark, Pua & Pua, 2012).

Recently, it has also been reported the application of Kinect in the medical field. Lange et al. (2011) used Kinect as a game-based rehabilitation tool for balance training. Yeung et al. (2014) found that Kinect was valid in assessing body sway in clinical settings. Kinect also performed well in measuring some clinically relevant movements of people with Parkinson's disease (Galna, et al., 2014).

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/automatic-emotion-recognition-based-on-non-contact-gaits-information/213117

Related Content

A Unified Framework for Internet Banking Adoption: Indian Perspective

Rahmath Safeena and Abdullah Kammani (2018). *Technology Adoption and Social Issues: Concepts, Methodologies, Tools, and Applications* (pp. 371-388).

www.irma-international.org/chapter/a-unified-framework-for-internet-banking-adoption/196685

Mobile Devices as Effective Language Training Tools of Digital Era

Revathi Viswanathan (2016). *Human-Computer Interaction: Concepts, Methodologies, Tools, and Applications* (pp. 962-975).

www.irma-international.org/chapter/mobile-devices-as-effective-language-training-tools-of-digital-era/139073

Cultural Heritage Redesigned Through Digital Storytelling

Tharrenos Bratitsis (2022). *The Digital Folklore of Cyberculture and Digital Humanities* (pp. 296-311).

www.irma-international.org/chapter/cultural-heritage-redesigned-through-digital-storytelling/307099

Citizen Participation in Community Surveillance: Mapping the Dynamics of WhatsApp Neighbourhood Crime Prevention Practices

Anouk Mols (2021). *Human-Computer Interaction and Technology Integration in Modern Society* (pp. 157-176).

www.irma-international.org/chapter/citizen-participation-in-community-surveillance/269653

Exploring the Potential of Mobile Applications to Support Learning and Engagement in Elementary Classes

Athraa Al Mosawi and Esra Ahmed Wali (2016). *Human-Computer Interaction: Concepts, Methodologies, Tools, and Applications* (pp. 1538-1550).

www.irma-international.org/chapter/exploring-the-potential-of-mobile-applications-to-support-learning-and-engagement-in-elementary-classes/139105