Chapter 66 Methods for Improving Alias Rejections in Comb Filters

Gordana Jovanovic Dolecek Institute INAOE Puebla, Mexico

ABSTRACT

Downsampling is the process of decreasing the sampling rate of signal by an integer. This process may introduce the unwanted spectrum replica called aliasing. To avoid aliasing, the signal must be filtered by decimation filter prior to downsampling. Decimation consists of filtering and downsampling. The simplest decimation filter is comb filter usually used in the first stage of decimation. However, comb filter does not provide a good aliasing rejection. This chapter presents methods for improving alias rejection of comb filters. The methods are based on comb zero rotation, cosine filters, Chebyshev polynomials, and cascade of combs with different parameters.

INTRODUCTION

Decimation is the process of decreasing the sampling rate by an integer M in the digital domain. This process is used in sub band coding, filter banks, communication systems, oversampled A/D (analog/digital) converters, among others. If the signal is not appropriately filtered, the unwanted replicas of the main spectrum of the decimated signal, called aliasing, will be present. Therefore, to prevent aliasing in the decimated signal, the signal must be first filtered by a low pass filter, called anti-aliasing, or decimation filter. As a result, the process of decimation consists of two principal stages: filtering and down sampling (decreasing the sampling rate by integer M). The integer value M is also called the decimation factor.

In order to avoid high order decimation filters, the decimation is usually performed in two or more stages. The most simple decimation filter is comb filter, (Hogenauer, 1981) which usually works at high input rate. The transfer function of the comb filter is given as:

$$H(z) = \left[\frac{1}{M} \frac{1 - z^{-M}}{1 - z^{-1}}\right]^{K},\tag{1}$$

DOI: 10.4018/978-1-5225-7368-5.ch066

where K is the order of the comb, and z is a complex variable.

The magnitude characteristic of the comb filter, expressed in digital frequency ω , is given as:

$$\left|H(e^{j\omega})\right| = \left|\frac{1}{M} \frac{\sin(\omega M/2)}{\sin(\omega/2)}\right|^{\kappa}.$$
(2)

The magnitude characteristic must be flat in the pass band of interest. Additionally, in order to eliminate aliasing, the comb filter must have a high attenuation in the so called folding bands, which are the bands around the zeros of the comb filter.

BACKGROUND

A simple method to increase the attenuation in the comb folding bands consists of increasing the order of the comb filter, as shown in Figure 1. Here, the decimation factor M is 10 and the values of order K are 1, 3, and 5. The zooms in the pass bands in Figure 1 show that the pass band droop increases with the increase of the order of the comb filter.

The objective of this article is to present the methods proposed so far to increase the bandwidths around the comb zeros, and thus increase the comb alias rejection.



Figure 1. The overall comb magnitude characteristics and the pass band zooms for M=10 and different filter orders

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/methods-for-improving-alias-rejections-in-combfilters/213184

Related Content

Moving Object Detection and Tracking Based on the Contour Extraction and Centroid Representation

Naveenkumar M, Sriharsha K. V.and Vadivel A (2019). *Advanced Methodologies and Technologies in Artificial Intelligence, Computer Simulation, and Human-Computer Interaction (pp. 147-157).* www.irma-international.org/chapter/moving-object-detection-and-tracking-based-on-the-contour-extraction-and-centroidrepresentation/213124

Inside and Outside Devices, the Software and the World: Humans Can Search, Know, Invent

(2024). Considerations on Cyber Behavior and Mass Technology in Modern Society (pp. 198-221). www.irma-international.org/chapter/inside-and-outside-devices-the-software-and-the-world/338256

Creativity and Digital Games: A Study of Developing Creativity Through Digital Games

Werner Walder Marinand Pollyana Notargiacomo (2020). *Interactivity and the Future of the Human-Computer Interface (pp. 96-113).* www.irma-international.org/chapter/creativity-and-digital-games/250748

The Destructuring of Time in Psychosis

Richard J. Rodriguezand Victor E.C. Ortuño (2019). *Managing Screen Time in an Online Society (pp. 311-340).*

www.irma-international.org/chapter/the-destructuring-of-time-in-psychosis/223064

The Trajectivity of Virtual Worlds

Christophe Duret (2019). Advanced Methodologies and Technologies in Artificial Intelligence, Computer Simulation, and Human-Computer Interaction (pp. 633-643). www.irma-international.org/chapter/the-trajectivity-of-virtual-worlds/213164