Chapter 45

A Proposed Framework for Incorporating Big-Data Technology in National Crisis Management Center

Magdy M. Kabeil
Al-Yamamah University, Saudi Arabia

Ahmad M. Kabil
University of Wisconsin – Whitewater, USA

ABSTRACT

The chapter presents a framework for incorporating BDT in a traditional conceptual design of NCMC. The updated conceptual design is validated using the analytical hierarchy process (AHP) and the quality function deployment (QFD) technique. The results show that each requirement of national crisis is supported by a set of integrated modules of the conceptual design in a balanced way. The modules of the highest contribution in the design are the modules most related to BDT. The steps required for implementing the conceptual design are given.

INTRODUCTION

Along with the major development in many aspects of life, the current millennium has brought for several countries significant crises of different kinds and various degrees (Farazmand, 2014). The increasing jeopardizing to crises calls for a transformational change in countries' capability to manage crises. Crises may be natural or manmade. It may be on organizational or national levels.

The main measure of merit in crisis management is the ability to allocate all relevant capabilities to be the most effective on the right points at the right times over all crisis phases (Kabil & Kabeil, 2014 & 2011). On such measure, the national crisis management currently faces two critical challenges. The first is the high pace of crisis scenario relative to the corresponding management decision cycles. The second critical challenge is the large scale of volume, variety, and velocity of pertinent data.

However, if we record a crisis scenario on a video recorder and replay it in slow motion, we will see the crisis features very similar to a regular problem's features. On the other side, if a National Crisis Management Center (NCMC) can provide the decision makers with the capabilities that allow them to feel, recognize, abstract, comprehend, analyze, and decide faster, then the crisis management processes will be as manageable as the regular problem management processes.

The Big-Data Technology (BDT) as an accurate representation of real life could be used in both ways, to understand the real life and to control it. Fast cycles of understanding and controlling real life situations are the key functions of national crisis management.

This chapter presents a framework for incorporating BDT in traditional conceptual designs of NCMC. The updated conceptual design is validated using the Analytical Hierarchy Process (AHP) and the Quality Function Deployment (QFD) technique. The conceptual design provides a system that is responsive to decision makers' need in developing their own crisis management centers. The initial stages and steps required for implementing the conceptual design in a country are given.

BACKGROUND

The quality of decision, such as any other engineering product, is built from the very beginning all through the decision processing cycle (Davern et al. 2008). The generic decision cycle in crisis management context starts with data gathering that is processed further to higher levels of information, knowledge, intelligence, wisdom, and decision. Decisions are implemented through a Command, Control, Communication, Computer, Intelligence, Surveillance, and Reconnaissance (C4ISR) System to move a real-world-situation to be more suitable for the next decision or action (Kabil & Kabeil 2014). The model has been updated in response to the evolution of BDT as depicted in Figure 1.

There are several definitions of the term "Big-Data." Perhaps the most popular definition is based upon the IBM's differentiation that is based on 3 attributes of the 3 V words, Volume, Variety, and Velocity (IBM, 2016; Sagiroglu & Sinanc 2013). Leverage the traditional "Data" concepts and technologies to "Big-Data" ones affects all higher levels of the model.

Figure 1. From data to decision

Related Content

Mobile Speech Recognition
Dirk Schnelle (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 3468-3493).*
www.irma-international.org/chapter/mobile-speech-recognition/26736

Testing a Commercial BCI Device for In-Vehicle Interfaces Evaluation: A Simulator and Real-World Driving Study
Nicolas Louveton, Korok Sengupta, Rod McCall, Raphael Frankand Thomas Engel (2017). *International Journal of Mobile Computing and Multimedia Communications (pp. 1-13).*
www.irma-international.org/article/testing-a-commercial-bci-device-for-in-vehicle-interfaces-evaluation/183627

A Study of Performance Factors in the Brunel Remote Guidance System for Visually Impaired Pedestrians
Mohammed Al-Masarweh, Vanja Garajand Wamadeva Balachandran (2012). *International Journal of Handheld Computing Research (pp. 56-71).*
www.irma-international.org/article/study-performance-factors-brunel-remote/73806

Mobile Agents Security Protocols
Raja Al-Jaljouliand Jemal H. Abawajy (2012). *Mobile Computing Techniques in Emerging Markets: Systems, Applications and Services (pp. 270-305).*
www.irma-international.org/chapter/mobile-agents-security-protocols/62199

Vision Based Localization for Multiple Mobile Robots Using Low-cost Vision Sensor
Seokju Lee, Girma Tewolde, Jongil Limand Jaerock Kwon (2016). *International Journal of Handheld Computing Research (pp. 12-25).*
www.irma-international.org/article/vision-based-localization-for-multiple-mobile-robots-using-low-cost-vision-sensor/149869