Chapter 50 Twitter Data Mining for Situational Awareness

Marco Vernier University of Udine, Italy

Manuela Farinosi University of Udine, Italy

Gian Luca Foresti University of Udine, Italy

ABSTRACT

The most recent catastrophic events, from the 2010 Haiti earthquake to the devastating 2013 Colorado floods, have shown a strong adoption of social media platforms by ordinary people. The data and metadata produced by the users during and after the extraordinary situations could have enormous potentialities if integrated with the traditional systems for emergency management and used for hyperlocal situational awareness. The great majority of the current literature is focused on Twitter for several reasons strictly linked to the architectures and practices of use of the platform itself. It is possible to classify the existing systems based on the analysis of Twitter data at least in three different categories: 1) semantic systems, 2) metadata systems, and 3) smart self-learning systems. In this chapter, a review of the most significant and important tools used to analyze Twitter data will be presented and an innovative and smart solution will be proposed for future development.

INTRODUCTION

The most recent catastrophic events, from the 2010 Haiti earthquake to the devastating 2013 Colorado floods, have shown a strong adoption of social media platforms by ordinary people. The data and metadata produced by users during and after extra-ordinary situations could have enormous potentialities if integrated with traditional systems for emergency management and used for hyperlocal situational awareness (Foresti et al., 2015a). The great majority of current literature is focused on Twitter for several reasons, in particular, the architectures and practices of the platform itself. In the following section, an

DOI: 10.4018/978-1-5225-7598-6.ch050

overview of social media use in extra-ordinary contexts will be presented, with a specific focus on the Twitter social media platform. Following this, in a section dedicated to the Twitter systems classification for situational awareness, a classification of the existing systems based on the analysis of Twitter data will be provided on the basis of the following three categories: 1) semantic systems; 2) meta-data systems; and 3) smart self-learning systems. Finally, in the future research trends section, an innovative and smart solution will be proposed for future development.

BACKGROUND

Social Media Use in Extra-Ordinary Contexts

Social media platforms are built from the beginning to be used socially, and oriented around collaboration and sharing. These potentialities are emphasized in extra-ordinary contexts, when ordinary people adopt these tools to provide or search for first-hand and real-time information regarding a certain event (i.e. an earthquake, flood, etc.) (Lindsay, 2011; Taylor et al., 2012). The most recent catastrophic events, from the 2010 Haiti earthquake to the devastating 2013 Colorado floods, in fact, have shown that these platforms have been strongly used both during and after disasters (Figure 1), allowing a real-time dissemination

Figure 1. An example of tweets posted on Twitter during the 2013 Wellington earthquake

	#earthquake 6:05:50 PM Paekakariki #wellington less than a minute ago from Echofon
A	Ok, THAT wasn't the wind, definitely an earthquake in wellington less than a minute ago from Brizzly
0	Good shake in Wellington nz just now #earthquake . Big bump then a rattle. less than a minute ago from txt
17	earthquake in wellington? or was it just me? less than a minute ago from TweetDeck
7	Another earthquake. Pretty short, probably another 5.0 if centered in Wellington. less than a minute ago from web
R	doesn't like it when Wellington jiggles like that #earthquake #mercifullysmall less than a minute ago from web
	Earthquake in Wellington? 1 minute ago from web
	woah, shakey shakey! earthquake? must be wellington!



10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/twitter-data-mining-for-situational-

awareness/214652

Related Content

Trends in Wearable Technologies for Earth Science

Thomas A. Woolman (2016). Wearable Technology and Mobile Innovations for Next-Generation Education (pp. 248-268).

www.irma-international.org/chapter/trends-in-wearable-technologies-for-earth-science/149612

An Investigation into Permissions Requested by Mobile Banking on Android Platform

Latifa Er-Rajyand M. Ahmed El Kiram (2018). *International Journal of Mobile Computing and Multimedia Communications (pp. 12-30).*

www.irma-international.org/article/an-investigation-into-permissions-requested-by-mobile-banking-on-androidplatform/205677

Content Personalization for Mobile Interfaces

S. Koukiaand M. Rigou (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 116-118)*. www.irma-international.org/chapter/content-personalization-mobile-interfaces/17062

P2P Models and Complexity in MANETs

B. Seet (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 734-738).* www.irma-international.org/chapter/p2p-models-complexity-manets/17165

feelabuzz: Direct Tactile Communication with Mobile Phones

Christian Leichsenring, René Tünnermannand Thomas Hermann (2011). International Journal of Mobile Human Computer Interaction (pp. 65-74).

www.irma-international.org/article/feelabuzz-direct-tactile-communication-mobile/53217