Chapter 7 Verification of Service-Based Declarative Business Processes: A Satisfiability Solving-Based Formal Approach

Ehtesham Zahoor National University of Computer and Emerging Sciences, Pakistan

Kashif Munir National University of Computer and Emerging Sciences, Pakistan **Olivier Perrin** University of Lorraine, France

Claude Godart University of Lorraine, France

ABSTRACT

Traditional business process specification approaches such as BPMN are procedural, as they require specifying exact and complete process flow. In contrast, a declarative process is specified by a set of constraints that mark the boundary of any solution to the process. In this chapter, the authors propose a bounded model-checkingbased approach for the verification of declarative processes using satisfiability solving (SAT). The proposed approach does not require exponential space and is very efficient. It uses the highly expressive event calculus (EC) as the modeling formalism, with a sound and complete EC to SAT encoding process. The verification process can include both the functional and non-functional aspects. The authors have also proposed a filtering criterion to filter the clauses of interest from the large set of unsatisfiable clauses for complex processes. The authors have discussed the implementation details and performance evaluation results to justify the practicality of the proposed approach.

DOI: 10.4018/978-1-5225-7268-8.ch007

INTRODUCTION

A business process is a collection of related activities to accomplish a specific organizational goal. A business process can help an organization by improving agility, productivity, consistency, and can bring other important benefits such as repeatability or understanding. The methods used to manage business processes within an organization are collectively termed as Business Process Management (BPM). BPM involves methods to discover, model, analyze, improve, and automate business processes. First, the process designer needs to model the business process. The objective of business process modeling is to provide high-level specification independent from its implementation that should be easily understandable by the process modeler who creates the process, the developers responsible for implementing the process, and the business managers who monitor and manage the process. Then, the business process needs to be verified to identify any anomalies and conflicts (such as deadlocks) in the process specification before execution. Furthermore, the business process should be monitored while in execution to cater for unforeseen errors or for business process compliance monitoring (Gong, Knuplesch, Feng, & Jiang, 2017). In case of any monitored run-time conflicts, some recovery mechanisms should be provided (Babin, Ameur, & Pantel, 2017).

Web services are in the mainstream of information technology, paving way for inter and across organizational application integration. They can be defined as the software systems designed to support interoperable machine-to-machine interaction over a network. Web services allow heterogeneous systems based on heterogeneous platforms to not only communicate but to expose their operations to the rest of the world using Web services. In addition, the Web services can also be used to implement reusable application-components, such as currency conversion, weather reports etc. Web services are autonomous and they only present an interface that allows other systems to use the operations provided by them and internal implementation of these operations is hidden to the outside world. Web services can also be used to implement a Service Oriented Architecture (SOA), which is defined to be a flexible set of design principles for system development relying on the use of services. The vision associated with the SOA is to separate functions into services and compose them to support the development of distributed applications. As the Web services are autonomous, independent of platforms and programming languages, and are accessible over Internet, they can make functional building blocks of SOA. Business processes and SOA can converge as a business process can be executed using execution languages based on Web Services. Alternatively, from the services perspective, fine-grained services can be orchestrated into more coarse-grained value added processes. In this context, the business process can

37 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/verification-of-service-based-declarative-

business-processes/214835

Related Content

Web Ontology Languages

G. Antoniou (2007). Semantic Web Services: Theory, Tools and Applications (pp. 96-109).

www.irma-international.org/chapter/web-ontology-languages/28881

An Extensible Workflow Architecture through Web Services

Jinyoung Jang, Yongsun Choiand J. Leon Zhao (2004). *International Journal of Web Services Research (pp. 1-15).*

www.irma-international.org/article/extensible-workflow-architecture-through-web/3038

Temporal-Aware QoS-Based Service Recommendation using Tensor Decomposition

Zhi Li, Jian Caoand Qi Gu (2015). *International Journal of Web Services Research* (pp. 62-74).

www.irma-international.org/article/temporal-aware-qos-based-service-recommendation-using-tensor-decomposition/125459

A Tool to Extract Name Entity Recognition From Big Data in Banking Sectors

C. Janarish Sajuand S. Ravimaran (2020). *International Journal of Web Services Research (pp. 18-39).*

www.irma-international.org/article/a-tool-to-extract-name-entity-recognition-from-big-data-inbanking-sectors/250238

Open Security Framework for Unleashing Semantic Web Services

Ty Mey Eap, Marek Hatala, Dragan Gaševic, Nima Kavianiand Ratko Spasojevic (2009). *Managing Web Service Quality: Measuring Outcomes and Effectiveness (pp. 264-285).*

www.irma-international.org/chapter/open-security-framework-unleashing-semantic/26083