

Chapter 6

Marine Plastic Debris: Distribution, Abundance, and Impact on Our Seafood

Muhammad Reza Cordova

 <https://orcid.org/0000-0002-4756-9646>

Indonesian Institute of Sciences, Indonesia

ABSTRACT

Marine pollution due to littering from anthropogenic activities is a serious global environmental problem—the main reason accumulation of debris in the environment, including in the ocean. There is a significant hazard coming from plastic debris. Besides entanglement and ingestion, marine plastics debris has more complex problems and can release additional and by-product chemical substances. If we keep producing and not doing anything, a recent study said by 2050 there would be three times more plastic than fish in the ocean. We only have a limited understanding of marine plastic debris distribution, implication, fate, and behavior. Science is the key to getting the right alternative for processing debris. To prevent marine pollution successfully requires education and outreach programs, strong laws and policies, and law enforcement for government and private institutions. This chapter explores marine plastic debris.

INTRODUCTION

Plastic is a material that is successfully made by humans. Plastic materials are durable, reliable, light-weight, and has versatility; made this material come to provide many serve a wide range of products, including packaging, building and construction, transportation, electronics and energy, agriculture, healthcare, sport, and leisure. As a result of these properties, plastics production reach 348 million tons (Rosevelt, Los Huertos, Garza, & Nevins, 2013a) with annual production reached 78 million tons (Foin et al., 2014). This trend continuously uplifting about 4% per year (Rosevelt et al., 2013a) and by 2050, plastic production expected quadruple (Jovanović, 2017). However, from this massive plastics production due to litter mismanagement and illegally dumping, only 40% of plastics litter going to landfilled and 32% of plastic material trash leaks out to the environment (Foin et al., 2014), including to the ocean. Jambeck


DOI: 10.4018/978-1-5225-9452-9.ch006

et al.(2015), Thompson (2006) and Van Cauwenberghe et al. (2015)estimate 10% of plastic litter will be end up into the sea.The fast increment in worldwide plastic creation has expanded the number of plastic materials in marine frameworks, which as a rule has balanced the increases made by diminishing misfortunes of mechanical pellets and dumping of ship-produced litter.In 2025, plastic material in the ocean estimated to be 250 million metric tons (Jovanović, 2017). Plastic litter that leaks out, made plastic continuously increase over recent years in aquatic ecosystems worldwide, including the ocean, sea surface, shoreline,andseafloor.Plastic litter was seen as an aesthetic problem and has been ignored for a long time, but recent decades shows the presence of this litter gives negative impact to marine animals (Boerger, Lattin, Moore, & Moore, 2010; Carrasco, Harvey, & Saravia, 2009; F. Galgani, Hanke, Werner, & De Vrees, 2013; C. J. Moore, Moore, Leecaster, & Weisberg, 2001). Marine plastic litter already causes \$ 13 billion in global financial damage every year (Vigiak, Ribolzi, Pierret, Sengtaheuanghong, & Valentin, 2008). The cost of cleaning up plastic litter operations is requires very high costs, National Oceanic and Atmospheric Administration (2012)explain to clean 1% area of north plastic would need \$ 489 million for the year. From these high numbers, it can be said that plastic is too expensive to be trash.

Enormous plastic litter in the aquatic environment worldwide, especially to the ocean, as the case may be new and big challenges, beside climate change and ocean acidification in human history. On 2050, plastic expected to exceed ocean fish stock by mass ratio (Foin et al., 2014; Jovanović, 2017). Whereas, ocean fish stock could disappear on 2048 (Worm et al., 2006). The majority of plastic litters entering the sea came from diffuse (Figure 1), land-based sources which are harder to control. Land-based activities contribute 80% of all pollution in seas and oceans, and the rest comes from ocean activities (Law, 2017). Eunomia Research & Consulting (2016) explain there is different area of plastics accumulation in the marine ecosystem. Average global concentration of plastic litter in the beaches is highest at 2,000 kg/km²; in the seafloor is 70 kg/km², and in the sea surface is less than 1 kg/km²(Law, 2017).

Plastic after entering the aquatic environment can be degraded by UV thermal oxidation, mechanic processes, or bacterial process up to the microscopic size(Andrady, 2011; Wagner et al., 2014). This plastic waste with the micrometers size has been known as microplastics. Besides commonly-used

Figure 1. The fate of land and sea-based plastics litter (Law, 2017)



26 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/marine-plastic-debris/233350

Related Content

Polyhydroxyalkanoates: An Indispensable Alternative

Javid A. Malik and Monika Bhadauria (2020). *Handbook of Research on Environmental and Human Health Impacts of Plastic Pollution* (pp. 370-387).

www.irma-international.org/chapter/polyhydroxyalkanoates/233363

Cyber-Moms Facing Motherhood: Holding Functions and Regressive Movements in Parenting Websites

Valentina Boursier, Valentina Manna, Francesca Gioia, Federica Coppola and Noemi Venosa (2020). *Innovations in Global Maternal Health: Improving Prenatal and Postnatal Care Practices* (pp. 80-108).

www.irma-international.org/chapter/cyber-moms-facing-motherhood/238756

Synthesis and Characterization of Mullites From Silicoaluminous Fly Ash Waste

Virendra K. Yadav, Pallavi Saxena, Chagan Lal, Govindhan Gnanamoorthy, Nisha Choudhary, Bijendra Singh, Neha Tavker, Haresh Kalasariya and Pankaj Kumar (2020). *International Journal of Applied Nanotechnology Research* (pp. 10-25).

www.irma-international.org/article/synthesis-and-characterization-of-mullites-from-silicoaluminous-fly-ash-waste/273614

Pharmacy Technology to Better Public Health: An Exploration of New Models of Supply and Use of Technology – A Regional United Kingdom Quantitative Study

Shahid Muhammad, Hooman Safaei and Tariq Muhammad (2019). *International Journal of Applied Research on Public Health Management* (pp. 1-20).

www.irma-international.org/article/pharmacy-technology-to-better-public-health/218865

Climate Change and Water Security: Water Scarcity and Water Flood

Abdelmohcine Aimrane, Hasna Lahouaoui, Youssef Khamsi, Ahmed Draoui, Hassan Alahyane, Nadia Zouhairi and Hind Benammi (2019). *Handbook of Research on Global Environmental Changes and Human Health* (pp. 41-52).

www.irma-international.org/chapter/climate-change-and-water-security/222027