Chapter 4 Design of Slotted Hexagonal Wearable Textile Antenna Using Flexible Substrate

Lalita Kumari CBS College of Engineering and Management, India

Lalit Kaushal CBS College of Engineering and Management, India

Deepak Kumar CBS College of Engineering and Management, India

ABSTRACT

In this chapter, a dual wideband textile antenna is proposed for WLAN and WiMax application. For antenna to be wearable, jeans material is used as a substrate to make ground plane, and copper tape is used to make patch of the anticipated antenna. The proposed antenna shows dual band performance with bandwidth of 82.48% covering 1.456 GHz to 3.5 GHz and 13.39% covering 4.32 GHz to 4.94 GHz. The simulated results like reflection coefficient, directivity, and radiation characteristics have been studied and analyzed.

INTRODUCTION

Textile Antennas are invaluable as a result of their compelling cost and straightforward acknowledgment process. There is a great deal of strategies to build the bandwidth, by expanding the thickness of substrate, utilization of

DOI: 10.4018/978-1-5225-9683-7.ch004

low dielectric substrate, utilizing various nourishing systems and by taking fractional ground (Klemm, Locher, and Troster, 2004). The proposed antenna configuration is utilized jeans which improves the bandwidth of antenna (Singh, Singh, and Singh, 2015; Bappadittya, Bhatterchya and Choudhury, 2013; Xu and Li, 2012).

Another period for the attire industry is the reconciliation of gadgets into textile messengers. The article of clothing of things to come won't just ensure the human body against the limits of nature yet additionally give data about the wearer's condition of wellbeing and condition (Bappadittya, Bhatterchya and Choudhury, 2013) appeared in Figure 1. This work not just goes for growing such wearable textile systems mostly for expert firemen and crisis calamities work force yet in addition for regular citizen casualties of common and different catastrophes. The fireman's inward and external article of clothing is being outfitted with an assortment of sensors (Bappadittya, Bhatterchya and Choudhury, 2013). This off-body correspondence requires the improvement of appropriate antenna that consolidates adaptability with heartiness and unwavering quality. An assortment of antennas for body-driven correspondence has been presented as of late (Grilo, and Correra, 2015; Rawat and Sharma, 2014; Chandran and Scanlon, 2010; Osman, Rahim, Samsuri, Zubir and Kamardin, 2011; Singh, Ali, Avub, and Singh, 2014). Because of the special shape and conservativeness, textile antennas have turned out to be most appropriate for coordination into articles of clothing (Srivastava, Singh, and Avub, 2015; Singh, Ali, Avub, and Singh, 2014; Singh, Singh, and Singh, 2015).

Radiating patch and ground of antenna is made of copper self sticky tape. Reproduction is finished by utilizing CST programming studio and gives the outcome, for example, reflection coefficient, addition and data transmission. The real advantages of the material radio wires are lightweight, low manufacture cost, low upkeep cost and hearty. Flexible antenna requires less space for establishment as these are basic and little in size. The main object is the hole for feed line which is put at the back of the ground plane (Srivastava, Singh, Ali, and Singh, 2013; Din, Chakrabarty, Ismail, Devi and Chen, 2012; Srivastava, Avub, and Singh, 2012).

7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igiglobal.com/chapter/design-of-slotted-hexagonal-wearabletextile-antenna-using-flexible-substrate/235780

Related Content

Secure Broadcast with One-Time Signatures in Controller Area Networks

Bogdan Grozaand Pal-Stefan Murvay (2013). *International Journal of Mobile Computing and Multimedia Communications (pp. 1-18).* www.irma-international.org/article/secure-broadcast-one-time-signatures/80424

Decision Analysis for Business to Adopt RFID

K. Lin, C. Linand H. Leu (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 178-184).*

www.irma-international.org/chapter/decision-analysis-business-adopt-rfid/17073

Hajj Crowd Tracking System in a Pervasive Environment

Teddy Mantoro, Media Ayuand Murni Mahmud (2012). *International Journal of Mobile Computing and Multimedia Communications (pp. 11-29).* www.irma-international.org/article/hajj-crowd-tracking-system-pervasive/66364

Ontology-Based Personal Annotation Management on Semantic Peer Network to Facilitating Collaborations in e-Learning

Ching-Long Yeh, Chun-Fu Changand Po-Shen Lin (2011). *International Journal of Handheld Computing Research (pp. 20-33).*

www.irma-international.org/article/ontology-based-personal-annotation-management/53854

Frequency Domain Equalization And Adaptive Ofdm Vs Single Carrier Modulation

Inderjeet Kaur (2009). International Journal of Mobile Computing and Multimedia Communications (pp. 1-7).

www.irma-international.org/article/frequency-domain-equalization-adaptive-ofdm/34066