Chapter 24 Distributed Algorithms for Swarm Robots

Sruti Gan Chaudhuri

Jadavpur University, India

Krishnendu Mukhopadhyaya

Indian Statistical Institute, India

ABSTRACT

A swarm of robots is a collection of tiny identical autonomous robots. The robots perform a given task, e.g., cleaning a big surface, moving a big object, guarding an area etc., in a collaborative framework. The goal of research in swarm robotics is to develop a low cost multi-robot system which will be at least as efficient as one big expensive unit. The field of swarm robotics has been addressed from various aspects such as artificial intelligence, mechanical and electrical engineering, motion control, robots' path planning etc. From theoretical point of view, designing deterministic algorithms for these robots to execute a particular job is an emerging and useful field of research. As the robots work individually but in collaboration, distributed algorithms are more appropriate than centralized ones. This chapter discusses the distributed framework for swarm robots and presents some reported research results as well as a few open problems.

INTRODUCTION

One of the dreams of technology has always been to build machines which are as efficient as human beings or natural entities. Since the dawn of civilization, technological developments and popular culture have influenced each other. Around 1495 Leonardo da Vinci sketched a humanoid robot. Though the notion of robots is very old, the term "robot" was introduced in 1920 in the play "Rossum's Universal Robots" by Karel Capek. The word "robot" comes from a Czech word "robota" or "robotnik" which means slave, servant, or forced labor. Technically, a robot is a programmable, self-controlled device, consisting of electronic, electrical and mechanical units, carrying out a complex series of actions automatically. In the modern age of automation, applications of robots span areas as diverse as space science, military or defense, education systems, health care, biological science, nano-technology etc.

DOI: 10.4018/978-1-7998-1754-3.ch024

The notion of robot is inspired by observing characteristics of human or natural entities in society. Cooperative behaviour is one of the basic requirements in a well-built society. This feature is also replicated in robots. Multi-robot systems can perform many complex tasks efficiently by executing them cooperatively. In hostile environments, it may be difficult or impossible to deploy a big robot. The cost of making a big robot is also high. Hence, the concept of a group of small robots working together has become a strong trend in recent robotic research. These robots are less expensive and simple to design, configure and deploy. Moreover, their cooperation capability makes them powerful to perform many complicated jobs more efficiently than an expensive machine working alone.

Many projects, like CEBOT (Kawauchi et al., 1993), ACTRESS (Asama et al., 1989), GOFER (Caloud et al., 1990), SWARM (Wang and Beni, 1990) have studied the issues of group architecture, resource conflicts, origin of cooperation, learning and geometric problems. In the literature on robotics, *Cooperation* is, *joint collective behaviour that is directed towards some goal in which there is a common interest or reward. (Barnes et al., 1991)* Many recent projects such as Kilobots (http://www.eecs.harvard.edu/ssr/projects/progSA/kilobot.html), Swarmanoid (http://www.swarmanoid.org/), are approaching swarm robotics with emphasis on sub-problems like task decomposition or task allocation, learning, motion coordination etc. The field of cooperative mobile robots has been enriched by many researchers from various disciplines like robotics (Arkin, 1987; Vaughan et al., 2000), control (Bullo et al., 2009; Loo et al., 2002, Reynolds, 1987), swarm intelligence (Balch, 1998; Beni, 1988; Parker and Touzet, 2000), distributed computing (Peleg, 2005; Prencipe, 2005; Sless et al., 2014) etc.

In this chapter we focus on a group of robots called *swarm robots* which function under a distributed framework. All robots are identical in their configurations and appearances, and independent in their computations and actions. They can sense their surroundings through some devices. Each robot possesses a minimal capability in term of their storage and communication power. We also discuss some coordination problems and their solutions, based on cooperative behaviour of the swarm robots.

What Are Swarm Robots?

A swarm of robots (Peleg, 2005) is a collection of identical, tiny mobile robots (Figure 1). The robots together perform a complex job, e.g., moving a big body (Noreils, 1993), cleaning a big surface (Parker and Touzet, 2000), covering the boundary of a region etc. This idea has its inspiration in the actions of insects like ants (Figure 2), bees or termites and also birds. They are known to coordinate their actions to execute a task that is beyond the capability of an individual. C. W. Reynolds (Reynolds, 1987), one of the pioneers of swarm robotics, simulated the motion of a flock of birds to study the complex motion in particle system.

The individual unit or robot in a system of swarm robots is far less expensive than a big robot. Increasing or decreasing the number of robots in this system involves very simple hardware or software modifications and thus provides good scalability. Moreover, having similar capability, if some robots fail, others can manage to execute the work. This feature makes the system to be more resilient to malfunction. In hostile environments, these robots are easier to deploy perform various complex tasks cooperatively.

A swarm of robots can be deployed in a known environment for autonomous surveillance and monitoring of predetermined areas. Perimeter surveillance, also known as boundary coverage, is a very well-known research topic in swarm robotics (Sless et al., 2014). Along with the coverage of boundaries, general area coverage by swarm robots have also been investigated (Hungerford et al., 2014). A team of robots can also be deployed in an unknown or partially known environment in order to map the complete

27 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/distributed-algorithms-for-swarm-robots/244020

Related Content

Improving Dependability of Robotics Systems, Experience from Application of Fault Tree Synthesis to Analysis of Transport Systems

Nidhal Mahmud (2015). International Journal of Robotics Applications and Technologies (pp. 38-62). www.irma-international.org/article/improving-dependability-of-robotics-systems-experience-from-application-of-fault-treesynthesis-to-analysis-of-transport-systems/152361

Towards a Sentiment Analysis Model Based on Semantic Relation Analysis

Thien Khai Tranand Tuoi Thi Phan (2018). *International Journal of Synthetic Emotions (pp. 54-75).* www.irma-international.org/article/towards-a-sentiment-analysis-model-based-on-semantic-relation-analysis/214876

State of the Art in Biomimetic Swimming Robots: Design Principles and Case Study

Sayyed Farideddin Masoomi, Stefanie Gutschmidtand XiaoQi Chen (2015). *Handbook of Research on Advancements in Robotics and Mechatronics (pp. 118-152).* www.irma-international.org/chapter/state-of-the-art-in-biomimetic-swimming-robots/126015

Survey of Recent Cyber Security Attacks on Robotic Systems and Their Mitigation Approaches

Abdullahi Chowdhury, Gour Karmakarand Joarder Kamruzzaman (2017). Detecting and Mitigating Robotic Cyber Security Risks (pp. 284-299).

www.irma-international.org/chapter/survey-of-recent-cyber-security-attacks-on-robotic-systems-and-their-mitigationapproaches/180078

Web-Proxy-Based Authentication and Authorization Mechanism Against Client-Based HTTP Attacks

Mrunali Bukkawarand Mohd. Shafi Pathan (2017). *International Journal of Synthetic Emotions (pp. 60-72).* www.irma-international.org/article/web-proxy-based-authentication-and-authorization-mechanism-against-client-basedhttp-attacks/181641