

Chapter 52

Development of Bluetooth, Xbee, and Wi-Fi-Based Wireless Control Systems for Controlling Electric-Powered Robotic Vehicle Wheelchair Prototype

Biswajeet Champaty

National Institute of Technology, India

Suraj Kumar Nayak

National Institute of Technology, India

Goutam Thakur

Manipal Institute of Technology, India

Biswajit Mohapatra

Vesaj Patel Hospital, India

D. N. Tibarewala

Jadavpur University, India

Kunal Pal

National Institute of Technology, India

ABSTRACT

In this study, multiple control systems were developed using commonly used wireless communication protocols like Bluetooth, Xbee, and Wi-Fi. Mechanical switch based control systems were initially designed using Xbee and Bluetooth protocols. Further, Android application based control systems were developed using Bluetooth and Wi-Fi protocols. A robotic vehicle was used as an electric-powered wheelchair prototype. Ultrasonic sensors and infrared sensors were integrated with the robotic vehicle for obstacle and pothole detection, respectively. The control systems were tested in an L-shaped corridor for identifying the suitable wireless communication protocol to efficiently guide the robotic vehicle through a scheduled navigational pathway. Both Xbee and Wi-Fi technology based control systems were able to guide the robotic vehicle through the corridor. But the implementation of Xbee communication protocol is economic. However, for shorter distances, Bluetooth technology may be used for cost-effective implementation.

DOI: 10.4018/978-1-7998-1754-3.ch052

INTRODUCTION

In the current day world, there is a dramatic increase in the job, family and social commitments of the people. Due to these reasons, most of the people find it difficult to arrange time for their health and well-being activities. Patients suffering from neurodegenerative diseases (e.g. Amyotrophic lateral sclerosis (ALS), spinal cord injuries, multiple sclerosis, paraplegia and quadriplegia) become heavily dependent on the family members. These patients lose their muscular activity very rapidly, which results in the total body paralysis, inability in speech formation, swallowing and respiratory failure (Simmons, 2005). Hence, these patients are considered as burden to their family members (Coco et al., 2005; Zarit, Reever, & Bach-Peterson, 1980). Due to this reason, many of the families, who are economically stable, hire the services of specialized caregivers. But in developing countries like India, Bangladesh, Pakistan, Sri Lanka, Myanmar, and many African countries etc., most of the people are economically challenged to hire the services of the specialized caregivers for long period. It has been reported in literature that the care rendered to the patients on their deathbed decide whether the patients will receive a better death or a worse death (Soros & Madrick, 1999). Keeping this in mind, many researchers across the globe are trying to improve the quality of life of such severely disabled persons. The quality of life has also been related with the non-medical activities of the patients which include level of independence, social association, personal beliefs and psychological states of the patients (Simmons, 2005). These factors are highly hampered in the severely motor-disabled persons. Though mental strength and intelligence remain intact, they find it difficult to manipulate the conventional wheelchairs. This has led to the conceptualization of motorized wheelchairs, which have helped in drastically improving the self-assisted mobility of these patients. Various scientists have reported the use of intelligent sensors for acquiring information around the immediate environment of the patients (Cowan et al., 2012; Sevillano et al., 2009; R. Simpson, LoPresti, Hayashi, Nourbakhsh, & Miller, 2004; Tomari, Kobayashi, & Kuno, 2012). These sensors can divulge information about any adversities around the patients. The main disadvantage of these wheelchairs is the complex hardware architecture. The complexities can be minimized to some extent using certain wireless control systems. The simplistic nature of the wireless controlled electric-powered wheelchairs can considerably reduce the physical labor of the caregivers and enhance the autonomy of these patients. These advantages have been reported to improve the social integration of such disabled patients (R. C. Simpson, 2005).

Keeping a note of the above, in this present study, we propose a mechatronic approach for designing an economically assembled archetype (robotic vehicle). The proposed approach is helpful in realizing the directional control of a motorized wheelchair using various wireless protocols (Bluetooth, Xbee, and Wi-Fi). In addition to responding to the auxiliary controls (activation, deactivation and stop), the robotic vehicle was programmed to navigate in four different directions (forward, backward, left and right). The commands were wirelessly relayed to the robotic vehicle from the peripheral remote controllers. The remote controllers were designed using pushbutton switches, joystick and Android application. To identify the optimum wireless protocol for probable multitasking use in wheelchair control, home automation and robotic arm movement control; a comparative study was performed using the above mentioned wireless technologies.

30 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:
www.igi-global.com/chapter/development-of-bluetooth-xbee-and-wi-fi-based-wireless-control-systems-for-controlling-electric-powered-robotic-vehicle-wheelchair-prototype/244050

Related Content

Designing Autonomous Race Car Models for Learning Advanced Topics in Hard Real-Time System

Enea Bagalini and Massimo Violante (2015). *International Journal of Robotics Applications and Technologies* (pp. 1-22).

www.irma-international.org/article/designing-autonomous-race-car-models-for-learning-advanced-topics-in-hard-real-time-system/134031

Guidelines for Designing Computational Models of Emotions

Eva Hudlicka (2011). *International Journal of Synthetic Emotions* (pp. 26-79).

www.irma-international.org/article/guidelines-designing-computational-models-emotions/52755

Run-Time Compositional Software Platform for Autonomous NXT Robots

Ning Gui, Vincenzo De Florio and Chris Blondia (2019). *Rapid Automation: Concepts, Methodologies, Tools, and Applications* (pp. 649-662).

www.irma-international.org/chapter/run-time-compositional-software-platform-for-autonomous-nxt-robots/222451

Modeling and Simulation of Discrete Event Robotic Systems Using Extended Petri Nets

Gen'ichi Yasuda (2012). *Prototyping of Robotic Systems: Applications of Design and Implementation* (pp. 51-69).

www.irma-international.org/chapter/modeling-simulation-discrete-event-robotic/63530

Robotics as a Powerful Vehicle Toward Learning and Computational Thinking in Secondary Education of 21st Century

Katerina V. Glezou (2021). *Handbook of Research on Using Educational Robotics to Facilitate Student Learning* (pp. 1-40).

www.irma-international.org/chapter/robotics-as-a-powerful-vehicle-toward-learning-and-computational-thinking-in-secondary-education-of-21st-century/267660