An Overview on Stochastic Global Optimization and its Multi-Domain Applications

Venkateswarlu Chimmiri, Indian Institute of Chemical Technology, Tarnaka, India & BV Raju Institute of Technology, Narsapur, India

https://orcid.org/0000-0002-7058-3825

ABSTRACT

Optimization is of great interest and it has widespread applications in engineering and science. It has become a major technology contributor to the growth of industry. It is extensively used in solving a wide variety of problems in design, operation, and analysis of engineering and technological processes. Optimization of large-scale problems pose difficulties concerning to dimensionality, differentiability, multimodality and nonlinearity in objective functions and constraints. In order to overcome such difficulties, there has been a rapidly growing interest in advanced optimization algorithms. Stochastic and evolutionary optimization algorithms are increasingly used to solve challenging optimization problems. These algorithms include genetic algorithm, simulated annealing, differential evolution, ant colony optimization, tabu search, particle swarm optimization, artificial bee colony algorithm, and cuckoo search algorithm. These algorithms are typically inspired by some phenomena from nature and they are robust. These algorithms do not require any gradient information and are even suitable to solve discrete optimization problems. These methods are extensively used to solve the optimization problems concerning to systems that are highly nonlinear, high dimensional, and noisy or for solving problems that are not easily solved by classical deterministic methods of optimization.

BRIEF DESCRIPTION OF STOCHASTIC EVOLUTIONARY OPTIMIZATION ALGORITHMS

Various stochastic and global optimization methods such as genetic algorithm, simulated annealing, differential evolution, ant colony optimization, tabu search, particle swarm optimization, artificial bee colony algorithm, and cuckoo search algorithm are briefly presented.

Genetic algorithms (GAs) are search-based optimization techniques that adapt the principles of genetics and natural selection. GAs became more familiar with the work of John Holland, which adapts natural and artificial systems (Holland, 1975). The biological and genetic concepts of GA's have been studied earlier by various researchers. In problem solving, the GA begins with a set of random solutions represented by chromosomes or strings called population. Solutions from one population are used to form a new population through evolutionary principles of selection, crossover, and mutation.

DOI: 10.4018/IJCCE.2019070101

Copyright © 2019, IGI Global. Copying or distributing in print or electronic forms without written permission of IGI Global is prohibited.

The new population is selected from new solutions (offspring) according to their fitness. This process is repeated until the best solution is obtained.

Simulated annealing (SA) is a stochastic search algorithm, the concept of which as a connection to statistical mechanics and combinatorial optimization was introduced by Kirkpatrick et al. (1983). The principle of SA mimics the annealing process of slow cooling of molten metal to achieve the minimum function value. Similar to the analogy of metallic cooling process, the SA algorithm at each virtual annealing temperature generates a new potential solution to the problem around the neighbours of the current state and alters the state according to a predefined criterion. The acceptance of the new state is then based on the satisfaction of the Metropolis criterion, and this procedure is iterated until convergence of the solution. In the SA algorithm, the objective function is treated as the energy function of a molten metal, and certain artificial temperatures are introduced and gradually cooled in analogous manner to the annealing technique so as to enable the algorithm to achieve the global minimum.

Differential evolution (DE) algorithm introduced by Storn and Price (1997) is a simple population-based search method used for global optimization of real-valued functions. This heuristic search technique is useful to optimize the nonlinear and non-differentiable continuous space problems. DE maintains a population of candidate solutions by mutation, crossover, and selection. In this method, the initial population is generated by adding normally distributed random deviations to the preliminary solution. New solution vectors are generated by adding the weighted difference vector between two population members to a third member. If the resulting vector yields a lower objective function value than a predetermined population member, the previous population is replaced by the new population. DE uses distance and direction information from the current population to guide the search process. This method exhibits faster convergence and is easier to implement, and it has few control parameters.

Ant colony optimization (ACO) algorithm mimics the foraging behaviour of ants in which the real ants find the shortest route between a food source and their nest (Dorigo et al., 1991). The ants communicate with one another by means of pheromone trails and exchange information about which path should be followed. This autocatalytic and collective behaviour of ants results in the establishment of the shortest route from the nest to the food source and back. In ACO, a number of artificial ants build solutions to an optimization problem and exchange information by following a communication scheme adopted by real ants. The ACO construction involves three main functions. The first function constructs ant solutions by managing a colony of ants that visit adjacent states by moving through neighbour nodes of the problem's construction graph. They move by applying a stochastic local decision policy that makes use of pheromone trails and heuristic information. In the second function, pheromone trail updates will be carried out and proceeds with pheromone trail reinforcement and pheromone trail evaporation. In the third function, the algorithm considers bonus updates from a global search. This additional pheromone reinforcement step generates the best solution.

Tabu search (TS) proposed by Glover (1986) is a metaheuristic problem-solving approach used to solve combinatorial optimization problems. TS uses a memory by which this method will not only remember the current and best solution, but it also keeps the memory to visit the last solutions and to guide the search moves. The adaptive memory and responsive exploration features of TS enable it to exploit good solutions and explore new promising regions in the search space. The adaptive memory feature allows the implementation of procedures that are capable of searching the solution space economically and effectively. Responsive exploration integrates intelligent search mechanisms to exploit good solution features while exploring new promising regions. A set of coordinated strategies employed in TS, such as intensification and diversification, allow it to explore the search space more thoroughly, thus helping to avoid becoming stuck in local optima. TS uses tabu list to store the information in the form of a recency-based short-term memory (RSM) and a frequency-based long-term memory (FRM). TS process starts with a feasible solution, and during each iteration, it evaluates all solutions in the neighbourhood except those in the current tabu list. Then the search moves to the best nontabu solution in the neighbourhood and the best solution found so far will get updated.

4 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/article/an-overview-on-stochastic-global-optimization-and-its-multi-domain-applications/250217

Related Content

Capability of Bacterial Cellulose Membrane in Release of Doxycycline

Mohammad Ali Salehi, Masomeh Jahani Kadusaraiand Mojtaba Akbari Dogolsar (2016). *International Journal of Chemoinformatics and Chemical Engineering (pp. 44-55).*

 $\underline{\text{www.irma-international.org/article/capability-of-bacterial-cellulose-membrane-in-release-of-doxycycline/166583}$

Thermal-Mechanical Effects and Near-Critical Fluid Dynamic Behaviors in Micro-Scale

Lin Chen (2021). Handbook of Research on Advancements in Supercritical Fluids Applications for Sustainable Energy Systems (pp. 55-111).

www.irma-international.org/chapter/thermal-mechanical-effects-and-near-critical-fluid-dynamic-behaviors-in-micro-scale/259835

Effect of Flow Acceleration and Buoyancy on Thermalhydraulics of sCO2 in Mini/Micro-Channel

Nitesh Kumar, Dipankar Narayan Basuand Lin Chen (2021). *Handbook of Research on Advancements in Supercritical Fluids Applications for Sustainable Energy Systems (pp. 161-182).*

 $\frac{www.irma-international.org/chapter/effect-of-flow-acceleration-and-buoyancy-on-thermal hydraulics-of-sco2-in-minimicro-channel/259837$

Rice Straw Extracted Cellulose Biocompatible Nanofiber

Matoore Lamani (2017). *International Journal of Chemoinformatics and Chemical Engineering (pp. 1-20).*

www.irma-international.org/article/rice-straw-extracted-cellulose-biocompatible-nanofiber/201062

Wavy Motion of Viscous Bubbly Liquid in Tubes of Orthotropic Material

Rafael Yusif Amenzadeh, Akperli Reyhan Sayyadand Faig Bakhman Ogli Naghiyev (2012). *International Journal of Chemoinformatics and Chemical Engineering (pp. 39-47).*

www.irma-international.org/article/wavy-motion-viscous-bubbly-liquid/63433