

Chapter 21

Best Features Selection for Biomedical Data Classification Using Seven Spot Ladybird Optimization Algorithm

Noria Bidi

Department of Science and Technology, University Mustapha Stamboli, Mascara, Algeria

Zakaria Elberrihi

Department of Computer Science, University Djillali Liabes, Sidi Bel Abbes, Algeria

ABSTRACT

This article presents a new adaptive algorithm called FS-SLOA (Feature Selection-Seven Spot Ladybird Optimization Algorithm) which is a meta-heuristic feature selection method based on the foraging behavior of a seven spot ladybird. The new efficient technique has been applied to find the best subset features, which achieves the highest accuracy in classification using three classifiers: the Naive Bayes (NB), the Nearest Neighbors (KNN) and the Support Vector Machine (SVM). The authors' proposed approach has been experimented on four well-known benchmark datasets (Wisconsin Breast cancer, Pima Diabetes, Mammographic Mass, and Dermatology datasets) taken from the UCI machine learning repository. Experimental results prove that the classification accuracy of FS-SLOA is the best performing for different datasets.

1. INTRODUCTION

A diverse set of data mining algorithms have been used to extract useful information from biomedical data. The most important technique in biomedical data mining is the classification; it plays a significant role in the diagnosis of disease. In a classification problem, the objective is to learn the decision surface that accurately maps an input feature space to an output space of class labels (Babu & Suresh, 2013) with excluding of redundant and irrelevant features which can improve the performance of classification

DOI: 10.4018/978-1-7998-2460-2.ch021

algorithm. Many feature selection methods exist in literature because there are several statements of the feature selection problem, some methods are specialized to particular cases and other methods can be used only for small numbers of features or only for large numbers of features. Among these algorithms; someones used meta-heuristics strategies to find the best feature subset.

Meta-heuristics have been successfully proposed to solve difficult optimization problems and have proved their effectiveness in wide areas of applications. These methods are often bio-inspired and can be classified into trajectory-based methods and population-based methods according to the operating principle during the search of the solution.

SLOA is a novel population based meta-heuristic approach developed by Peng Wang, Zhouquan Zhu and Shuai Huang in 2013 (Wang, Zhu & Huang, 2013). It is inspired from the seven-spot ladybird's foraging behavior. All nature inspired meta-heuristic algorithms have something in common in the sense that they are intensification and diversification. The diversification strategy of SLOA is presented by exploring more effectively the space of solutions, while the intensification strategy is implicitly controlled by converging rapidly to an optimal solution.

With the aim of building an accurate classification model, an optimization algorithm (FS-SLOA) is proposed. This wrapper model approach uses the classification accuracy to evaluate the performance of a selected feature subset. It uses three classifiers: Naive Bayes (NB), Nearest Neighbors (KNN) and Support Vector Machines (SVM) classifiers for fitness evaluation. To demonstrate the efficiency of the proposed method, it is tested on four well-known benchmark datasets (Wisconsin Breast cancer, Pima Diabetes, Mammographic Mass, and Dermatology datasets) which are taken from the UCI machine learning repository. The results obtained are compared with previous methods reported in the literature and found to be encouraging.

The paper is organized as follows: Brief review of the related work in using machine learning techniques is discussed in section 2. Section 3 presents feature selection methods. The FS-SLOA method is presented in section 4 and section 5. The selected classifiers are presented in section 6. In section 7, our experimental results for the implementation of FS-SLOA on different datasets are reported. Finally, we conclude this work.

2. RELATED WORK

In order to obtain better classification accuracy for the diagnosis of diseases with the Wisconsin Breast Cancer, Pima Diabetes, Mammographic Mass, and Dermatology datasets, many machine learning algorithms have been successfully applied. In our research work, we are interested in the use of meta-heuristic for feature selection to improve the performance of classification algorithm. In this field, many researchers have developed various approaches.

Firstly, we cite several studies on Wisconsin breast cancer dataset, in (Sweilam, Tharwat & Abdel Moniem, 2010) particle swarm optimization, Quantum-behave Particle Swarm, least square support vector machine (LSSVM) and active set strategy are introduced. The effectiveness of the four different methods for training support vector machine will be evaluated and compared, the SVM-PSO shows the highest accuracy of 93, 06% on a Wisconsin breast cancer dataset. In (Prasad, Biswas & Jain, 2010) and based on SVM classifier, heuristics methods, including genetic algorithm (GA), ant colony optimization (ACO) and particle swarm optimization(PSO), were used to select the best feature subset for SVM training rather than using the exhaustive search. Those methods used the training accuracy as a criterion

13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/best-features-selection-for-biomedical-data-classification-using-seven-spot-ladybird-optimization-algorithm/252036

Related Content

Designs of Mixed Method Research

Amir Manzoor (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 95-121).

www.irma-international.org/chapter/designs-of-mixed-method-research/252022

Diagnosis Rule Extraction from Patient Data for Chronic Kidney Disease Using Machine Learning

Alexander Arman Serpen (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 1165-1174).

www.irma-international.org/chapter/diagnosis-rule-extraction-from-patient-data-for-chronic-kidney-disease-using-machine-learning/252076

Advancing Malware Classification With an Evolving Clustering Method

Chia-Mei Chen and Shi-Hao Wang (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 1882-1894).

www.irma-international.org/chapter/advancing-malware-classification-with-an-evolving-clustering-method/252116

Feedback-Driven Refinement of Mandarin Speech Recognition Result Based on Lattice Modification and Rescoring

Xiangdong Wang, Yang Yang, Hong Liu, Yueliang Qian and Duan Jia (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 1237-1247).

www.irma-international.org/chapter/feedback-driven-refinement-of-mandarin-speech-recognition-result-based-on-lattice-modification-and-rescoring/252079

Data Mining Approach for Predicting the Likelihood of Infertility in Nigerian Women

Peter Adebayo Idowu, Jeremiah Ademola Balogun and Olumuyiwa Bamidele Alaba (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 1001-1027).

www.irma-international.org/chapter/data-mining-approach-for-predicting-the-likelihood-of-infertility-in-nigerian-women/252067