

Chapter 52

Music Emotions Recognition by Machine Learning With Cognitive Classification Methodologies

Junjie Bai

*School of Electrical and Information
Engineering, Chongqing University of Science
and Technology, Chongqing, China & Schulich
School of Engineering and Hotchkiss Brain
Institute, University of Calgary, Calgary,
Canada*

Kan Luo

*School of Information Science and Engineering,
Fujian University of Technology, Fuzhou, China*

Jun Peng

*School of Electrical and Information
Engineering, Chongqing University of Science
and Technology, Chongqing, China*

Jinliang Shi

*School of Electrical and Information
Engineering, Chongqing University of Science
and Technology, Chongqing, China*

Ying Wu

*School of Electrical and Information
Engineering, Chongqing University of Science
and Technology, Chongqing, China*

Lixiao Feng

*School of Electrical and Information
Engineering, Chongqing University of Science
and Technology, Chongqing, China & Schulich
School of Engineering and Hotchkiss Brain
Institute, University of Calgary, Calgary,
Canada*

Jianqing Li

*School of Instrument Science and Engineering,
Southeast University, Nanjing, China*

Yingxu Wang

*International Institute of Cognitive Informatics
and Cognitive Computing (ICIC), Laboratory
for Computational Intelligence, Denotational
Mathematics, and Software Science,
Department of Electrical and Computer
Engineering, Schulich School of Engineering
and Hotchkiss Brain Institute, University of
Calgary, Calgary, Canada & Information
Systems Lab, Stanford University, Stanford,
USA*

ABSTRACT

Music emotions recognition (MER) is a challenging field of studies addressed in multiple disciplines such as musicology, cognitive science, physiology, psychology, arts and affective computing. In this article, music emotions are classified into four types known as those of pleasing, angry, sad and relaxing. MER is formulated as a classification problem in cognitive computing where 548 dimensions of music features are extracted and modeled. A set of classifications and machine learning algorithms are explored and comparatively studied for MER, which includes Support Vector Machine (SVM), k-Nearest Neighbors (KNN), Neuro-Fuzzy Networks Classification (NFNC), Fuzzy KNN (FKNN), Bayes classifier and Linear Discriminant Analysis (LDA). Experimental results show that the SVM, FKNN and LDA algorithms are the most effective methodologies that obtain more than 80% accuracy for MER.

1. INTRODUCTION

Music is not only a form of art but also a language that expresses human emotions, inner modes and affective information (Juslin, & Sloboda, 2001; Wang, Rodríguez, & Ramos, 2012; Wilson & Keil, 2001). It is generally perceived that music would not be composed, performed or comprehended without affective cognition and involvement. Because music expresses human emotions including joy, happiness, annoyance, sadness and pain, aesthetics and cognitive science recognize music as one of the powerful affective expression means.

It is recognized that music creation and appreciation are a subjective cognition process. Individuals may have different experience and understanding of the same piece of music, as well as different extends of emotionally affective effects. Therefore, it is a challenging problem to rigorously recognize and evaluate emotions of music and songs in musicology, esthetics, psychologists, and cognitive science (Juslin, & Sloboda, 2001; Wang, Rodríguez, & Ramos, 2012; Wilson, Keil, & Wilson, 2001; Hallam, Cross, & Thaut, 2008). One of the encouraging solutions for addressing the challenges is cognitive machine learning (Wang, 2015, 2016, 2017). Various machine learning algorithms are widely adapted to recognize music emotions (Yang, Lin, Su, & Chen, 2008; Bang, Kim, & Lee, 2013; Mokhsin, Rosli, Zambri, Ahmad, & Rahah, 2014; Jens, Sand, & Jan, 2015; Chin, Lin, Siahaan, Wang, & Wang, 2013).

There are two categories of methodologies for MER known as characteristic regression in the Valence-Arousal plan (Charanya, & Vijayalakshmi, 2015; Deng, Lu, & Liu, 2015; Wang, Wang, & Lanckriet, 2015; Lee, Jo, & Lee, 2011; Chin, Lin, & Siahaan, 2014; Soleymani, Aljanaki, & Yang, 2014; Soleymani, Caro, Schmidt, Sha., & Yang, 2013; Wang, Yang, Wang, & Jeng, 2012) and feature classification (Laurier, Grivolla, & Herrera, 2008; Schuller, 2010; Trohidis, Tsoumakas, Kalliris, & Vlahavas, 2008; Yang, Liu, & Chen, 2006). In this paper, music emotions were classified into four types such as pleasing, relaxing, angry and sad based on machine learning methodologies.

12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/music-emotions-recognition-by-machine-learning-with-cognitive-classification-methodologies/252068

Related Content

Spatial Modeling and Geovisualization of Rental Prices for Real Estate portals

Harald Schernthanner, Hartmut Asche, Julia Gonschorek and Lasse Scheele (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 962-977).

www.irma-international.org/chapter/spatial-modeling-and-geovisualization-of-rental-prices-for-real-estate-portals/252065

Heart-Brain Neurodynamics: The Making of Emotions

Rollin McCraty (2019). *Media Models to Foster Collective Human Coherence in the PSYCHecology* (pp. 191-219).

www.irma-international.org/chapter/heart-brain-neurodynamics/229337

Relativity and Cognitive Ethics

Richard Sieb (2019). *Media Models to Foster Collective Human Coherence in the PSYCHecology* (pp. 119-139).

www.irma-international.org/chapter/relativity-and-cognitive-ethics/229333

A Novel Bat Algorithm for Line-of-Sight Localization in Internet of Things and Wireless Sensor Network

Mihoubi Miloud, Rahmoun Abdellatif and Pascal Lorenz (2019). *Machine Learning and Cognitive Science Applications in Cyber Security* (pp. 213-239).

www.irma-international.org/chapter/a-novel-bat-algorithm-for-line-of-sight-localization-in-internet-of-things-and-wireless-sensor-network/227583

Enabling Rapid Classification of Social Media Communications During Crises

Muhammad Imran, Prasenjit Mitra and Jaideep Srivastava (2020). *Cognitive Analytics: Concepts, Methodologies, Tools, and Applications* (pp. 1272-1289).

www.irma-international.org/chapter/enabling-rapid-classification-of-social-media-communications-during-crises/252081