Chapter 3.30 DRM Technology for Mobile Multimedia

Sai Ho Kwok California State University, Long Beach, USA

INTRODUCTION

Mobile multimedia has been promoted as a promising service and application in mobile e-commerce (m-commerce) by many mobile operators and mobile service providers, when high-speed mobile networks are expected to take off in the near future. However, at present, mobile multimedia is still in its infancy, accessed by relatively lowend mobile devices with limited bandwidth and resources. A typical example is Orange in Hong Kong which launched a low-grade multimedia service in 2000 to test the market with current mobile technologies. Due to the physical constraints of a 2.5G mobile network, audio broadcast is the best service that the network can offer up to date. However, in the near future, when advanced mobile networks and technologies become available, higher demands will be placed on the quality of mobile multimedia services. Such services support both audio and video data, for example, video conferencing, music video, video-on-demand and so on. Rights management deserves more serious concern because intellectual property of distributed multimedia content is as valuable as a company's physical assets (Doherty, 2002). This will become even more important when mobile multimedia services become marketable and an essential part of the business. The purpose of a digital rights management (DRM) system is to allow owners of digital assets (movies, songs) to distribute their products/services/contents electronically in a controlled way (Peinado, 2002). DRM technology makes various online payment schemes possible, such as pay-per-view, pay-perdownload, pay-per-game and so on. Hence, mobile service providers are able to control end users' use of, and accessibility to, their products, and stand to gain huge profits from this capability with the DRM technology (Foroughi, Albin, & Gillard, 2002). A successful DRM system should address both business and technical issues (Grab, 2002), but this chapter only addresses and presents issues in the technical side due to the nature of this book. We present some critical issues of mobile DRM for mobile multimedia. A proposal of mobile DRM framework is presented to meet the urgent DRM needs with the existing 2.5G

mobile technology. This chapter is concluded by presenting future directions of mobile DRM for mobile multimedia.

BACKGROUND

Internet Commerce

In the Internet domain, Vidius Incorporated estimates 450,000 to 580,000 downloads of unprotected full-length films are transferred over the Internet daily (Grab, 2002). Protection of distributed multimedia has been a growing concern to creators, distributors, copyright owners, publishers, and governments. DRM is considered to be one of the desirable solutions to this problem, and it can protect distributed media contents delivered over the Internet.

Several international standard organizations have been developing DRM solutions for various distributed multimedia, for example, digital music and video. The Secure Digital Music Initiative (SDMI) (SDMI, 2003), backed by the Recording Industry Association of America (RIAA) and 200 music and technology companies (as of October 2003), has been proposed to provide a secure environment for music distribution over the Internet. Another standard being developed by the Moving Picture Experts Group (MPEG) is known as MPEG-21 (Bormans & Hill, 2002) dedicated to distributing digital multimedia content. MPEG-21 defines an interoperable framework for Intellectual Property Management and Protection (IPMP). The IPMP can be interoperable with other MPEG standards, for example, MPEG-4. Therefore, the property protection will be also applicable to most of the MPEG video standards in the future. In addition, there are commercial DRM systems especially for the wired Internet business. They include Windows Media Rights Manager by Microsoft, and MetaTrust by Inter-Trust Technologies (InterTrust, 2000).

The above DRM standards and systems can be classified into two groups, namely, cryptographicbased and watermark-based DRM solutions (Kwok, 2003). Cryptographic systems permit only valid key-holders to access the encrypted data after receiving it from the authenticated senders. However, once such data is decrypted, it is impossible to track its reproduction or retransmission. Therefore, cryptography only provides protection during data transmission. Digital watermarking technology seems to complement the cryptographic process and to protect copyright ownership (Kwok, 2002). Digital watermarks can be visible but they are preferably invisible identification codes that are permanently embedded in the data and present within the data after any decryption process (Doherty, 2002).

In order to manage digital rights effectively and efficiently, many commercial DRM solutions employ license management models (Kwok & Lui, 2002). A license management model consists of a digital license that keeps access and control rights. Corresponding rights enforcement DRM applications determine usage rights based on these digital licenses.

Mobile Commerce

The current 2.5G mobile technologies for mobile multimedia service are fundamentally different from those used for Internet commerce service, and they impose many limitations and constrains upon the sophistication of mobile multimedia service. This explains why existing DRM systems for Internet commerce cannot be applicable to DRM over the mobile environment in a straightforward way. Some of the most important technical and physical obstacles are summarized as follows:

1. *License management:* A mobile device usually has limited resources of both memory and processing power to handle and process license documents and rights-protected contents. 6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/drm-technology-mobile-multimedia/26574

Related Content

Towards A Virtual Machine Migration Algorithm Based On Multi-Objective Optimization

Xiang Chen, Jun-rong Tangand Yong Zhang (2017). *International Journal of Mobile Computing and Multimedia Communications (pp. 79-89).*

www.irma-international.org/article/towards-a-virtual-machine-migration-algorithm-based-on-multi-objectiveoptimization/188625

A Probabilistic Routing Protocol in VANET

Gongjun Yan, Stephan Olariuand Shaharuddin Salleh (2010). International Journal of Mobile Computing and Multimedia Communications (pp. 21-37).

www.irma-international.org/article/probabilistic-routing-protocol-vanet/47329

Slotted Wearable Antenna for WLAN and LTE Applications

Nupr Gupta, Rishabh Kumar Baudh, D. C. Dhubkaryaand Ravi Kant Prasad (2020). *Design and Optimization of Sensors and Antennas for Wearable Devices: Emerging Research and Opportunities (pp. 112-126).*

www.irma-international.org/chapter/slotted-wearable-antenna-for-wlan-and-lte-applications/235786

Perceived Quality Evaluation for Multimedia Services

H. Koumaras, E. Pallis, G. Xilouris, A. Kourtisand D. Martakos (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 758-762).*

www.irma-international.org/chapter/perceived-quality-evaluation-multimedia-services/17170

Throughput-Delay Evaluation of a Hybrid-MAC Protocol for M2M Communications

Pawan Kumar Verma, Rajesh Verma, Arun Prakashand Rajeev Tripathi (2016). International Journal of Mobile Computing and Multimedia Communications (pp. 41-60).

www.irma-international.org/article/throughput-delay-evaluation-of-a-hybrid-mac-protocol-for-m2mcommunications/148261