Chapter 4.35 Location-Based Services in the Mobile Communications Industry

Christopher Ververidis Athens University of Economics and Business, Greece

George C. Polyzos Athens University of Economics and Business, Greece

INTRODUCTION

Advances in wireless communications and information technology have made the mobile Web a reality. The mobile Web is the response to the need for anytime, anywhere access to information and services. Many wireless applications have already been deployed and are available to customers via their mobile phones and wirelessly connected PDAs (personal digital assistants). However, developing the "killer" wireless application is still a goal for the industry rather than a reality. One direction for developing such applications points to locationbased services (LBSs). LBSs are services that are enhanced with and depend on information about a mobile station's position. Location information by itself is not the ultimate service, but if location information is combined with content, useful services may be developed. These services offer the capability to users and machines to locate persons, vehicles, machines, and resources, as well as the possibility for users to track their own locations (GSM Association, 2003). The focus of this article is the analysis of the most critical success factors and challenges for LBS.

BACKGROUND

In order to show the domains on which LBS may have an impact, a list with the LBS categories, as defined by the Third-Generation Partnership Project (3GPPP, 2004), is presented in Table 1. Also, based on the information-delivery method, we identify three types of LBS: pull, push, and tracking services (GSM Association, 2003). In the case of a pull service, the user issues a request in order to be automatically positioned and to access the LBS he or she wants. A use-case scenario demonstrating a pull service used broadly in the LBS literature (Poslad, Laamanen, Malaka, Nick, Buckle, & Zipf, 2001; Zipf, 2002) is the following. A tourist roams in a foreign city and wants to receive information about the nearest restaurants to his or her current location. Using a mobile device, the tourist issues an appropriate request (e.g., via SMS [short messaging service] or WAP [wireless application protocol]), and the network locates his or her current position and responds with a list of restaurants located near it. On the contrary, in the case of a push service, the request is issued by the service provider and not the user. A representative example of push services is location-based advertising, which informs users about products of their

Application Domain	Standardized LBS Types
Public-Safety Services	Emergency Services
	Emergency Alert Services
Tracking Services	Person Tracking
	Fleet Management.
	Asset Management
Traffic Monitoring	Traffic-Congestion Reporting
Enhanced Call Routing	Roadside Assistance
-	Routing to Nearest Commercial Enterprise
Location-Based Information Services	Traffic and Public Transportation Information City Sightseeing Localized Advertising Mobile Yellow Pages Weather Asset and Service Finding
Entertainment and Community Services	Gaming Find Your Friend Dating Chatting Route Finding Where am I?

Table 1. Standardized LBS types and corresponding application domains

Location-Sensitive Charging Service-Provider-Specific Services 6 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/location-based-services-mobile-

communications/26622

Related Content

UI Design for Mobile Technology in a Closed Environment

Kater Oakley, Gitte Lindgaard, Peter Kroeger, John Miller, Earl Bryentonand Paul Hébert (2008). *Handbook of Research on User Interface Design and Evaluation for Mobile Technology (pp. 1015-1030).* www.irma-international.org/chapter/design-mobile-technology-closed-environment/21879

Networked Wireless Sensors, Active RFID, and Handheld Devices for Modern Car Park Management: WSN, RFID, and Mob Devs for Car Park Management

Djamel Djenouri, ElMouatezbillah Karbab, Sahar Boulkabouland Antoine Bagula (2015). *International Journal of Handheld Computing Research (pp. 33-45).* www.irma-international.org/article/networked-wireless-sensors-active-rfid-and-handheld-devices-for-modern-car-park-

management/144335

High-Performance Reconfigurable Computing

Mário Pereira Vestias (2019). Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics (pp. 731-744). www.irma-international.org/chapter/high-performance-reconfigurable-computing/214656

Resource-Based Interdependencies in Value Networks for Mobile E-Services

Uta Wehn Montalvo, Els van de Karand Carleen Maitland (2009). *Mobile Computing: Concepts, Methodologies, Tools, and Applications (pp. 2440-2462).* www.irma-international.org/chapter/resource-based-interdependencies-value-networks/26672

Secure Group Communications in Wireless Networks

Y. Wang (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 832-838).* www.irma-international.org/chapter/secure-group-communications-wireless-networks/17183