Chapter 7.9 Privacy and Anonymity in Mobile Ad Hoc Networks

Christer Andersson Combitech, Sweden

Leonardo A. Martucci Karlstad University, Sweden

Simone Fischer-Hübner Karlstad University, Sweden

ABSTRACT

Providing privacy is often considered a keystone factor for the ultimate take up and success of mobile ad hoc networking. Privacy can best be protected by enabling anonymous communication and, therefore, this chapter surveys existing anonymous communication mechanisms for mobile ad hoc networks. On the basis of the survey, we conclude that many open research challenges remain regarding anonymity provisioning in mobile ad hoc networks. Finally, we also discuss the notorious Sybil attack in the context of anonymous communication and mobile ad hoc networks.

INTRODUCTION

The quest for privacy in today's increasingly pervasive information society remains a fundamental research challenge. In the traditional (wired) Internet, one essential means for protecting privacy is *anonymous communication*. Being anonymous usually implies that a user remains unlinkable to a set of items of interest (e.g., communication partners, messages) from an attacker's perspective (Pfitzmann & Hansen, 2006). The capabilities of the attacker are usually modeled by an *attacker model*, which can, for instance, include a rogue communication partner or an observer tapping the communication lines. Further, more advanced applications can be deployed on top of anonymous communication mechanisms, to, for instance, enable pseudonymous applications.

This chapter investigates how anonymous communication can be enabled in *mobile ad hoc* networks (Corson & Macker, 1999); networks constituted by mobile platforms that establish on-the-fly wireless connections among themselves and ephemera networks without central entities to control it. They are of great importance as they constitute a basic core functionality needed for deploying ubiquitous computing. In short, ubiquitous computing would allow for computational environments providing information instantaneously through "invisible interfaces," thus allowing unlimited spreading and sharing of information. If realized, ubiquitous computing could offer an invaluable support for many aspects of our society and its institutions. However, if privacy aspects are neglected, there is a great likelihood that the end product will resemble an Orwellian nightmare.

In this chapter, we study how privacy and anonymity issues are tackled today in mobile ad hoc networks by surveying existing anonymous communication mechanisms adapted for mobile ad hoc networks¹. Only recently, a number of such proposals have been suggested. In the survey, we evaluate some of these approaches against a set of general requirements (Andersson, Martucci, & Fischer-Hübner, 2005), which assess to which degree these approaches are suitable for mobile ad hoc networks. We also discuss Sybil attacks (Douceur, 2002) in the context of anonymous communication and mobile ad hoc networks.

This chapter is structured as follows. First, an introduction to privacy, anonymity, and anonymity metrics is provided in "Background." Then, existing approaches for enabling anonymity in ad hoc networks are described in "Anonymous Communication in Mobile Ad Hoc Networks." In "Survey of Anonymous Communication Mechanisms for Ad Hoc Networks" these approaches are evaluated against the aforementioned requirements. Then, Sybil attacks in the context of anonymous communication and mobile ad hoc networks are discussed in "Future Trends." Finally, conclusions are drawn in "Conclusions."

BACKGROUND

In this section, the concepts of privacy and anonymity and their relation are introduced. Methods for quantifying anonymity are also discussed.

Definitions of Anonymity and Related Concepts

Pfitzmann and Hansen (2006) define *anonymity* as "the state of being not identifiable within a set of subjects, the *anonymity set*" (p. 6). The




Figure 1. Unlinkability between a user in the anonymity set and an item of interest

17 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/privacy-anonymity-mobile-hoc-networks/26686

Related Content

The Role of Feedback in Software Process Assessment

Zeljko Stojanovand Dalibor Dobrilovic (2019). Advanced Methodologies and Technologies in Network Architecture, Mobile Computing, and Data Analytics (pp. 1494-1505). www.irma-international.org/chapter/the-role-of-feedback-in-software-process-assessment/214716

GNSS Positioning Enhancement Based on NLOS Multipath Biases Estimation Using Gaussian Mixture Noise

Guermah Bassma, Sadiki Tayeband El Ghazi Hassan (2018). International Journal of Mobile Computing and Multimedia Communications (pp. 21-39).

www.irma-international.org/article/gnss-positioning-enhancement-based-on-nlos-multipath-biases-estimation-usinggaussian-mixture-noise/198384

Game Theoretic Study of Cooperative Spectrum Leasing in Cognitive Radio Networks

Fatemeh Afghahand Abolfazl Razi (2014). International Journal of Handheld Computing Research (pp. 61-74).

www.irma-international.org/article/game-theoretic-study-of-cooperative-spectrum-leasing-in-cognitive-radionetworks/124960

Mobile Handheld Devices in Education

Douglas Blakemoreand David Svacha (2012). *Mobile Technology Consumption: Opportunities and Challenges (pp. 32-45).*

www.irma-international.org/chapter/mobile-handheld-devices-education/60210

Voting Median Base Algorithm for Measurement Approximation of Wireless Sensor Network Performance

Nazar Elfadiland Yaqoob J. Al-Raisi (2014). Security, Privacy, Trust, and Resource Management in Mobile and Wireless Communications (pp. 360-382).

www.irma-international.org/chapter/voting-median-base-algorithm-for-measurement-approximation-of-wireless-sensornetwork-performance/86313