

Chapter 9

Location Information Services of Automated External Defibrillators (AEDs)

Reima Suomi

 <https://orcid.org/0000-0003-2169-7997>

University of Turku, Finland

Eila Lindfors

University of Turku, Finland

Brita Marianne Somerkoski

University of Turku, Finland

ABSTRACT

Cardiovascular diseases are a leading death cause in the world. Cardiac arrest is one of the most usual, and very quickly fatal, especially in out-of-hospital environments. Defibrillation, aside with cardiopulmonary resuscitation, is an effective means to restart blood circulation and heart operation, even though even these forms of treatment can help just in sadly few situations. Defibrillation was invented and first demonstrated already year 1899, but first in the 2000s portable defibrillators with good automatic functions started to penetrate daily environments of people, especially in urban settings. Nowadays the starting point is that every citizen with normal human functionality should be able to use automated defibrillators. The chapter discusses how modern information and communication technology, especially mobiles services, internet, and location services based on them, could help citizens in the first crucial step in implementing their safety competence in emergency situations by using automatic defibrillators if they could only find them.

DOI: 10.4018/978-1-5225-6067-8.ch009

INTRODUCTION

Cardiovascular diseases are a leading death cause in the world. Of them, cardiac arrest is one of the most usual, and very fast fatal, especially in out-of-hospital environments, where most cardiac arrests happen. World Health Organization (WHO) gives following facts about cardiovascular diseases (CVDs) (World Health Organisation, 2020):

- CVDs are the number 1 cause of death globally: more people die annually from CVDs than from any other cause.
- An estimated 17.9 million people died from CVDs in 2016, representing 31% of all global deaths. Of these deaths, 85% are due to heart attack and stroke.
- Over three quarters of CVD deaths take place in low- and middle-income countries.
- Out of the 17 million premature deaths (under the age of 70) due to non-communicable diseases in 2015, 82% are in low- and middle-income countries, and 37% is caused by CVDs.

Cardiac arrest can hit anyone, even though risk usually grows with age. Alarming, the study of Ringh & al (2009) found that there was a decreasing median age (from 68 to 64 years) in their study of out-of-hospital cardiac arrest patients in Sweden. In their Japan-wide study of SCAs in years 2013-2015 (Kobayashi et al., 2020) found 4863 out-of-hospital cardiac arrest patients less than 18 years of age. As SCA hits the core of critical body functions, hearth, fast response is needed.

Defibrillation, aside with cardiopulmonary resuscitation, is an effective means to restart blood circulation and heart operation, even though even these forms of treatment can help just in sadly few situations. Not all blood circulation or heart –related traumas are treatable with automated external defibrillators. Especially, asystole, a state with flat line –pattern, telling that the hearth has no electrical activity, and also causes no blood circulation, is not shockable with an AED.

Defibrillation was invented and first demonstrated already year 1899, but first in the 2000s portable automated external defibrillators (AEDs) with good automatic functions started to penetrate daily environments of people, especially in urban settings. Nowadays the starting point is that everyone with normal human functionality should be able to use automated defibrillators, and is expected to do so. The fast and right response is symbolized in the chain of survival: finding the patient/victim as early as possible, immediately started cardiopulmonary resuscitation (CPR), immediately started defibrillation with AEDs devices, and fast advanced cardiac life support in hospital settings. AED use should start within 5 minutes from the hearth stop, and before that taken cardiopulmonary resuscitation strongly improves the changes of survival.

Despite much activity, automatic external defibrillators are still scarce, and even if they would be available, they very seldom end up to productive use. This article studies the reasons for the rather low effectiveness of the heavy AED investments. The effectiveness of the AED investments has been already widely discussed, as for example in (Ringh et al., 2009) and (Walker, Sirel, Marsden, Cobbe, & Pell, 2003). Especially, this article discusses how modern information and communication technology, especially mobiles services, Internet and location services based on them could help citizens in the first crucial step in use of automatic defibrillators, the finding of them. Even when a defibrillator is found in time, there is sadly ample evidence, that they do not end up to use, or the use cannot help the victim. However, willingness to act, and knowledge and skills to execute needed operations in using AEDs should be a part of citizens' safety competence that could be enhanced by digital mobile applications.

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/location-information-services-of-automated-external-defibrillators-aeds/267399

Related Content

Image-Based PSi Signal Acquisition From a Patient Monitor During a Medical Procedure

Gorazd Karer (2020). *International Journal of Privacy and Health Information Management* (pp. 70-87).

www.irma-international.org/article/image-based-psi-signal-acquisition-from-a-patient-monitor-during-a-medical-procedure/286990

The Evaluation Roadmap

Elske Ammenwerth, Jytte Brender, Pirkko Nykanen, Hans-Ulrich Prokosch, Michael Rigby and Jan Talmon (2006). *E-Health Systems Diffusion and Use: The Innovation, the User and the Use IT Model* (pp. 324-329).

www.irma-international.org/chapter/evaluation-roadmap/9051

Challenges with Adoption of Electronic Medical Record Systems

Abirami Radhakrishnan, Dessa David and Jigish Zaveri (2010). *Health Information Systems: Concepts, Methodologies, Tools, and Applications* (pp. 986-993).

www.irma-international.org/chapter/challenges-adoption-electronic-medical-record/49912

Integrated Process and Data Management for Healthcare Applications

Stefan Jablonski, Rainer Lay, Christian Melier, Matthias Faerber, Bernard Volz, Sebastian Dornstauder, Manuel Gotz and Sascha Muller (2007). *International Journal of Healthcare Information Systems and Informatics* (pp. 1-21).

www.irma-international.org/article/integrated-process-data-management-healthcare/2213

General Practitioners' Adoption and Use of ICT

Quazi Omar Faruq (2016). *Maximizing Healthcare Delivery and Management through Technology Integration* (pp. 152-168).

www.irma-international.org/chapter/general-practitioners-adoption-and-use-of-ict/137584