# Chapter 6 Voice-Controlled Biped Walking Robot for Industrial Applications

**B.** Pavitra

Anurag Group of Institutions, India

**D. Narendar Singh** Anurag Group of Institutions, India

Mohamamd Farukh Hashmi National Institute of Technology, Warangal, India

## ABSTRACT

Mechanical IoT is proceeding to extend from assembling and keen homes to retail, nourishment bundling, social insurance, and other use cases. For the present makers, modern IoT is quickly turning into an unquestionable requirement on creation lines for reasons of adequacy and hazard relief. Checking sensors must coordinate with generation line gear, including robots. Information streams and checking/announcing modules can give basic way data, trigger reaction conventions, and influence different exercises being followed on different modern systems. Modern IoT can expand perceivability into the states of robots in a production line, ranch, stockroom, or emergency clinic. Data about parts and gear can consistently observe to augment profitability and to decrease line personal time. Voice assistant robot takes the commands of the operator or mentor sets the functionality accordingly which is stored in the database and then execute the given task.

DOI: 10.4018/978-1-7998-3375-8.ch006

## INTRODUCTION

An enormous proportion of examination has been done with biped walking robots from 1970. During this time biped walking robots have been changed by imaginative improvement into biped humanoid robots. Additionally, the biped humanoid robot has got a one of operator evaluation subjects in the cautious robot research society. Regularly researchers perceive the humanoid robot industry to be the twenty-first century industry pioneer and we will in the end enter a period with one robot in each home. The strong focus on biped human robots starts from a high standing prerequisite for humanoid robots. Furthermore, a similar appearance human robot is engaging for synchronization in a human robot society. Regardless, while it isn't hard to develop a human-like biped robot stage, the verification of stable biped robot walking tends to a far reaching test. This is a brief result of a nonappearance of perception on how individuals walk dependably. Moreover, biped walking is a precarious reformist improvement of a specific assistance stage.

Earlier stage biped walking around robots included static walk around a slow walking speed. The improvement time was in excess of 10 s for every turn of events and the value control structure was performed utilizing COG (Centre Of Gravity). Thusly the extensive motivation driving Centre Of Gravity on to the ground reliably fall inside the supporting polygon that is made by two feet. During the static walk, the robot able to stop the walking improvement at any time without tumbling down. The hindrance of static walking is that the improvement is exorbitantly moderate and wide for moving the Centre Of Gravity. Masters likewise began to focus in on profound walking around biped robots. It is enthusiastic walking around a speed of under 1 s for every turn of events. In case the dynamic switch can be kept up, dynamic walking is smoother and even more astounding regardless, while using little body upgrades. In light of everything, if the inertial forces created utilizing the re-establishing of the robot body are not sensibly controlled, a biped robot enough tumbles down. Also, during dynamic walking, a biped robot may tumbles down from aggravations and can't stop the walking headway all of a sudden.

Hence, the possibility of Zero Moment Point was agreeable from the earliest starting point with control inertial forces. In the anticipated single assistance stage, the Zero Moment Point is commensurate to the COP Centre of Pressure on the sole. The potential gain of the Zero Moment Point is that it is the detect the motivation behind mix of gravity is extended onto the ground in the static state and a point where the unbending inertial force made out of the gravitational force and inertial power of mass encounters the ground in the dynamic state. If the Zero Moment Point cautiously exists inside the supporting polygon made by the feet, the robot never tumbles down. Most of assessment packs have used the Zero Moment Point as a smaller relentless measureable quality with standard of dynamic walking of biped robots. To till end, the robot is controlled so much that the Zero Moment Point is kept up inside the supporting polygon.

### LITERATURE OVERVIEW

## Laws of Biped Robot

• Zeroth Law: "A Robot must not harm mankind in spite of the fact that in real life, permit humankind come to hurt". 12 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/voice-controlled-biped-walking-robot-forindustrial-applications/269603

## **Related Content**

## Lean Development: A Tool for Knowledge Management in Software Development Process

Saqib Saeed, Izzat Alsmadiand Farrukh Masood Khawaja (2013). Business Strategies and Approaches for Effective Engineering Management (pp. 142-150).

www.irma-international.org/chapter/lean-development-tool-knowledge-management/74681

## The End of Sand: Confronting One of the Greatest Environmental Challenges of the New Millennium

David T. A. Wesleyand Sheila M. Puffer (2019). *Reusable and Sustainable Building Materials in Modern Architecture (pp. 1-27).* 

www.irma-international.org/chapter/the-end-of-sand/215675

#### Insights From the Forestry Value Chain's Move Into High-Value Products

Göran Roos (2019). Harnessing Marine Macroalgae for Industrial Purposes in an Australian Context: Emerging Research and Opportunities (pp. 255-270). www.irma-international.org/chapter/insights-from-the-forestry-value-chains-move-into-high-value-products/211647

Methodology for Storage Location Allocation Based on the Planning of Material Requirements Patricia Melchor-Pereda, Diana Sánchez-Partida, José-Luis Martínez-Floresand Patricia Cano-Olivos (2020). Handbook of Research on Developments and Trends in Industrial and Materials Engineering (pp. 50-77).

www.irma-international.org/chapter/methodology-for-storage-location-allocation-based-on-the-planning-of-materialrequirements/247010

## Determining Architecture's Footprint: Preliminary Methods for Measuring the True Environmental Impact of Buildings

Blaine Erickson Brownell (2019). *Reusable and Sustainable Building Materials in Modern Architecture (pp. 28-59).* 

www.irma-international.org/chapter/determining-architectures-footprint/215676