# Chapter 9 Ancient Pediocin to Innovative Antimicrobial

**Tejinder Kaur** Punjabi University, India

**Praveen P. Balgir**Punjabi University, India

### **ABSTRACT**

Multi-drug resistance among patients suffering from infectious diseases has reached such proportions as to render them ineffective. WHO has to put out advisories time and again as to regulate their use. The presently available antibiotics are targeted at inhibiting vital biochemical pathways of pathogens, like nucleotide, protein, or cell wall synthesis in a very specific manner. Antibiotics have been rendered ineffective due to chemical modification, gene mutation, or transport mechanisms employed by pathogens. The novel approach to this problem can be naturally occurring antimicrobial peptides like bacteriocins produced by food grade bacteria. Pediocins produced by pediococcal strains have been found to inhibit a broad spectrum of pathogens by mechanisms that are robust enough to withstand development of resistance. Thus, these pediocins are attractive molecular precursors to develop novel antimicrobials. However, their application as such poses challenges that can be overcome with developing innovative technologies of chemical modifications and delivery strategies.

DOI: 10.4018/978-1-7998-0307-2.ch009

#### INTRODUCTION

The emergence of Multi Drug Resistant pathogens in last few decades is posing a real threat to the world community. With emerging new pathogenic diseases, the repertoire of drugs suddenly seems to be woefully inadequate. This scenario becomes scarier when we factor in lack of reported novel antimicrobials in the pharmaceutical research pipelines. A cause of concern is also an increasing population living in closely packed clusters in cities and increased mobility, creating conditions conducive to quick spread of infectious agents as well as their antimicrobial resistance.

Such is the extent of the problem that in 2017, World Health Organization (WHO) published its first ever list of antibiotic-resistant "priority pathogens" –basically cataloguing 12 families of bacteria which were identified as greatest threat to human health. So much so that WHO further prioritized them into critical, high and medium based on the urgency to develop novel antibiotics specially for pathogens spreading in hospitals, threatening the medical fraternity itself (Table 1). ESKAPE is the acronym of six such antibiotic resistant species of pathogenic bacteria, the six species are *Enterococcus faecium*, *Staphylococcus aureus*, *Klebsiella pneumoniae*, *Acinetobacter baumannii*, *Pseudomonas aeruginosa* and *Enterobacter*.

*Table 1. WHO prioritization of antibiotic resistant pathogens (WHO, 2017)* 

Priority 1: CRITICAL	Priority 2: HIGH	Priority 3: MEDIUM
Acinetobacter baumannii, carbapenem-resistant Pseudomonas aeruginosa, carbapenem-resistant Enterobacteriaceae, carbapenem-resistant, extended spectrum β-lactamase (ESBL) producing	Enterococcus faecium, vancomycin- resistant Staphylococcus aureus, methicillin- resistant, vancomycin-intermediate and resistant Helicobacter pylori, clarithromycin- resistant Campylobacter spp., fluoroquinolone- resistant Salmonellae, fluoroquinolone- resistant Neisseria gonorrhoeae, cephalosporin-resistant, fluoroquinolone-resistant	Streptococcus pneumoniae, penicillin-non-susceptible Haemophilus influenzae, ampicillin-resistant Shigella spp., fluoroquinolone- resistant

### **BACKGROUND**

In order to curb this spread, a few restrictions were imposed on widespread use of antibiotics and only the permitted antibiotics and other chemicals to be used in feed supplements were allowed. However, the non-compliance with these regulations at

## 42 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-

global.com/chapter/ancient-pediocin-to-innovativeantimicrobial/284604

### **Related Content**

Controlled Flexibility in Healthcare Processes: A BPMN-Extension Approach

Dulce Domingos, Ricardo Martinhoand João Varajão (2016). *Encyclopedia of E-Health and Telemedicine (pp. 521-535)*.

www.irma-international.org/chapter/controlled-flexibility-in-healthcare-processes/151982

A Review on Existing Health Technology Assessment (HTA) Methodologies

Dewan Sabbir Ahammed Rayhan (2022). *International Journal of Health Systems and Translational Medicine (pp. 1-27).* 

 $\underline{\text{www.irma-}international.org/article/a-review-on-existing-health-technology-assessment-htamethodologies/306690}$ 

### Exploring the Ethical and Legal Aspects of Digital Innovations in Preventive Dentistry

Corina Marilena Cristache, Tamara Mihut, Oana-Elena Burlacu-Vatamanuand Eliza-Denisa Sgiea (2024). *Leveraging Digital Technology for Preventive Dentistry (pp.* 109-138)

 $\underline{\text{www.irma-}international.org/chapter/exploring-the-ethical-and-legal-aspects-of-digital-innovations-in-preventive-dentistry/355265}$ 

### Decoding Disease: GANs in Al-Driven Medical Diagnosis

Kiran Sree Pokkuluri, Usha Devi Nand Alex Khang (2024). *Al-Driven Innovations in Digital Healthcare: Emerging Trends, Challenges, and Applications (pp. 200-210).* www.irma-international.org/chapter/decoding-disease/338982

### Wavelet Packet Analysis of ECG Signals to Understand the Effect of Cannabis Abuse on Cardiac Electrophysiology of Indian Women Working in Paddy Fields

Suraj Kumar Nayak, Ashirbad Pradhan, Salman Siddique Khan, Shikshya Nayak, Soumanti Das, Gitika Yadu, Shankar Jaykishan Patel, Champak Bhattacharyyaand Kunal Pal (2018). *Design and Development of Affordable Healthcare Technologies* (pp. 257-273).

www.irma-international.org/chapter/wavelet-packet-analysis-of-ecg-signals-to-understand-the-effect-of-cannabis-abuse-on-cardiac-electrophysiology-of-indian-women-working-in-paddy-fields/206299