## Chapter 2.4 Motivation in Component-Based Software Development

## G. Chroust

J. Kepler University Linz, Austria

#### INTRODUCTION

Information systems are designed for the people, by the people. The design of software systems with the help of software systems is another aspect of human-computer interfaces. New methods and their (non-)acceptance play an important role. Motivational factors of systems developers considerably influence the type and quality of the systems they develop (Arbaoui, Lonchamp & Montangero, 1999; Kumar & Bjoern-Andersen, 1990). To some extent, the quality of systems is a result of their developers' willingness to accept new and (supposedly) better technology (Jones, 1995). A typical example is componentbased development methodology (Bachmann et al., 2000; Cheesman & Daniels, 2001). Despite considerable publication effort and public lip service, component-based software development (CBD) appears to be getting a slower start than anticipated and hoped for. One key reason stems from the psychological and motivational attitudes of software developers (Campell, 2001; Lynex & Layzell, 1997). We therefore analyze the attitudes that potentially hamper the adoption of the component-based software development approach. Maslow's Hierarchy of Need (Boeree,

1998; Maslow, 1943) is used for structuring the motives.

#### BACKGROUND

## The Human Side of Software Engineering

Kunda and Brooks (1999) state that "software systems do not exist in isolation ... human, social and organizational considerations affect software processes and the introduction of software technology. The key to successful software development is still the individual software engineer" (Eason et al., 1974; Kraft, 1977; Weinberg, 1988). Different software engineers may account for a variance of productivity of up to 300% (Glass, 2001). On the other hand, any other single factor is not able to provide an improvement of more than 30%. The influence of an individual's motivation, ability, productivity, and creativity has the biggest influence by far on the quality of software development, irrespective of the level of technological or methodological support. Therefore, it is worthwhile investigating for what reasons many software engineers do not fullheartedly accept componentbased methods (Lynex & Layzell, 1997).

Software development in general introduced a new type of engineers who show marked differences when compared to (classical) engineers (Badoo & Hall, 2001; Campell, 2001; Eason et al., 1974; Kraft, 1977; Kunda & Brooks, 1999; Lynex & Layzell, 1997). The phenomenon is not fully understood yet but seems to have to do with the peculiarities of software (Brooks, 1986), the type of processes and environments needed to develop software (Kraft, 1977), and especially to the proximity of software development to other mental processes (Balzert, 1996).

## Maslow's Hierarchy of Needs

Maslow's theory (Boeree, 1998; Huitt, 2002; Maslow, 1943; McConnell, 2000) provides a practical classification of human needs by defining a five-level Hierarchy of Needs (Figure 1).

The five levels are as follows:

- Basic Physiological Needs (Survival): At this level, the individual is fighting for survival against an adverse environment, trying to avert hunger, thirst, cold, and inconvenient and detracting physical work environments.
- Security (Physical, Economic ...): On this level, the individual is concerned with the stability of his or her future and the safety of the environment. Worries include job security, loss of knowledge, loss of income, health, and so forth.

- Social Environment: This category includes the need to have friends, belong to a group, and to give and receive love.
- Recognition: Individuals strive to receive appropriate recognition and appreciation at work and to be recognized as having a valuable opinion.
- Self-Fulfillment: This level is considered the highest stage attainable in the development of a person, drawing satisfaction from the realization of one's own contribution to a goal and one's fullfillment of their full potential as a human being.

# Reuse and Component-Based Software Development (CBD)

An old dream in software development is to avoid unnecessary duplication of work by consistently and systematically reusing existing artifacts. Reuse promises higher productivity, shorter time-to-market, and higher quality (Allen, 2001; Cheesman & Daniels, 2001). Initially, ready-made pieces of software were made available; these delivered a defined functionality in the form of a black box (i.e., without divulging the internal structure to the buyer/user). They were called COTS (commercials off the shelf) (Voas, 1998). Later, an improved and more restricted concept was employed: software components (Bachmann et al., 2000; Cheesman & Daniels, 2001; Woodman et al., 2001). Software components have to

Figure 1. Maslow's hierachy of needs



7 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/motivation-component-based-software-

#### development/29410

### **Related Content**

## Improving Financial Estimation in Construction Management Through Advanced Computing and Decision Making

Varun Gupta, Aditya Raj Gupta, Utkarsh Agrawal, Ambika Kumarand Rahul Verma (2020). *Crowdsourcing and Probabilistic Decision-Making in Software Engineering: Emerging Research and Opportunities (pp. 146-152).* 

www.irma-international.org/chapter/improving-financial-estimation-in-construction-management-through-advancedcomputing-and-decision-making/235767

#### Evaluating Quality of Service for Enterprise Distributed Systems

James H. Hill, Douglas C. Schmidtand John M. Slaby (2009). *Designing Software-Intensive Systems: Methods and Principles (pp. 335-371).* 

www.irma-international.org/chapter/evaluating-quality-service-enterprise-distributed/8241

## An Intelligent System for the Diagnosis of Voice Pathology Based on Adversarial Pathological Response (APR) Net Deep Learning Model: An Intelligent System for the Diagnosis of Voice Pathology-Based Deep Learning

Vikas Mittaland R. K. Sharma (2022). International Journal of Software Innovation (pp. 1-18). www.irma-international.org/article/an-intelligent-system-for-the-diagnosis-of-voice-pathology-based-on-adversarialpathological-response-apr-net-deep-learning-model/312261

#### Abnormal Emotion Detection of Tennis Players by Using Physiological Signal and Mobile Computing

Xiaoyan Sun (2022). International Journal of Information System Modeling and Design (pp. 1-14). www.irma-international.org/article/abnormal-emotion-detection-of-tennis-players-by-using-physiological-signal-andmobile-computing/300779

#### Innovating Healthcare through Remote Monitoring: Effects and Business Model

Faustina Acheampongand Vivian Vimarlund (2016). International Journal of Information System Modeling and Design (pp. 49-66).

www.irma-international.org/article/innovating-healthcare-through-remote-monitoring/144814