

Chapter 4

Molecular Dynamics Study of Diffusion Coefficient for Low-Temperature Dusty Plasmas in the Presence of External Electric Fields

Muhammad Asif Shakoori
Xi'an Jiaotong University, China

Maogang He
Xi'an Jiaotong University, China

Aamir Shahzad
Government College University, Faisalabad, Pakistan

Misbah Khan
Xi'an Jiaotong University, China

Ying Zhang
Xi'an Jiaotong University, China

ABSTRACT

The effects of external electric field (E) on the diffusion coefficient of dust particles in low-temperature dusty plasmas (LT-DPs) have been computed through nonequilibrium molecular dynamics (NEMD) simulations. The new simulation result was obtained by employing the integral formula of velocity autocorrelation functions (VACF) using the Green-Kubo relation. The normalized self-diffusion coefficient (D^) is investigated for different combinations of plasma coupling (Γ) and Debye screening*

DOI: 10.4018/978-1-7998-8398-2.ch004

(κ) parameters. The simulation outcome shows that the decreasing position of D^ shifts toward Γ and also increased with the increase of κ . The D^* linearly decreased with Γ and increased when applied external E increases. It is observed that the increasing trend of D^* depends on the E strength. These investigations show that the present algorithm provides precise data with fast convergence and effects of κ , Γ , E . It is shown that the current NEMD techniques with applied external E can be employed to understand the microscopic mechanism of dusty plasmas.*

INTRODUCTION

During the last few decades, the science of low-temperature plasma physics becomes a prominent research field. Plasma science and technology are serving every field of life, ranging from agriculture to nuclear fusion energy. The Irving Langmuir is the first scientist who discovered the fourth state of matter called “Plasma.” From that date, plasma rapidly grows and becomes the core of numerous industries and technologies. Plasma is the fourth state of matter that contained 99% of the physical matter in the universe; and is defined as “Plasma is fully or partially ionized gas that contained neutral atoms, electrons, and ions.” These particles show a collective behavior in the plasmas. Plasmas are classified based on many characteristics such as temperature, density, degree of ionization, etc. (Shahzad et al., 2018); here, we only discuss few types related to our topic.

Types of Plasma

Hot Plasma

In this type of plasma, the gas is fully ionized at high-pressure, high-temperature and acquires a local thermal equilibrium state. The temperature of the electron is equal to the ion and must satisfy the conditions ($T_e \equiv T_i$); here, T_e and T_i denote the temperature of electron and ion, respectively. The collisions between the particles are frequent. It is thermal, and equilibrium plasma associated with astrophysics, spark, flame, atmospheric, solar wind, sun, and nuclear fusion plasma cores are examples of hot plasma. It has a high density of nearly one trillion electrons per cubic centimeter and a degree of ionization near equal to 1 (100% ionized gas).

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/molecular-dynamics-study-of-diffusion-coefficient-for-low-temperature-dusty-plasmas-in-the-presence-of-external-electric-fields/294711

Related Content

Cadmium- and Lead-Tolerant PGPRs as Proficient Toxicity Alleviators for Agricultural Crops

Amit Kumar Pal, Anjan Hazra and Chandan Sengupta (2021). *Recent Advancements in Bioremediation of Metal Contaminants* (pp. 189-204).

www.irma-international.org/chapter/cadmium--and-lead-tolerant-pgprs-as-proficient-toxicity-alleviators-for-agricultural-crops/259572

Recent Advancements in Microalgae-Biofuel Generation Employing Nano-Additives

Mahesh Pattabhiramaiah, Bhargavi Rajarathinam and Shanthala Mallikarjunaiah (2023). *Biomass and Bioenergy Solutions for Climate Change Mitigation and Sustainability* (pp. 188-205).

www.irma-international.org/chapter/recent-advancements-in-microalgae-biofuel-generation-employing-nano-additives/314364

Start-Ups and Spin-Offs in Biotechnology Sector in Poland: Business Models Analysis

Anna Biaek-Jaworska and Renata Gabryelczyk (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1293-1321).

www.irma-international.org/chapter/start-ups-and-spin-offs-in-biotechnology-sector-in-poland/228671

Removal of Toxic Pollutants From Soil Using Microbial Biotechnology

Anupam Pandey, Priyanka Harishchandra Tripathi, Satish Chandra Pandey, Vinay Mohan Pathak and Tapan Kumar Nailwal (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1456-1476).

www.irma-international.org/chapter/removal-of-toxic-pollutants-from-soil-using-microbial-biotechnology/228678

What Influences the Growth of Canadian Biotechnology Firms?

Catherine Beaudry and Joël Levasseur (2019). *Biotechnology: Concepts, Methodologies, Tools, and Applications* (pp. 1795-1825).

www.irma-international.org/chapter/what-influences-the-growth-of-canadian-biotechnology-firms/228694