

## Chapter XIII

# The Value of Web Design Standards for Mobile Computing

**Matt Germonprez**

*University of Wisconsin—Eau Claire, USA*

**Michel Avital**

*University of Amsterdam, The Netherlands*

**Nikhil Srinivasan**

*Case Western Reserve University, USA*

### ABSTRACT

*The multiple and ever-evolving standards that govern mobile computing result in multilayered heterogeneous environments of mobile devices and services. Thus, as mobile computing becomes more prevalent, it is important that designers build systems that support as many unique, in-use, and user-defined characteristics as possible. This study explores the related effects of two existing standardized technologies: hypertext markup language (HTML) and cascading style sheets (CSS). Furthermore, whereas we investigate the impact of the CSS standard in the context of computing in general and mobile computing in particular, we also focus on two emerging roles of this standard: device independence and usability. Our findings suggest that the application of the CSS standard can improve data delivery across independent devices with varied bandwidth and resource availability, thereby providing device independence and improved usability respectively. We demonstrate that through their effect on device independence and usability, CSS plays an important role in the evolution, expansion, and openness of mobile computing.*

## INTRODUCTION

We often find that information systems, especially those used in mobile computing, represent an ad hoc collection of data, services, and devices that have been created and recreated by users on an as-needed basis. It is difficult for designers to predict how exactly applications will be used in mobile computing because it is the user who ultimately defines on the fly what applications and configurations are used in which contexts. As mobile computing becomes more prevalent, it is important that designers build systems that support these unique, in-use, and user-defined characteristics. This research aims to extend our knowledge about how standardized interface design can be used by designers to aid and improve mobile computing.

Mobile computing has gained increasing importance as systems and devices continue to move toward an assemblage of distributed Internet-based services that support the exchange and sharing of data and processes. Technologies such as cellular telephones, personal digital assistants (PDAs), and Web portals are used daily in mobile computing. These technologies allow for user expressiveness or customization around such issues as computing style, program preferences, and aesthetic layout (Pask, 1971). Therefore, mobile computing implies a dynamic environment that supports a vast array of varying interfaces, contexts, and automation (Abowd & Mynatt, 2000; Gabriel, 2002). In this chapter we explore the expressiveness within computing in general and mobile computing in particular, and propose ways to use existing technology standards to enhance this characteristic.

Many dimensions describe mobile computing, including the convergence of technologies, the relinquishment of personal data for the receipt of particular services, and the blurring boundaries between physical and virtual spaces (Abowd & Mynatt, 2000). We investigate and propose solutions for achieving two aspects of mobile

computing: device independence and usability (Lum & Lau, 2002). Device independence is the separation of data and presentation in support of the movement of data between technologies and heterogeneous computing systems. Device independence describes any data-device relationship that is capable of being replaced without affecting data, services, workflow, or personal computing style. Device independence provides users access to the same data, where the data are unbound from a particular device, irrespective of the device from which the request originates. Whether passing data between devices or across new versions of the same devices, mobile computing and its support of user-designed expressive systems require that we consider device independence.

Usability refers to issues such as the delivery of data to a variety of devices with unpredictable screen sizes and technological capabilities as well as the rapid delivery of data over heterogeneous networks. We contend that usability is a user-centered issue that affects the success of computing in general and mobile computing in particular. Shneiderman (2000) argues that usability has become an important issue for computing research. In particular, he suggests that broad technical variety has a direct impact on usability and that speed in the distribution of data across devices must be considered. With that, we explore usability in the context of the technical variety available within mobile computing through three measures of computing and network efficiency.

We use published design standards (cascading style sheets [CSS] and hypertext markup language [HTML]) and their ability to separate requested data and their presentation to both achieve device independence and improve usability. Accessing and using the same data regardless of platform on a PDA, a laptop, and a telephone demands the separation of data and presentation, and we need only to revisit existing and emerging roles of the published interface design standard of CSS to realize these aspects of mobile computing. Since the debut of markup languages, we have long had the

11 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

[www.igi-global.com/chapter/value-web-design-standards-mobile/29690](http://www.igi-global.com/chapter/value-web-design-standards-mobile/29690)

## Related Content

---

### Factors Influencing the Lifetime of Telecommunication and Information Technology Standards

Knut Blind (2010). *New Applications in IT Standards: Developments and Progress* (pp. 242-259).

[www.irma-international.org/chapter/factors-influencing-lifetime-telecommunication-information/41813](http://www.irma-international.org/chapter/factors-influencing-lifetime-telecommunication-information/41813)

### Unified Citation Management and Visualization Using Open Standards: The Open Citation System

Mark Ginsburg (2004). *International Journal of IT Standards and Standardization Research* (pp. 23-41).

[www.irma-international.org/article/unified-citation-management-visualization-using/2555](http://www.irma-international.org/article/unified-citation-management-visualization-using/2555)

### Factors Influencing the Lifetime of Telecommunication and Information Technology Standards: Results of an Explorative Analysis of the PERINORM Database

Knut Blind (2007). *International Journal of IT Standards and Standardization Research* (pp. 1-24).

[www.irma-international.org/article/factors-influencing-lifetime-telecommunication-information/2580](http://www.irma-international.org/article/factors-influencing-lifetime-telecommunication-information/2580)

### The Emerging ISO10303 Modular Architecture: In Search of an Agile Platform for Adoption by SMEs

Ricardo Jardim-Gocalves, Ricardo Olavoand Adolfo Steiger-Garcia (2005). *International Journal of IT Standards and Standardization Research* (pp. 82-95).

[www.irma-international.org/article/emerging-iso10303-modular-architecture/2570](http://www.irma-international.org/article/emerging-iso10303-modular-architecture/2570)

### Tackling Uncertainty in the Bio-Based Economy

Pasquale Marcello Falconeand Enrica Imbert (2019). *International Journal of Standardization Research* (pp. 74-84).

[www.irma-international.org/article/tackling-uncertainty-in-the-bio-based-economy/249243](http://www.irma-international.org/article/tackling-uncertainty-in-the-bio-based-economy/249243)