Chapter 39 A Reliable IDS System Using Blockchain for SDN-Enabled IIoT Systems

Ambika N.

b https://orcid.org/0000-0003-4452-5514

Department of Computer Applications, Sivananda Sarma Memorial RV College, Bangalore,, India

ABSTRACT

The internet of things is the technology that aims to provide a common platform to the devices of varying capabilities to communicate. Industrial internet of things (IIoT) systems can perform better using these devices in combination with SDN network and blockchain technology. The suggestion uses random space learning (RSL) comprising three stages. The random subspace learning strategy is a troupe learning procedure called attributes bagging. It improves forecast and order errands as it utilizes group development of base classifiers rather than a solitary classifier, and it takes arbitrary subsets of properties rather than the whole arrangement of attributes. The system uses the blockchain methodology to secure the system. SDN networks aim to better the transmission of data in industrial IoT devices. Misrouting and forged attacks are some of the common attacks in these systems. The proposal provides better reliability than the previous contribution by 2.7%.

1. INTRODUCTION

The Internet of Things (IoT) (Khan & Salah, 2018) (Ambika, 2020) becomes the fundamental wellspring of changing over things into shrewd, including keen homes, brilliant urban communities, savvy enterprises, and so forth. IoT can interface billions of things simultaneously, which looks to create data sharing necessities that improve our lives. The blockchain idea attempts to interlink the associations or exchanges of information in the groups. The group characterizes as the information structure which incorporates numerous budgetary interchanges.

DOI: 10.4018/978-1-6684-7132-6.ch039

A Reliable IDS System Using Blockchain for SDN-Enabled IIoT Systems

Blockchain (Banerjee, et.al., 2018) members are any individual or foundation that acknowledges convention strings and creates them. The coordinators of these systems and those answerable for programming upkeep don't share the blockchain. Blockchain members are any individual or foundation that acknowledges convention strings and creates them. The coordinators of these systems and those liable for programming upkeep don't share the blockchain. The designated to a gathering of people or elements that can get to information as it were. They can peruse target information and compose as it were. In this manner, an authorized Blockchain is a focal element. For example, a bank that can control the privileges of people and recognize them to take an interest during the time spent in composing information. The Blockchain guarantees higher degrees of security. Web of Things (IoT) (Ambika, 2019) becomes a crucial wellspring of changing over things into brilliant, including intelligent homes, keen urban communities, savvy ventures, and so on.

Software-Defined Network (SDN)(Cherian & Chatterjee, 2018) encourages arranges administrators to program and deal with the system. SDN motivates the IoT system to be overseen powerfully in an asset compelled organize. It gives chances to improve security in IoT (Nagaraj, 2021) systems on SDN (Sahay, et.al. 2019) to forestall, identify, and respond to dangers. The principal usefulness of SDN is to decouple the information planes and control planes in a system. Dynamic in SDN finishes by the control plane, and information sent is taken care of by switches. They come with the customary framework and elevated level calculations used for dynamic operations requiring modern control. SDN requires less administration.

The SDN establishes three significant layers: foundation, controller, and application layers, as the interfaces between progressive layers. The framework layer involves organizing gadgets that perform bundle sending. The first key attribute of SDN is the division of the sending and control planes in systems gadgets. The sending plane actualizes sending usefulness, including the rationale and tables for picking how to manage approaching parcels, in light of qualities, for example, MAC and IP address. The vital activities performed by the sending plane can be portrayed by how it dispatches showing up parcels. It might advance, drop, devour, or duplicate an approaching packet. It might likewise change the bundle in some way before making further moves. For essential sending, the gadget decides the right yield port by playing out a query in the location table in the equipment switch or switch. A parcel drops due to specific filtering. The rationale and calculations programs the sending plane dwells in the control plane. A large number of these conventions and calculations require worldwide information on the system. The control plane decides how the sending tables and rationale in the information plane ought to be customized or configured. Since in a conventional procedure, every gadget has its control plane, the essential undertaking of that control plane is to run directing or exchanging conventions with the goal that all the dispersed sending tables on the gadgets all through the system remain synchronized. In SDN, the control plane is gotten off of the exchanging device and onto an incorporated controller.

Expanding on the possibility of division of sending and control planes, the following attribute of SDN is the simplification of system gadgets, which are then constrained by a brought together framework that runs the executives and control programming. Rather than a large number of lines of entangled control plane programming running on the gadget, permitting the instrument to carry on self-sufficiently, that product is expelled from the device and put in a unified controller. This product-based controller may then deal with the system dependent on more elevated level strategies. The controller gives unrefined directions to the simplified gadgets when proper to permit them to settle on quick choices about how to manage approaching bundles. The incorporated programming based controller in SDN gives an open

15 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/a-reliable-ids-system-using-blockchain-for-sdnenabled-iiot-systems/310476

Related Content

Interactions among Thai Culture, ICT, and IT Ethics

Pattarasinee Bhattarakosol (2008). Information Security and Ethics: Concepts, Methodologies, Tools, and Applications (pp. 2755-2769). www.irma-international.org/chapter/interactions-among-thai-culture-ict/23254

Bluetooth Devices Effect on Radiated EMS of Vehicle Wiring

Miguel A. Ruiz, Felipe Espinosa, David Sanguinoand AbdelBaset Awawdeh (2008). *Handbook of Research on Wireless Security (pp. 681-694).* www.irma-international.org/chapter/bluetooth-devices-effect-radiated-ems/22077

Preventing Groupthink Risk through Deliberative Discussion: Further Experimental Evidence for a Social Identity Maintenance Model

Marlene E. Turnerand Anthony R. Pratkanis (2014). *International Journal of Risk and Contingency Management (pp. 12-24).*

www.irma-international.org/article/preventing-groupthink-risk-through-deliberative-discussion/111122

The Compliance of IT Control and Governance: A Case of Macao Gaming Industry

Colin Lai, Hung-Lian Tang, J. Michael Tarnand Sock Chung (2016). *International Journal of Information Security and Privacy (pp. 28-44).*

www.irma-international.org/article/the-compliance-of-it-control-and-governance/155103

Towards Usable Application-Oriented Access Controls: Qualitative Results from a Usability Study of SELinux, AppArmor and FBAC-LSM

Z. Cliffe Schreuders, Tanya McGilland Christian Payne (2012). *International Journal of Information Security* and *Privacy (pp. 57-76)*.

www.irma-international.org/article/towards-usable-application-oriented-access/64346