



A Meta-Analytical Review of Deep Learning Prediction Models for Big Data

Parag Verma

 <https://orcid.org/0000-0002-3201-4285>

Chitkara University Institute of Engineering and Technology, Chitkara University, India

Vaibhav Chaudhari

 <https://orcid.org/0000-0001-5781-2147>

Nutanix Technologies India Pvt. Ltd., Bengaluru, India

Ankur Dumka

Women Institute of Technology, Dehradun, India & Graphic Era University (Deemed), Dehradun, India

Raksh Pal Singh Gangwar

Women Institute of Technology, India

INTRODUCTION

In the current mechanistic era, we are faced with daily reality, in which big data produces enormous measures in every part of all fields of science and industry whether, from our own lives, our financial, political, and societal structures also are connected. This presents us with unusual challenges regarding their investigation and interpretation. Examining and interpreting this high volume and hyper-parametric (i.e. big data) is a highly challenging task. This is why there is an important need for strategies for informatics data scientists as machine learning and artificial intelligence, which can help in properly examining and assessing the information that uses this large volume of data. Currently, Deep Learning (DL) is a novel strategy that is pulling in the attention of experts and researchers in understanding and controlling the vast amount of data that cover all areas.

Deep learning delineates a set of learning algorithms of artificial intelligence and machine learning that are used to build learning models that can help to understand and analyze large data and support complex predictions for decision making, for example, a multi-layered neural network originated with several intermediate hidden layers (Yann LeCun, 1989). Deep Learning technology has been applied as the various applications to resolve various existing and forthcoming problems. For the reference point of the way, insufficient coding was the first proposed learning model for basic cells in the visual cortex (Olshausen et al., 1997). This model regularizes sparsely which usually indicates more lexical highlights that play a decent order of cells. It is used over the long run that was increased and a more important learning method set to the trend for orders composed by hand digits/letters of chosen MNSIT data with an error rate of 21.00% (Wan et al., 2013). Further application area includes the acquisition and recognition of the images, discriminate, recognition and acceptability of voice/speech of the user (Krizhevsky et al., 2012; Y LeCun et al., n.d; Graves et al., 2013), through the processing of natural language (Sarikaya et

DOI: 10.4018/978-1-7998-9220-5.ch023

al., 2014), acoustic demonstrating (Mohamed et al., 2011), and biological computation modeling (Leung et al., 2014; Zhang et al., 2015; Smolander et al., 2019).

Then again, the targeting point of the review on the intermediate levels that provides as specialized technical subtlety those are commonly disregarded the concepts. Then it provides the interdisciplinary eagerness for profound learning strategies, which supports the technique of data science (Frank Emmert-Streib et al., 2019; F Emmert-Streib et al., 2020), this technique simplifies it for the people who are new to the domain and ready to start. The points we chose are intensive around the fundamental system of deep learning techniques that including Convolutional Neural Networks (CNNs), Deep Belief Networks (DBNs) and Auto-Encoders (AEs) systems. Further framework plans that we look at help in understanding these major approaches.

FOCUS OF THE ARTICLE

This chapter focusing on systematic review of the deep learning strategies over various field like agriculture, medical, transportation etc. This review chapter is arranged in the following sections: section 2 covers Convolutional Neural Networks, section 3 discussed about Deep Belief Networks, finally section 4 covers Auto-Encoders. Overall discussion and challenges during preparation of learning model cover under section 5. At last, with conclusion this chapter completes in section 6.

SOLUTIONS AND RECOMMENDATIONS

The solutions and recommendation for the proposed work of the chapter is as follows:

CONVOLUTIONAL NEURAL NETWORKS

CNN is an exclusive from of Feedforward Neural Network using convolution, ReLU function, and pooling layers. A standard CNNs are regularly made out of a few FFNN layers that including pooling convolution and a fully connected layers model.

Normally, in the customary ANNs model, each neuron in a layer is associated with all neurons available in the following layer, while every association defined its parametric boundary in the network model. This can bring about an extremely enormous number of parameters. Rather than utilizing completely associated layers, CNN utilizes neighborhood availability between neuron, i.e., a neuron is just associated with close by neurons in the following layers. This can altogether lessen the complete number of boundaries in the system. Besides, all the associations between neighborhood responsive fields and neurons utilize weights in form of set, and it indicates this arrangement of weights as a kernel of the network. A kernel in the network will be imparted to the various neurons that interface with their nearby responsive fields, and the aftereffects of these figuring between the neighborhood responsive fields and neurons utilizing a similar kernel will be put away in a grid signified as map belongs to the activation. Here the property that has been shared is alluded to as the sharing of weight of CNN models (Yann LeCun et al., 1989). Thus, various portions will bring about various activation functions, and the kernels strength can be balanced through hyper-parameters. In this manner, paying little mind to the absolute number of

24 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/a-meta-analytical-review-of-deep-learning-prediction-models-for-big-data/317460

Related Content

Boosting Convolutional Neural Networks Using a Bidirectional Fast Gated Recurrent Unit for Text Categorization

Assia Belherazem and Redouane Tlemsani (2022). *International Journal of Artificial Intelligence and Machine Learning* (pp. 1-20).

www.irma-international.org/article/boosting-convolutional-neural-networks-using-a-bidirectional-fast-gated-recurrent-unit-for-text-categorization/308815

Automobile Predictive Maintenance Using Deep Learning

Sanjit Kumar Dash, Satyam Raj, Rahul Agarwal and Jibitesh Mishra (2021). *International Journal of Artificial Intelligence and Machine Learning* (pp. 1-12).

www.irma-international.org/article/automobile-predictive-maintenance-using-deep-learning/279274

Intelligent System for Credit Risk Management in Financial Institutions

Philip Sarfo-Manu, Gifty Siaw and Peter Appiahene (2019). *International Journal of Artificial Intelligence and Machine Learning* (pp. 57-67).

www.irma-international.org/article/intelligent-system-for-credit-risk-management-in-financial-institutions/238128

Autonomous Last Mile Shuttle ISEAUTO for Education and Research

Raivo Sell, Mairo Leier, Anton Rassõlkin and Juhan-Peep Ernits (2020). *International Journal of Artificial Intelligence and Machine Learning* (pp. 18-30).

www.irma-international.org/article/autonomous-last-mile-shuttle-iseauto-for-education-and-research/249250

An Exploratory Analysis and Predictive SIR Model for the Early Onset of COVID-19 in Tamil Nadu, India

Chandan Tanvi Mandapati (2021). *Machine Learning and Data Analytics for Predicting, Managing, and Monitoring Disease* (pp. 12-33).

www.irma-international.org/chapter/an-exploratory-analysis-and-predictive-sir-model-for-the-early-onset-of-covid-19-in-tamil-nadu-india/286240