

Chapter 1

Medicinal Cannabis for Alzheimer's Disease

Genevieve Z. Steiner-Lim

 <https://orcid.org/0000-0002-8708-6104>

Western Sydney University, Australia

Madilyn Coles

Western Sydney University, Australia

Kayla Jaye

Western Sydney University, Australia

Najwa-Joelle Metri

Western Sydney University, Australia

Ali S. Butt

Western Sydney University, Australia

Katerina Christofides

Western Sydney University, Australia

Jackson McPartland

Western Sydney University, Australia

Zainab Al-Modhefer

Western Sydney University, Australia

Diana Karamacoska

Western Sydney University, Australia

Ethan Russo

University of Washington, USA

Tim Karl

Western Sydney University, Australia

ABSTRACT

Alzheimer's disease (AD) is the most common form of dementia, and currently there is no cure. New therapeutic strategies that have the potential to address the complex pathophysiology of AD are urgently required; medicinal cannabis offers this possibility. Several potential leads can be extracted from Cannabis sativa (cannabis) that can target AD pathophysiology and alleviate symptoms, making it a prime candidate for AD drug discovery research. To date, most cannabis and AD research has focused on the major cannabinoids Δ^9 -tetrahydrocannabinol (THC) and cannabidiol (CBD), paying little attention to other plant constituents with therapeutic properties for AD. This chapter will highlight emerging evidence on the therapeutic potential of medicinal cannabis going beyond CBD and THC to discuss cannabinol (CBN), cannabigerol (CBG), cannabichromene (CBC), cannabinoid acids, and other cannabinoid homologs, terpenes, and flavonoids that may have relevance to AD therapy. Further, the entourage effect, clinical implications, and directions for future research will be discussed.

DOI: 10.4018/978-1-6684-5652-1.ch001

INTRODUCTION

Cannabis sativa (cannabis) has been used since the Neolithic period to treat cognitive decline and maximise longevity (Bonini et al., 2018; Sinclair, 2020). Contemporary drug discovery has built on these ethnobotanical roots, harnessing the potential of cannabis to manage the broad ranging symptoms and multifaceted pathophysiology of Alzheimer's disease (AD), the most common form of dementia. AD is associated with the aggregation of extracellular amyloid- β (A β) peptides and hyperphosphorylated tau protein in a neurotoxic pro-inflammatory environment of oxidative stress and excitotoxicity resulting in neurodegeneration (Ballard et al., 2011). To date, a large portion of research on cannabis as a treatment for AD has focused on Δ^9 -tetrahydrocannabinol (THC) and cannabidiol (CBD). A range of potential therapeutic properties relevant to AD have been demonstrated, such as reducing neurotoxicity, neuroinflammation, oxidative stress, tau hyperphosphorylation, A β production, and improving microglia function, while promoting the brain's intrinsic repair mechanisms (Coles et al., 2022). However, cannabis contains >550 phytochemicals that may have relevance to AD prevention and treatment, some of which may have synergistic potential via the entourage effect (Lewis et al., 2017; Rock & Parker, 2021).

The objective of this chapter is to highlight the emerging preclinical and clinical evidence on the therapeutic potential of medicinal cannabis for AD symptoms and pathology beyond CBD and THC to appraise cannabinal (CBN), cannabigerol (CBG), cannabichromene (CBC), cannabinoid acids (e.g., tetrahydrocannabinolic acid; THCA, and cannabidiolic acid; CBDA), and other cannabinoid homologs (e.g., cannabidivarin; CBDV), terpenes, and flavonoids. These compounds were pragmatically selected for discussion due to the existing evidence base, which is in part due to their relevance to AD and their abundance (or their precursors) in *Cannabis sativa*.

The chapter will begin with a discussion on AD's clinical and pathological presentation and lack of available treatments. Following this, endocannabinoid system (ECS) dysfunction in AD will be reviewed. The core of this chapter will focus on cannabis-derived therapeutics for AD. Here, key compounds with relevance to AD that are present in *Cannabis sativa* or can be derived via (for example) decarboxylation will be appraised including mechanisms of action, available *in vitro* and *in vivo* evidence, followed by clinical evidence on efficacy and safety, and a discussion on the entourage effect and how various cannabis botanicals may synergistically work together to improve efficacy and safety. As a closing note to the chapter, clinical considerations and directions for future research will be discussed.

BACKGROUND

Dementia and Alzheimer's Disease (AD)

Dementia is a syndrome clinically characterised by cognitive decline that interferes with independent function. It is estimated that over 55 million people live with dementia worldwide, and without a medical breakthrough, this number will increase to 139 million by 2050 (Alzheimer's Association, 2021). Dementia's annual global cost is currently USD \$1.3 trillion and is forecast to rise to USD \$2.8 trillion by 2030 (Alzheimer's Association, 2021; Alzheimer's Disease International, 2015). In Australia, dementia is the number one cause of disability and the second leading cause of death (the leading cause for women) in people over the age of 65 years (Australian Bureau of Statistics, 2017). Dementia may be attributable to over 100 different diseases, for which there are no cures and no way to stop their degenerative course.

45 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/medicinal-cannabis-for-alzheimers-disease/320041

Related Content

Safe and Effective Galactogogues From Unani System of Medicine

Aslam Siddiqui, Mohammad Zakir and Munawwar Husain Kazmi (2022). *Research Anthology on Pediatric and Adolescent Medicine* (pp. 199-213).

www.irma-international.org/chapter/safe-and-effective-galactogogues-from-unani-system-of-medicine/298211

Prognosis

(2020). *Diagnosing and Managing Hashimoto's Disease: Emerging Research and Opportunities* (pp. 241-247).

www.irma-international.org/chapter/prognosis/243797

Medco: An Emergency Tele-Medicine System for Ambulance

Anurag Anil Saikar, Aditya Badve, Mihir Pradeep Parulekar, Ishan Patil, Sahil Shirish Belsare and Aaradhana Arvind Deshmukh (2020). *Virtual and Mobile Healthcare: Breakthroughs in Research and Practice* (pp. 1004-1026).

www.irma-international.org/chapter/medco/235358

Proposed Threshold Algorithm for Accurate Segmentation for Skin Lesion

T. Y. Satheesha, D. Sathyanarayana and M. N. Giri Prasad (2017). *Oncology: Breakthroughs in Research and Practice* (pp. 302-309).

www.irma-international.org/chapter/proposed-threshold-algorithm-for-accurate-segmentation-for-skin-lesion/158922

Pros and Cons of Cannabinoids as a Potential Therapeutic Target for Treating Parkinson's Disease: Cannabinoid Receptor-Mediated Mechanism of Action

Mahesh Pattabhiramaiah, Shanthala Mallikarjunaiah and Baishali Bedi Sarma (2023). *Medical Cannabis and the Effects of Cannabinoids on Fighting Cancer, Multiple Sclerosis, Epilepsy, Parkinson's, and Other Neurodegenerative Diseases* (pp. 217-234).

www.irma-international.org/chapter/pros-and-cons-of-cannabinoids-as-a-potential-therapeutic-target-for-treating-parkinsons-disease/320049