

Chapter 8.12

Adaptive Awareness of Hospital Patient Information through Multiple Sentient Displays

Jesus Favela
CICESE, Mexico

Mónica Tentori
CICESE and Universidad Autónoma de Baja California, Mexico

Daniela Segura
CICESE, Mexico

Gustavo Berzunza
CICESE, Mexico

ABSTRACT

Sentient computing can provide ambient intelligence environments with devices capable of inferring and interpreting context, while ambient displays allow for natural and subtle interactions with such environment. In this paper we propose to combine sentient devices and ambient displays to augment everyday objects. These sentient displays are aware of their surroundings while providing continuous information in a peripheral, subtle, and expressive manner. To seamlessly

convey information to multiple sentient displays in the environment, we also propose an approach based on abstract interfaces which use contextual information to decide which display to use and how the information in the display changes in response to the environment. Our approach is illustrated through a hospital monitoring application. We present the design of two sentient displays that provide awareness of patient's urine outputs to hospital workers, and how contextual information is used to integrate the functionality of both displays.

INTRODUCTION

Sentient computing is an approach that allows users to naturally interact with the physical environment by becoming aware of their surroundings and by reacting upon them (López de Ipiña & Lai Lo, 2001). Awareness is achieved by means of a sensor infrastructure that helps to maintain a model of the world which is shared between users and applications – referred as Sentient artifacts (Hopper, 1999). Indeed, sentient artifacts have the ability to perceive the state of the surrounding environment, through the fusion and interpretation of information from possibly diverse sensors (Addlesee et al., 2001). However, it is not sufficient to make Ambient Intelligence (AmI) environments aware of the user's context, they must be able to find a way to communicate this information to users while becoming a natural interface to the environment (Shadbolt, 2003).

Ambient displays could be embedded in everyday objects already known and used, thus becoming the user interface of the AmI environment. This vision assumes that physical interaction between humans and computational devices will be less like the current keyboard, mouse, and display paradigm and more like the way humans interact with the physical world. For instance, a mirror augmented with infrared sensors and an acrylic panel could detect human presence and act as a message board to display relevant information when a user faces the mirror. Hence, AmI environments could be augmented with such displays that unobtrusively convey information to users without requiring their full attention, while at the same time, allowing an implicit and natural interaction. Indeed, the notion of what constitutes a computer display is changing. No longer is a display confined to the typical CRT monitor with a single user paying focused attention while interacting with virtual objects on the screen (Lund & Wilberg, 2007). Rather, computer displays are found in such diverse forms as small

screens in mobile phones or handheld computers, to ambient displays that provide peripheral awareness to the presence and status of people, objects or information.

In this article, by binding the ideas of sentient computing and ambient displays we propose the concept of sentient displays to define a new and appropriate physical interaction experience with an AmI environment. Such sentient displays will be capable of monitoring users' context, promptly notify relevant events and provide users with continuous information in a subtle, peripheral and expressive manner without intruding on our focal activity. Moreover, multiple such displays could be integrated in an AmI environment, with a decision of which one to use dependent on contextual circumstances, such as the user's location, the presence of other people or the activity being performed by the user. Thus, we also discuss an approach to develop contextual interfaces for a variety of sentient displays located throughout the intelligent environment. Our approach is based on the use of abstract interfaces that are specialized to specific devices once a decision is made as to which sentient display(s) should be used. This approach facilitates the progressive integration of new sentient displays.

To illustrate the concept of sentient displays we draw upon scenarios related to hospital work. Mobility and frequent task switching cause hospital workers to occasionally miss important events, such as a catheter being disconnected due to the patient movement or the need to change a urine bag that has been filled-up (Moran et al., 2006). Consequently, hospital workers have been held liable for their failure to monitor and promptly respond to patients needs (Smith & Ziel, 1997). Sentient displays located throughout hospital premises could be used for a diverse number of hospital applications, such as notifying hospital workers of a crisis or just provide continuous awareness of the health status of patients.

10 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/adaptive-awareness-hospital-patient-information/37879

Related Content

Lessons Learned from Grassroots Wireless Networks in Europe

Gwen Shaffer (2013). *Social and Economic Effects of Community Wireless Networks and Infrastructures* (pp. 236-254).

www.irma-international.org/chapter/lessons-learned-grassroots-wireless-networks/74456

Performance Studies on Campus-Wide Focus on FTP, Video and VoIP Ethernet Network

Nuru I. Sarkar, Kashif Nisar and Layangi Babbage (2012). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 49-59).

www.irma-international.org/article/performance-studies-campus-wide-focus/68806

Evaluating Voice User Interfaces in Ubiquitous Applications

Valéria Farinazzo Martins Salvador, João Soares de Oliveira Neto and Marcelo de Paiva Guimarães (2010). *Designing Solutions-Based Ubiquitous and Pervasive Computing: New Issues and Trends* (pp. 44-58).

www.irma-international.org/chapter/evaluating-voice-user-interfaces-ubiquitous/42503

X3D-Based Robot Kinematics Simulation

Meng Xianhui and Yuan Chong (2015). *International Journal of Advanced Pervasive and Ubiquitous Computing* (pp. 46-56).

www.irma-international.org/article/x3d-based-robot-kinematics-simulation/131458

Privacy Issues of Applying RFID in Retail Industry

Haifei Li, Patrick C.K. Hung, Jia Zhang and David Ahn (2010). *Ubiquitous and Pervasive Computing: Concepts, Methodologies, Tools, and Applications* (pp. 1358-1373).

www.irma-international.org/chapter/privacy-issues-applying-rfid-retail/37855