Chapter 13 Technologies and Systems for Web Content Adaptation

Wen-Chen Hu University of North Dakota, USA

Naima Kaabouch University of North Dakota, USA

Hung-Jen Yang National Kaohsiung Normal University, Taiwan

> Weihong Hu Shandong Sport University, China

ABSTRACT

The world has witnessed the blossom of mobile commerce in the past few years. Traditional Web pages are mainly designed for desktop or notebook computers. They usually do not suit the devices well because the pages, especially the large files, cannot be properly, speedily displayed on the microbrowsers due to the limitations of mobile handheld devices: (i) small screen size, (ii) narrow network bandwidth, (iii) low memory capacity, and (iv) limited computing power and resources. Therefore, loading and visualizing large documents on handheld devices become an arduous task. Various methods are created for browsing the mobile Web efficiently and effectively. This chapter investigates some of the methods: (i) page segmentation, (ii) component ranking, and (iii) other ad hoc methods. Though each method employs a different strategy, their goals are the same: conveying the meaning of Web pages by using minimum space. The major problem of the current methods is that it is not easy to find the clear-cut components in a Web page. Other related issues such as mobile handheld devices and microbrowsers will also be discussed in this chapter.

INTRODUCTION

Mobile commerce has drawn great attention these days and people start using mobile handheld de-

DOI: 10.4018/978-1-61520-761-9.ch013

vices such as smart cellular phones to perform all kinds of activities such as mobile Web browsing and instant messaging. According to Gartner, Inc., a market research company, the number of units of PCs, smartphones, and cellular phones shipped in 2008 are

- 302.2 million PCs including desk-based PCs, mobile PCs, and X86 servers (Gartner, Inc., 2009a)
- 139.3 million smartphones, which are mobile phones with advanced functions such as PC-like functions (Gartner, Inc., 2009b)
- 1.22 billion mobile phones (Gartner, Inc., 2009c)

The number of smartphones shipped is increased fast in recent years and it is a little less than half of the number of PCs shipped. It is expected the number of smartphones shipped will surpass the number of PC shipped in the near future. When people started using handheld devices to browse the mobile Internet about ten years ago, Webmasters usually created two versions of their Web pages. One version using HTML is for desktop browsers and the other one using WML, cHTML, or other languages is for microbrowsers. However, this approach has been proved futile and time-consuming and most Web sites have only one version in HTML for both desktop browsers and microbrowsers today. Most Web pages are mainly designed for desktop or notebook computers. They usually do not suit the devices well because the pages, especially the large files, can not be properly, speedily displayed on the microbrowsers due to the limitations of mobile handheld devices: (i) small screen size, (ii) narrow network bandwidth, (iii) low memory capacity, and (iv) limited computing power and resources. Therefore, loading and visualizing large documents on handheld devices become an arduous task.

A wide variety of methods have been used for Web content adaptation for mobile handheld devices. This chapter gives the challenges faced by these methods. It includes three themes:

• Internet-enabled mobile handheld devices: Mobile users browse the mobile Internet by using mobile handheld devices, which include six major components: (i) mobile operating systems, (ii) mobile central processing units, (iii) microbrowsers, (iv) input and output components and methods, (v) memory and storage, and (vi) batteries.

- **Microbrowsers:** Microbrowsers are a small version of desktop browsers such as Microsoft Internet Explorer and Firefox. They usually apply one of the four approaches to access the mobile Internet: (i) wireless language direct access, (ii) HTML direct access, (iii) HTML to wireless language conversion, and (iv) error.
- Web content adaptation: Various methods are used to browse the mobile Web and none of them is dominant. Most of them use the segmentation-and-ranking approach, that is, they display the page components in the order of their importance. This chapter investigates some of the methods:
 - **Page segmentation:** which is used to segment Web pages
 - **Component ranking:** which is used to rank page components after segmentation
 - **Other ad hoc methods:** such as text summarization, transcoding, and Web usage mining

Though each method employs a different strategy, their goals are the same: *conveying the meaning of Web pages by using minimum space*. The major problem of the current methods is that it is not easy to find the clear-cut components in a Web page.

A related survey of Web content adaptation is also given by Alam & Rahman (2003).

INTERNET-ENABLED MOBILE HANDHELD DEVICES

Mobile users interact with mobile commerce applications by using small wireless Internetenabled devices, which come with several aliases 13 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: www.igi-global.com/chapter/technologies-systems-web-content-

adaptation/41636

Related Content

Overlap Sliding Window Algorithm for Better BER in Turbo Decoding

Pushpa Velu, Ranganathan Hariharanand Palanivelan M. (2021). *International Journal of Mobile Devices, Wearable Technology, and Flexible Electronics (pp. 1-25).* www.irma-international.org/article/overlap-sliding-window-algorithm-for-better-ber-in-turbo-decoding/298660

Mobile Multimedia Streaming Using Secure Multipath in Wireless Ad Hoc Networks

Lei Chenand Chung-wei Lee (2010). *International Journal of Handheld Computing Research (pp. 54-74)*. www.irma-international.org/article/mobile-multimedia-streaming-using-secure/43604

Mobile Processes and Mobile Channels

K. Chalmers (2007). *Encyclopedia of Mobile Computing and Commerce (pp. 576-580).* www.irma-international.org/chapter/mobile-processes-mobile-channels/17138

A Formal Approach to the Verification of Adaptability Properties for Mobile Multimodal User Interfaces

Nadjet Kamel, Sid Ahmed Selouaniand Habib Hamam (2010). *Multimodality in Mobile Computing and Mobile Devices: Methods for Adaptable Usability (pp. 53-74).*

www.irma-international.org/chapter/formal-approach-verification-adaptability-properties/38536

Expressive Audiovisual Message Presenter for Mobile Devices

Alex Garcia Gonçalvesand José Mario De Martino (2013). *International Journal of Handheld Computing Research (pp. 70-83).*

www.irma-international.org/article/expressive-audiovisual-message-presenter-mobile/76310