

Chapter 21

Ambient Intelligence and Pervasive Architecture Designed within the EPI–MEDICS Personal ECG Monitor

Hussein Atoui

Université de Lyon and INSERM, France

David Télisson

Université de Lyon and INSERM, France

Jocelyne Fayn

Université de Lyon and INSERM, France

Paul Rubel

Université de Lyon and INSERM, France

ABSTRACT

Recent years have witnessed a growing interest in developing personalized and nonhospital based care systems to improve the management of cardiac care. The EPI-MEDICS project has designed an intelligent, portable Personal ECG Monitor (PEM) embedding an advanced decision making system. We present two of the ambient intelligence models embedded in the PEM: the neural-network based ischemia detection module and the Bayesian-network risk stratification module. Ischemia detection was expanded to take into account the patient ECG, clinical data, and medical history. The neural-network ECG interpretation module and the Bayesian-network risk factors module collaborate through a fuzzy-logic-based layer. We also present two telemedicine solutions that we have designed and in which the PEM is integrated. The first telemedical architecture was created to allow the collection of medical data and their transmission between healthcare providers to get an expert opinion. The second one is intended for improving healthcare in old people's homes.

INTRODUCTION

Recent years have witnessed a growing interest in developing personalized and nonhospital based care systems to improve the management of cardiac care (Axisa, Schmitt, Gehin, Delhomme, McAdams, & Dittmar, 2005; Campbell et al., 2005; Kerkenbush & Lasome, 2003). The reason behind such interest is due to the fact that cardiovascular diseases now represent the leading cause of mortality in Europe and reducing the time before hospitalization is crucial to reducing cardiac morbidity and mortality (McMurray & Rankin, 1994; Task Force Report, 1998).


Event recorders and transtelephonic ECG recorders are thus increasingly used to improve decision making in the prehospital phase. However, such systems are usually unable to capture transient ECG events such as infrequent arrhythmias or ischemic episodes. In addition, all these systems require setting up new information technology infrastructures and medical services and need skilled personnel to interpret the ECG and make decisions for the patient care.

This approach has thus proved to be very impractical for patients with infrequent symptoms such as arrhythmias and ischemia that represent 85% of the cardiac diseased patients, and would be very expensive if adopted for every citizen at risk.

The European project EPI-MEDICS has designed a solution based on the interpretation of ECG derived cardiological syndromes and developed a friendly and easy-to-use, cost-effective intelligent personal ECG monitor (PEM) (Rubel et al, 2004; Rubel et al., 2005). The device (Figure 1) is capable of recording a simplified 4-electrode, professional quality 3-lead ECG, to derive the missing 5 leads (V1, V3... V6) of the standard 12-lead ECG (Atoui, Fayn, & Rubel, 2004), to store the derived 12-lead ECG according to the SCP-ECG standard (EN 1064, 2007), to analyze and interpret the recorded ECG, to detect arrhythmias and ischemia or acute myocardial infarction, and to send an alarm message to the appropriate health care providers.

To develop the PEM software platform, we were confronted to a variety of problems related to the system intelligence and functioning: from recording and storing the ECG according to the

Figure 1. The personal ECG monitor (PEM) device allows for early detection of arrhythmia and ischemia in the pre-hospital phase and thus for better and more adapted treatment



8 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/ambient-intelligence-pervasive-architecture-designed/46685

Related Content

Real-Time Biomedical Telemetry System for Ambulances

Nuria Novas, José Antonio Gázquez and Marina Noguerol (2013). *Handbook of Research on ICTs and Management Systems for Improving Efficiency in Healthcare and Social Care* (pp. 356-377).

www.irma-international.org/chapter/real-time-biomedical-telemetry-system/78032

Web-Enabled Integration of Patient Data and Clinical Guidelines for Coordinated Care

James R. Warren and Joseph T. Noone (2000). *Managing Healthcare Information Systems with Web-Enabled Technologies* (pp. 151-171).

www.irma-international.org/chapter/web-enabled-integration-patient-data/25829

Systems Engineering and Health Informatics: Context, Content, and Implementation

Kalyan Sunder Pasupathy (2010). *Healthcare and the Effect of Technology: Developments, Challenges and Advancements* (pp. 123-144).

www.irma-international.org/chapter/systems-engineering-health-informatics/42709

Perceptions of an Organizing Vision for Electronic Medical Records by Independent Physician Practices

John L. Reardon (2009). *International Journal of Healthcare Information Systems and Informatics* (pp. 16-37).

www.irma-international.org/article/perceptions-organizing-vision-electronic-medical/3977

Variable Practice May Enhance Ball Catching Skills in Some but Not All Children With DCD

Eryk Przysucha, Taryn Klarner and Carlos Zerpa (2021). *International Journal of Extreme Automation and Connectivity in Healthcare* (pp. 7-19).

www.irma-international.org/article/variable-practice-may-enhance-ball-catching-skills-in-some-but-not-all-children-with-dcd/284461