

Chapter 7

High Level Definition of Event-Based Applications for Pervasive Systems

Steffen Ortmann

IHP Microelectronics, Germany

Michael Maaser

IHP Microelectronics, Germany

Peter Langendoerfer

IHP Microelectronics, Germany

ABSTRACT

Within pervasive intelligent environments, Wireless Sensor Networks (WSNs) will surround and serve us at any place and any time. A proper usability is considered essential for WSNs supporting real life applications. With this chapter, we aim at ease of use for specifying new applications that have to autonomously cope with expected and unexpected heterogeneity, sudden failures, and energy efficiency. Starting with general design criteria for applications in WSNs, we created a user-centric design flow for pervasive applications. The design flow provides very high abstraction and user guidance to refrain the user from implementation-, deployment- and hardware-details including heterogeneity of the available sensor nodes. Automatic event configuration is accomplished by using a flexible Event Specification Language (ESL) and Event Decision Trees (EDTs) for distributed detection and determination of real world phenomena. EDTs autonomously adapt to heterogeneous availability of sensing capabilities by pruning and subscription to other nodes for missing information. We present one of numerous simulated scenarios proving the robustness and energy efficiency with regard to the required network communications. From these, we learned how to deduce appropriate bounds for configuration of collaboration region and leasing time by asking for expected properties of the phenomena to be detected.

DOI: 10.4018/978-1-60960-735-7.ch007

INTRODUCTION

Pervasive computing significantly increases the human-computer interaction as well as the environment-computer interaction and enables a direct interplay between the real world and the information technology. The vision of pervasive intelligent environments surrounding and serving us at any place and any time will become reality in the near future. Computing devices will be embedded in everyday objects allowing information technology to fade into the background and become nearly invisible to their users. Wireless Sensor Networks (WSNs) are one of the first real world examples enabling pervasive computing. Envisioned to be distributed like “Smart Dust”, these networks support a broad range of applications and may become the perfect service and surveillance tool. Based on their capability to identify physical phenomena, sensor networks can be applied for environmental and structural control, context-awareness for personal services, military applications or pervasive healthcare, to mention a few (Mainwaring, Culler, Polastre, Szewczyk, & Anderson, 2002; Werner-Allen, Johnson, Ruiz, Lees, & Welsh, 2005; Akyildiz, Su, Sankarasubramaniam, & Cayirci, 2002; Aboelaze & Aloul, 2005). To summarize, ambient assisting technology based on WSNs will amazingly increase our quality of life.

Despite of the emerging advantages and potential applications, there are still a lot of challenges and problems to solve before WSNs can be used as consumer technology. WSNs are expected to be deployed with high density in large areas where hundreds or thousands of nodes are used. Due to the pervasiveness of envisioned systems, those are caught in a crossfire of external and internal influences. Sudden changes in operational conditions, varying deployment and hazardous environments adversely affect the reliability of applications. The configuration of a pervasive system is yet hard for

experts, which usually customize WSNs manually to application and deployment requirements. It is an obvious fact that most approaches for WSNs hardly consider or even disregard the configuration complexity of a WSN. However, a proper usability is considered essential for WSNs supporting real life applications. Making the programming and deployment of a WSN accessible for non-experts could become the most important issue in order to gain broad consumer acceptance of WSNs.

Pervasive systems are expected to consist of various devices providing different capabilities, hardware and software. Approaches aiming at ease of use for specifying new applications have to autonomously cope with expected and unexpected heterogeneity, fault tolerance and energy efficiency. Provision of means that enable non-professional users to make use of the WSN is required to make them widely accepted. These users are usually short on experience of programming languages and sensor networks. They cannot be asked for applying programming languages or data-base abstractions for WSN configuration. These users require a straightforward method for task definition and sensor node configuration without the need to know about hardware or software or node deployment of the WSN under configuration. Further, the algorithms used for configuration of the sensor nodes must be robust enough to autonomously overcome sudden failures during runtime, such as unavailability of sensing features or of collaborating nodes. Nevertheless, all necessary internal configuration and adaptation processes have to be completely hidden from the user.

This chapter introduces general design criteria for application design in WSNs. Based on these design criteria, this chapter motivates a significant change from a WSN-centric to user-centric design flow of pervasive applications. Instead of customizing applications to the conditions of the deployed WSN, which is the WSN-centric design,

43 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/high-level-definition-event-based/55439

Related Content

Random Walk Grey Wolf Optimizer Algorithm for Materialized View Selection (RWGWOMVS)

Anjana Gosain and Kavita Sachdeva (2020). *Novel Approaches to Information Systems Design* (pp. 101-122).

www.irma-international.org/chapter/random-walk-grey-wolf-optimizer-algorithm-for-materialized-view-selection-rwgwomvs/246736

Open Innovation: Assessing the Socio-Economic Factors of Global Software Development

Noel Carroll (2015). *Human Factors in Software Development and Design* (pp. 1-22).

www.irma-international.org/chapter/open-innovation/117292

Enhancing a SCRM Curriculum With Cybersecurity

Art Conklin and Chris Bronk (2018). *International Journal of Systems and Software Security and Protection* (pp. 46-56).

www.irma-international.org/article/enhancing-a-scrm-curriculum-with-cybersecurity/221922

A Design Methodology for Modeling Flexible Business Processes

Imen Ben Said, Mohamed Amine Chaabane and Rafik Bouaziz (2022). *International Journal of Information System Modeling and Design* (pp. 1-25).

www.irma-international.org/article/a-design-methodology-for-modeling-flexible-business-processes/315025

A Cognitive Informatics Reference Model of Autonomous Agent Systems (AAS)

Yingxu Wang (2009). *Software Applications: Concepts, Methodologies, Tools, and Applications* (pp. 3102-3117).

www.irma-international.org/chapter/cognitive-informatics-reference-model-autonomous/29552