# Chapter 5.17 Application of Machine Learning in Drug Discovery and Development

**Shuxing Zhang** 

The University of Texas at M.D. Anderson Cancer Center, USA

## ABSTRACT

Machine learning techniques have been widely used in drug discovery and development, particularly in the areas of cheminformatics, bioinformatics and other types of pharmaceutical research. It has been demonstrated they are suitable for large high dimensional data, and the models built with these methods can be used for robust external predictions. However, various problems and challenges still exist, and new approaches are in great need. In this Chapter, the authors will review the current development of machine learning techniques, and especially focus on several machine learning techniques they developed as well as their application to model building, lead discovery via virtual screening, integration with molecular docking, and prediction of off-target properties. The authors will suggest some potential different avenues to unify different disciplines, such as cheminformatics, bioinformatics and systems biology, for the purpose of developing integrated *in silico* drug discovery and development approaches.

#### INTRODUCTION

*Drug discovery and development* is regarded as one of the most complex research areas encompassing many disciplines (Cohen et al., 2004; Gomeni et al., 2001; Martin, 1991; Tropsha & Zheng, 2001). This might be part of the reasons why it

DOI: 10.4018/978-1-60960-818-7.ch5.17

is extremely expensive and time-consuming, and why the current pharmaceutical business is hitting a wall with its severely stalled discovery engine (Tralau-Stewart et al., 2009). In seeking efficient and costly effective approaches, computer-aided methods are gaining more and more attentions, and recent years have witnessed dramatic progress in computer-aided drug design (Cohen et al., 2004; Gomeni et al., 2001; Martin, 1991; Tropsha & Zheng, 2001). This is partially due to the significant advances in the analysis of explosively growing biological and chemical data using modern machine learning techniques (Mitchell et al., 1989; Mjolsness & DeCoste, 2001; Schneider & Downs, 2003). Machine learning has been referred to the development of algorithms that improve their performance in pattern recognition, classification, regression and prediction based on the models derived from existing data. Therefore, it is closely related to fields such as data mining, pattern recognition, theoretical computer science, and many other areas (Mitchell et al., 1989). For instance, algorithms for classification have been used frequently to identify active and inactive compounds, while regression approaches are applied to the training and prediction of continuous data. Despite being widely used in other biomedical research such as bioinformatics, we will focus herein on its application to small molecule drug discovery and development.

Currently there is a variety of existing implementations of machine learning. However, it is often difficult to assess the usefulness and limitations of a particular method for the problems at hand (Mitchell et al., 1989; Schneider & Downs, 2003). In drug discovery and development, machine learning has been widely used in *quantitative structure-activity relationship (QSAR),* ligand-based *virtual screening, in silico ADMET* (absorption, distribution, metabolism, excretion, and toxicity) studies, and many other areas (King et al., 1992; King et al., 1996; Mitchell et al., 1989; Mjolsness & DeCoste, 2001; Schneider & Downs, 2003). Different QSAR approaches have been developed during the past few decades (Hansch et al., 1963; Klein et al., 1986; Kubinyi, 1986). In a generalized classification or regression problem, modern QSAR are characterized by the use of multiple descriptors of chemical structures combined with the application of both linear and non-linear optimization techniques, and a strong emphasis on rigorous model validation to afford robust and predictive QSAR models (Tropsha, 2005; Tropsha, 2006). Molecular descriptors are used for representing structural and physicochemical properties of compounds. More than 3000 thousand descriptors have been developed to date, ranging from constitutional descriptors, such as molecular weight, to more complex 2D and 3D descriptors representing different topologic, geometric, connectivity, and physicochemical properties (Li et al., 2007). Frequently used descriptors in QSAR modeling include constitutional descriptors (e.g., counts of atoms, bonds, etc.), property-based descriptors (e.g., logP), BCUT descriptors, topological descriptors, geometrical descriptors, electrostatic, quantum chemical descriptors, thermodynamic descriptors, and many others. These descriptors can be calculated by several popular programs such as DRAGON (Tetko et al., 2005), Molconn-Z (Kellogg, 2002), MOE (Chemical Computing Group, Quebec, Canada), CODESSA (http://www. codessa-pro.com/index.htm), ADMET Predictor (Simulation Plus, Lancast, CA), JOELib (http:// www.ra.cs.uni-tuebingen.de/software/joelib/), and PowerMV (http://www.niss.org/PowerMV/).

Once descriptors are obtained for the molecules, statistical modeling techniques are required to establish correlation between the descriptors and activities. For instance, a comprehensive review of the application of neural network in a variety of QSAR problems has been presented, which discussed how NNs can be applied to the prediction of physicochemical and pharmacokinetic properties (Baskin et al., 2008). In addition, SVM was found to yield improved performance compared to multiple linear regressions (MLR) 21 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/application-machine-leaning-drug-

### discovery/56207

# **Related Content**

#### Machine Learning Applications for Classification Emergency and Non-Emergency Patients

Zeynel Abidin Çiland Abdullah Caliskan (2020). Computational Intelligence and Soft Computing Applications in Healthcare Management Science (pp. 104-120).

www.irma-international.org/chapter/machine-learning-applications-for-classification-emergency-and-non-emergencypatients/251970

#### Factors Determining the Success of eHealth Innovation Projects

Antonio Hidalgo, Nerea Pérezand Isaac Lemus-Aguilar (2022). *International Journal of Software Science and Computational Intelligence (pp. 1-22).* www.irma-international.org/article/factors-determining-the-success-of-ehealth-innovation-projects/309709

# A New Approach for Suggesting Takeover Targets Based on Computational Intelligence and Information Retrieval Methods: A Case Study from the Indian Software Industry

Satyakama Paul, Andreas Janecek, Fernando Buarque de Lima Netoand Tshilidzi Marwala (2014). Mathematics of Uncertainty Modeling in the Analysis of Engineering and Science Problems (pp. 290-308). www.irma-international.org/chapter/a-new-approach-for-suggesting-takeover-targets-based-on-computationalintelligence-and-information-retrieval-methods/94517

#### **Exploratory News Recommendation**

Jon Atle Gulla, Özlem Özgöbekand Xiaomeng Su (2018). *Developments and Trends in Intelligent Technologies and Smart Systems (pp. 1-15).* www.irma-international.org/chapter/exploratory-news-recommendation/189423

#### System Uncertainty Based Data-Driven Knowledge Acquisition

Jun Zhaoand Guoyin Wang (2009). International Journal of Software Science and Computational Intelligence (pp. 53-66).

www.irma-international.org/article/system-uncertainty-based-data-driven/34088