ITB11999



701 E. Chocolate Avenue, Suite 200, Hershey PA 17033-1240, USA Tel: 717/533-8845; Fax 717/533-8661; URL-http://www.idea-group.com

IDEA GROUP PUBLISHING

This paper appears in the book, Business Applications and Computational Intelligence edited by Kevin E. Voges and Nigel K. L. Pope © 2006, Idea Group Inc.

**Chapter VI** 

# Applying Information Gathering Techniques in Business-to-Consumer and Web Scenarios

David Camacho, Universidad Autónoma de Madrid, Spain

### Abstract

The last decade has shown the e-business community and computer science researchers that there can be serious problems and pitfalls when e-companies are created. One of the problems is related to the necessity for the management of knowledge (data, information, or other electronic resources) from different companies. This chapter will focus on two important research fields that are currently working to solve this problem — Information Gathering (IG) techniques and Web-enabled Agent technologies. IG techniques are related to the problem of retrieval, extraction and integration of data from different (usually heterogeneous) sources into new forms. Agent and Multi-Agent technologies have been successfully applied in domains such as the Web. This chapter will show, using a specific IG Multi-Agent system called MAPWeb, how information gathering techniques have been successfully combined with agent technologies to build new Web agent-based systems. These systems can be migrated into Business-to-

Copyright © 2006, Idea Group Inc. Copying or distributing in print or electronic forms without written permission of Idea Group Inc. is prohibited.

Consumer (B2C) scenarios using several technologies related to the Semantic Web, such as SOAP, UDDI or Web services.

### Introduction

The aim of this chapter is to show how several Computational Intelligence (CI) techniques have evolved to allow the implementation of intelligent Business-to-Consumer (B2C) applications using new technologies related to the Semantic Web. The evolution of these applications is made possible by several CI techniques (such as Machine Learning or Planning) that allow users to represent, integrate, and manage information and resources available in electronic repositories. It is also made possible by the evolution of the World Wide Web and its associated technologies (such as XML or RDF). In addition, Web services are emerging as a major technology for achieving automated interactions between distributed and heterogeneous applications. Various technologies constitute the backbone of this achievement, for example WSDL, UDDI, and SOAP. These technologies aim at supporting the definition of services, their advertisement, and their binding for triggering purposes. The advantages of Web services have already been demonstrated and highlight their capacity to be combined into high-level business processes. These business processes are composites that consist of several component services. It is argued that composition via service interconnection allows more sophisticated services and applications to be hierarchically constructed from primitive ones (Curbera, Duftler, Khalaf, Nagy, Mukhi, & Weerawarana, 2002; McIlraith, Son, & Zeng, 2002; WWW Consortium, 2002).

Computational intelligence techniques allow for the implementation of robust, adaptable, and reliable applications, and these characteristics are needed for a successful deployment of B2C applications. CI techniques are therefore important in promoting and developing B2C solutions on the Web. Many B2C applications have now been deployed as Web applications with considerable repercussions for e-business. These new kinds of Web sites allow consumers to rent a car, book a hotel, schedule travel, buy music, books, etc. It is obvious that new Web-based B2C applications are flourishing in the commercial sphere of the Internet.

The Semantic Web (Berners-Lee, Hendler, & Lassila, 2001) with its tools and related technologies, (including Ontology, WSDL, UDDI, SOAP) and Web services are likely to fall short of realizing the complete automation often envisioned by e-business practitioners. The evolution from the current Web to the Semantic Web has created new business possibilities that go beyond what traditional Information Retrieval (Baeza-Yates & Ribeiro-Neto, 1999; Jones & Willett, 1997), or Information Searching (Chen, Chung, Ramsey, & Yang, 2001; Howe & Dreilinger, 1997; Lieberman, 1995) techniques provide. Some of those possibilities arise because new problems can be solved using the available information from several electronic sources. These problems need to use multiple information sources to obtain a solution or solutions. The large number of available electronic sources and the opportunity to find any type of information makes it possible to think about building systems that can retrieve, reason and finally reuse the stored

20 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-</u> <u>global.com/chapter/applying-information-gathering-</u>

techniques-business/6021

#### **Related Content**

#### A Review on the Research Growth of Industry 4.0: IIoT Business Architectures Benchmarking

Anoop Kumar Sahu, Atul Kumar Sahuand Nitin Kumar Sahu (2020). *International Journal of Business Analytics (pp. 77-97).* www.irma-international.org/article/a-review-on-the-research-growth-of-industry-40/246343

#### Design Configuration in Industrialized House Building

Fredrik Wikberg, Anders Ekholmand Stefan Olander (2014). *Encyclopedia of Business Analytics and Optimization (pp. 716-725).* www.irma-international.org/chapter/design-configuration-in-industrialized-house-building/107275

## Measuring the Maturity of the Business Intelligence and Analytics Initiative of a Large Norwegian University: The BEVISST Case Study

Xiaomeng Suand Elsa Cardoso (2021). *International Journal of Business Intelligence Research (pp. 1-26).* 

www.irma-international.org/article/measuring-the-maturity-of-the-business-intelligence-andanalytics-initiative-of-a-large-norwegian-university/297061

## Bankruptcy Prediction Using Principal Component Analysis Based Neural Network Models

G. A. Rekha Paiand G. A. Vijayalakshmi Pai (2010). *Business Intelligence in Economic Forecasting: Technologies and Techniques (pp. 138-156).* www.irma-international.org/chapter/bankruptcy-prediction-using-principal-component/44253

# The Effects of Innovative Instruments to Market Participants and the Financial System: The Particular Role of Information Technologies

Demetres N. Subeniotisand Ioannis A. Tampakoudis (2010). *Pervasive Computing for Business: Trends and Applications (pp. 204-220).* 

www.irma-international.org/chapter/effects-innovative-instruments-market-participants/41105