

Chapter 19

On Construction of Cluster and Grid Computing Platforms for Parallel Bioinformatics Applications

Chao-Tung Yang
Tunghai University, Taiwan

Wen-Chung Shih
Asia University, Taiwan

ABSTRACT

Biology databases are diverse and massive. As a result, researchers must compare each sequence with vast numbers of other sequences. Comparison, whether of structural features or protein sequences, is vital in bioinformatics. These activities require high-speed, high-performance computing power to search through and analyze large amounts of data and industrial-strength databases to perform a range of data-intensive computing functions. Grid computing and Cluster computing meet these requirements. Biological data exist in various web services that help biologists search for and extract useful information. The data formats produced are heterogeneous and powerful tools are needed to handle the complex and difficult task of integrating the data. This paper presents a review of the technologies and an approach to solve this problem using cluster and grid computing technologies. The authors implement an experimental distributed computing application for bioinformatics, consisting of basic high-performance computing environments (Grid and PC Cluster systems), multiple interfaces at user portals that provide useful graphical interfaces to enable biologists to benefit directly from the use of high-performance technology, and a translation tool for converting biology data into XML format.

DOI: 10.4018/978-1-4666-2065-0.ch019

1. INTRODUCTION

Bioinformatics is a combination of biology and information technology and includes any computational tools and methods for managing, analyzing and manipulating large sets of biology data. Thus, computing technologies are vital for bioinformatics applications (Konishi et al., 2002; Trelles et al., 1998). For example, biology problems often require repeating the same task millions of times such as when searching for sequence similarities in existing databases or comparing groups of sequences to determine evolutionary relationships. In such cases, the high-performance computers to process this information are indispensable. Biological information is stored on many computers around the world. The easiest way to access this information is to join these computers together through networking. Such activities require high-performance computing infrastructures (Prodan & Fahringer, 2002) with access to huge databases of information.

The major advances in computer technology and computer science over the past 30 years have dramatically changed much of our society. Currently, many parallel versions of bioinformatics applications can be used to conduct computing tasks on Linux PC Cluster or Grid systems, including, HMMer (<http://hmmer.wustl.edu/>), FASTA (<ftp://ftp.virginia.edu/pub/fasta/>), mpiBLAST (<http://mpiblast.lanl.gov/index.html>), ClustalW-MPI (Li, 2003), FastDNAm1 (Stewart et al., 2001), and TREE-PUZZLE (Schmidt et al., 1992). Using these parallel versions of bioinformatics software for sequence alignment or analysis can always save enormous amounts of time and cost. The use of parallel software versions and cluster system is cost-effective and it will become more and more popular in the near future.

Computing technologies today represent promising future possibilities. Currently, it is still very difficult for researchers who are not specialized in Information Technology (IT) to fully utilize these high-performance computing technologies.

IT engineers are therefore playing an important role in improving the research environment. The mission imposed on us is to provide user-friendly interfaces for researchers who are not specialists in IT to be able to benefit directly from the use of high-performance technology. The user portal enables interactions between application users and applications obtaining parametric inputs for problems and reporting results upon execution completion (Pierce, 2002; Stocker, 2004; Sturn, 2003; Suzumura, 2004).

Large quantities of biological data have been made accessible to the scientific community through numerous genome websites such as the National Center for Biotechnology Information (NCBI) (<http://www.ncbi.nlm.nih.gov>) and the Protein Data Bank (PDB) (<http://www.rcsb.org/pdb/index.html>), and many of these genome websites distribute large datasets as flat files (e.g., tab-delimited files). Flat files are text files lacking any form of markup language. The tasks of automating the processes of information retrieval and integration of heterogeneous biological data are difficult due to their unstructured formats. The data involved may range from nucleic acid and protein sequences, to three-dimensional protein structures, and relationships among various metabolic pathways. Furthermore, different approaches are used for data modeling, storage, analysis, and querying purposes. Therefore, Molecular Biology databases have only a few widely accepted schemas.

As a consequence, integration and inter-operability of Molecular Biology databases are issues of considerable importance. The eXtensible Markup Language (XML) (<http://www.w3.org/XML/>) proposed by the World Wide Web Consortium (W3C) (<http://www.w3.org>) has emerged as a popular format for representing and exchanging information over the Web. XML was originally designed to overcome the limitations of HTML and flat files. In this paper, we present an approach to converting data from various databanks into XML format for storage in XML database man-

19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage:

www.igi-global.com/chapter/construction-cluster-grid-computing-platforms/69042

Related Content

A Context-Aware Framework for Collaborative Activities in Pervasive Communities

Christopher Lima, Mário Antunes, Diogo Gomes, Rui Aguiar and Telma Mota (2014). *International Journal of Distributed Systems and Technologies* (pp. 31-43).

www.irma-international.org/article/a-context-aware-framework-for-collaborative-activities-in-pervasive-communities/115252

Architectural Pattern for Scheduling Multi-Component Applications in Distributed Systems

Absalom El-Shamir Ezugwu, Marc Eduard Frincu and Sahalu Balarabe Junaidu (2016). *International Journal of Grid and High Performance Computing* (pp. 1-22).

www.irma-international.org/article/architectural-pattern-for-scheduling-multi-component-applications-in-distributed-systems/149911

The State of Computer Simulation Applications in Construction

Mohamed Marzouk (2010). *Handbook of Research on Discrete Event Simulation Environments: Technologies and Applications* (pp. 509-534).

www.irma-international.org/chapter/state-computer-simulation-applications-construction/38275

Business Grids, Infrastructuring the Future of ICT

Carmelo Ragusa (2010). *Handbook of Research on P2P and Grid Systems for Service-Oriented Computing: Models, Methodologies and Applications* (pp. 245-284).

www.irma-international.org/chapter/business-grids-infrastructuring-future-ict/40805

Performance Evaluation of Full Diversity QOSTBC MIMO Systems with Multiple Receive Antenna

Hardip K. Shah, Tejal N. Parmar, Nikhil Kothari and K. S. Dasgupta (2013). *Applications and Developments in Grid, Cloud, and High Performance Computing* (pp. 274-284).

www.irma-international.org/chapter/performance-evaluation-full-diversity-qostbc/69041