Chapter 8.16 Introducing Elasticity for Spatial Knowledge Management

David A. Gadish California State University Los Angeles, USA

ABSTRACT

The internal validity of a spatial database can be discovered using the data contained within one or more databases. Spatial consistency includes topological consistency, or the conformance to topological rules. Discovery of inconsistencies in spatial data is an important step for improvement of spatial data quality as part of the knowledge management initiative. An approach for detecting topo-semantic inconsistencies in spatial data is presented. Inconsistencies between pairs of neighboring spatial objects are discovered by comparing relations between spatial objects to rules. A property of spatial objects, called elasticity, has been defined to measure the contribution of each of the objects to inconsistent behavior. Grouping of multiple objects, which are inconsistent with one another, based on their elasticity is proposed. The ability to discover groups of neighboring objects that are inconsistent with one another can serve as the basis of an effort to understand and increase the quality of spatial data sets. Elasticity should therefore be incorporated *into knowledge management systems that handle spatial data.*

INTRODUCTION

Geographic information systems (GIS) databases have gained popularity in different business sectors in recent years. GIS databases, which consist of vector based data elements including points, lines, and polygons (Aronoff, 1995). The elements in these databases are related to one another in terms of their location as well as in terms of their semantic interpretation (Clementini et al., 1993; Egenhoffer, 1991). Consistency is a measure of internal validity of these databases. Inconsistency is the opposite of consistency (Kainz, 1991). Inconsistency can be measured in terms of the number of objects that are in relations with one or multiple objects that do not satisfy one or more rules which describe the data (Cockcroft, 2004; Lutz et al., 2007; Xu, 2007). For example, it would be inconsistent to map a property boundary to the

A inconsistency between the building and the two properties it overlaps. An inconsistency

Figure 1. Example of inconsistencies in spatial data

center of an adjacent road. Consistency is assessed using information contained within one or more databases. Spatial consistency includes topological consistency, or the conformance to topological rules (Kainz, 1995). An example of spatial inconsistency is illustrated in Figure 1 where two buildings slightly overlap their properties.

Detection of inconsistencies in spatial data is a key activity in an effort to manage the consistency of spatial data (Servigne et al., 2000). It is useful for evaluating, maintaining and enhancing spatial data quality. Since data in spatial databases is constantly evolving, there is an on-going need for detection and adjustment of inconsistencies. This need is amplified as two or more spatial databases are combined to discover and manage knowledge.

An approach for detecting inconsistencies in spatial data is presented. Inconsistencies between pairs of neighboring spatial objects (consisting of spatial geometry and non-spatial attributes) are detected by comparing relations between spatial objects to rules. A property of spatial objects (or simply objects), called elasticity, is defined to indicate the contribution of each of the objects to inconsistent behavior. Grouping of multiple objects, which are inconsistent with one another, based on their elasticity is proposed. These groupings become the basis for an effort to increase the quality of spatial data. This process is illustrated in Figure 2.

Elasticity and related concepts discussed in this paper could be incorporated into a Knowledge Management toolkits such as those covered by Balmisse et al. (2007). The ability to determine and enhance the quality of data will help quantify and strengthen the validity of discovered organizational knowledge.

More and more organizations in all business sectors are integrating spatial (location based) data with their existing non-spatial data sets. Spatial data integration and the resulting quality of this integration is therefore critical to integration of more and more non-spatial databases and to knowledge discovery in these combined data sets. 19 more pages are available in the full version of this document, which may be purchased using the "Add to Cart" button on the publisher's webpage: <u>www.igi-global.com/chapter/introducing-elasticity-spatial-knowledge-</u> management/8057

Related Content

An Alternative Fit through Problem Representation in Cognitive Fit Theory

Hock Chuan Chan, Suparna Goswamiand Hee-Woong Kim (2012). *Journal of Database Management (pp. 22-43).*

www.irma-international.org/article/alternative-fit-through-problem-representation/65540

Using Ontology and Rule-Based Reasoning for Conceptual Data Models Synonyms Detection: A Case Study

Ljubica Kaziand Zoltan Kazi (2019). *Journal of Database Management (pp. 1-21).* www.irma-international.org/article/using-ontology-and-rule-based-reasoning-for-conceptual-data-models-synonymsdetection/230292

A Scalable Middleware for Web Databases

Athman Bouguettaya, Zaki Malik, Abdelmounaam Rezguiand Lori Korff (2006). *Journal of Database Management (pp. 20-46).*

www.irma-international.org/article/scalable-middleware-web-databases/3361

Analysis of Ocean in Situ Observations and Web-Based Visualization: From Individual Measurements to an Integrated View

Alexander Barth, Sylvain Watelet, Charles Troupin, Aida Alvera-Azcárateand Jean-Marie Beckers (2017). Oceanographic and Marine Cross-Domain Data Management for Sustainable Development (pp. 345-371). www.irma-international.org/chapter/analysis-of-ocean-in-situ-observations-and-web-based-visualization/166848

An MDA Approach and QVT Transformations for the Integrated Development of Goal-Oriented Data Warehouses and Data Marts

Jesús Pardillo, Jose-Norberto Mazónand Juan Trujillo (2011). *Journal of Database Management (pp. 43-68).*

www.irma-international.org/article/mda-approach-qvt-transformations-integrated/49723